


Fylo+ Recessed_3



Systeme - Lineare Elemente | Modular
65003



1000 x
113

Technische Daten	
Typ	- - -
Installationsposition	Wand - Decke
Installationsumgebung	Indoor
IK	IK08
Glühdrahtprüfung	850°
Direkte Montage auf normal entflammaren Oberflächen	Ja
CE	Ja
Leuchte dimmbar	Nein
Schwenkbarkeit	Nein
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Nein
Harzbeschichtung	Nein
Nettogewicht	1,12 Kg
Modularity	Modular

Oberfläche Gehäuse	
Material	Aluminium
Farbe	Kreideweiß
Bearbeitungstyp	Lackierung



Systeme - Lineare Elemente | Modular
65003

















Components

		<p>Ribbon PRO - LED Strip topLED 18 W DC - 18 W AC 3.6 W/m 511.6 Lm/m</p>	<p>Code <u>82123</u></p>
		<p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 518 Lm/m</p>	<p>Code <u>82124</u></p>
		<p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 550.8 Lm/m</p>	<p>Code <u>82125</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82129</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82130</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82131</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82156</u></p>
		<p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 958.2 Lm/m</p>	<p>Code <u>82157</u></p>



















Systeme - Lineare Elemente | Modular
65003

Components

 	<p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 1023 Lm/m</p>	<p>Code <u>82158</u></p>
 	<p>Ribbon PRO</p>	<p>Code <u>82162</u></p>
 	<p>Ribbon PRO - LED Strip topLED 68 W DC</p>	<p>Code <u>82164</u></p>
 	<p>Ribbon PRO</p>	<p>Code <u>82163</u></p>
 	<p>Ribbon PRO</p>	<p>Code <u>82168</u></p>
 	<p>Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2419.6 Lm/m</p>	<p>Code <u>82169</u></p>
 	<p>Ribbon PRO - LED Strip topLED 84 W DC - 84 W AC</p>	<p>Code <u>82170</u></p>
 	<p>Ribbon PRO</p>	<p>Code <u>C00423WH</u></p>



Components

		Ribbon Plus	Code 82174
		Ribbon Plus - LED Strip topLED 24 W DC	Code 82175
		Ribbon Plus - LED Strip topLED 24 W DC 24 V 4.8 W/m 622 Lm/m	Code 82176
		Ribbon Plus	Code 82180
		Ribbon Plus	Code 82181
		Ribbon Plus	Code 82182
		Ribbon Plus	Code 82194
		Ribbon Plus - LED Strip topLED 72 W DC 24 V 14.4 W/m 1870 Lm/m	Code 82193



















Systeme - Lineare Elemente | Modular
65003

Components

		Ribbon Plus	Code 82192
		Ribbon Plus - LED Strip topLED 48 W DC	Code 82187
		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1122 Lm/m	Code 82186
		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1252 Lm/m	Code 82188
		Ribbon Plus	Code 82207
		Ribbon Plus	Code 82209
		Ribbon Plus	Code 82210
		Ribbon Plus WT - LED Strip topLED 65 W DC 24 V 13 W/m	Code C00419WHSDI















Components

 	<p>Ribbon Plus Dynamic White - LED Strip topLED 62.5 W DC 24 V 12.5 W/m</p>	<p>Code <u>C00418WHDDI</u></p>
 	<p>Ribbon Plus RGBW</p>	<p>Code <u>C00417WHVDI</u></p>
 	<p>Ribbon Basic_V2 - LED Strip topLED 24 W DC 24 V 4.8 W/m 466.2 Lm/m</p>	<p>Code <u>C00495WH</u></p>
 	<p>Ribbon Basic_V2</p>	<p>Code <u>C00496WH</u></p>
 	<p>Ribbon HF_V2 168 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m 1545 Lm/m</p>	<p>Code <u>C00503WH</u></p>
 	<p>Ribbon HF_V2 238 LEDs/m - LED Strip topLED 98 W DC 24 V 19.6 W/m 2125.6 Lm/m</p>	<p>Code <u>C00504WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1467.8 Lm/m</p>	<p>Code <u>C00506WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip topLED 108 W DC 24 V 21.6 W/m 2767.6 Lm/m</p>	<p>Code <u>C00507WH</u></p>



Systeme - Lineare Elemente | Modular
65003

Components

		<p>Ribbon HD 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1278.8 Lm/m</p>	<p>Code <u>C00509WH</u></p>
		<p>Ribbon HD 160 LEDs/m</p>	<p>Code <u>C00510WH</u></p>
		<p>Ribbon Slim_V2 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 842.8 Lm/m</p>	<p>Code <u>C00511WH</u></p>
		<p>Ribbon Slim_V2 160 LEDs/m - LED Strip topLED 52.5 W DC 24 V 10.5 W/m 1132.2 Lm/m</p>	<p>Code <u>C00512WH</u></p>
		<p>Ribbon Distance 130 LEDs/m - LED Strip topLED 192 W DC 48 V 9.6 W/m 993.1 Lm/m</p>	<p>Code <u>C00514WH</u></p>
		<p>Ribbon Distance 130 LEDs/m - LED Strip topLED 207 W DC 48 V 13.8 W/m 1391.2 Lm/m</p>	<p>Code <u>C00515WH</u></p>



Fylo+ Recessed_3 | Lines | Accessories
65003

	<p>Einbaugehäuse installationsposition: decke L=320mm, H=55mm, D=100mm</p>	<p>Code <u>62900</u></p>
--	--	-------------------------------------

	<p>Diffusor</p>	<p>Code <u>65054</u></p>
--	-----------------	-------------------------------------

	<p>Diffusor</p>	<p>Code <u>65055</u></p>
--	-----------------	-------------------------------------