




Modular
C-K100017



| Technische Daten | |
|---|--------------|
| Typ | Profile |
| Installationsposition | Wand - Decke |
| Installationsumgebung | Indoor |
| Glühdrahtprüfung | Nein |
| Direkte Montage auf normal entflammaren Oberflächen | Ja |
| CE | Ja |
| Leuchte dimmbar | Nein |
| Schwenkbarkeit | Nein |
| Drehbarkeit | Nein |
| Begehbarkeit | Nein |
| Überrollbarkeit | Nein |
| Einschließlich Kabel | Nein |
| Harzbeschichtung | Nein |
| Modularity | Modular |

| Oberfläche Gehäuse | |
|--------------------|----------------------|
| Material | Aluminium |
| Farbe | Eloxiertes Aluminium |
| Bearbeitungstyp | Eloxierung |



Modular
C-K100017

















Components

| | | | |
|--|--|--|-------------------------------------|
| | | <p>Dropper RGB 60 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m</p> | <p>Code <u>98025</u></p> |
| | | <p>Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 570.2 Lm/m</p> | <p>Code <u>98012</u></p> |
| | | <p>Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 540 Lm/m</p> | <p>Code <u>98011</u></p> |
| | | <p>Ribbon 120 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1367.8 Lm/m</p> | <p>Code <u>98077</u></p> |
| | | <p>Ribbon 120 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1236 Lm/m</p> | <p>Code <u>98078</u></p> |
| | | <p>Ribbon RGB 60 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m</p> | <p>Code <u>98017</u></p> |
| | | <p>Ribbon 240 LEDs/m</p> | <p>Code <u>98083</u></p> |
| | | <p>Ribbon 240 LEDs/m - LED Strip topLED 96 W DC 24 V 19.2 W/m 1537.8 Lm/m</p> | <p>Code <u>98084</u></p> |



Modular
C-K100017

















Components

| | | | |
|--|---|---|-----------------------------|
|  |  | Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 547 Lm/m | Code <u>98556</u> |
|  |  | Ribbon 120 LEDs/m | Code <u>98568</u> |
|  |  | Ribbon 240 LEDs/m - LED Strip topLED 96 W DC 24 V 19.2 W/m 1611.8 Lm/m | Code <u>98570</u> |
|  |  | Dropper 120 LEDs/m | Code <u>98572</u> |
|  |  | Dropper 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 780 Lm/m | Code <u>98574</u> |
|  |  | Ribbon Ribbon Plus 70 LEDs/m | Code <u>98635</u> |
|  |  | Ribbon Plus 70 LEDs/m - LED Strip topLED 16 W DC 24 V 3.2 W/m 428 Lm/m | Code <u>98636</u> |
|  |  | Ribbon Plus 70 LEDs/m | Code <u>98637</u> |



Modular
C-K100017

















Components

| | | | |
|--|---|---|-------------------------------------|
|  |  | <p>Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1475 Lm/m</p> | <p>Code <u>98638</u></p> |
|  |  | <p>Ribbon Plus Hi-Flux 70 LEDs/m</p> | <p>Code <u>98639</u></p> |
|  |  | <p>Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1710 Lm/m</p> | <p>Code <u>98640</u></p> |
|  |  | <p>Ribbon Plus 140 LEDs/m - LED Strip topLED 36 W DC 24 V 7.2 W/m 823 Lm/m</p> | <p>Code <u>98945</u></p> |
|  |  | <p>Ribbon Plus 140 LEDs/m</p> | <p>Code <u>98946</u></p> |
|  |  | <p>Ribbon Plus 140 LEDs/m</p> | <p>Code <u>98948</u></p> |
|  |  | <p>Ribbon Plus RGBW</p> | <p>Code <u>99670</u></p> |
|  |  | <p>Ribbon Plus WT 70+70 LEDs/m</p> | <p>Code <u>99671</u></p> |



Modular
C-K100017

Components

| | | | |
|--|---|---|-------------------------------------|
|  |  | <p>Ribbon Plus Dynamic White 70+70 LEDs/m</p> | <p>Code <u>99672</u></p> |
|  |  | <p>Dropper Basic 60 LEDs/m</p> | <p>Code <u>99592</u></p> |
|  |  | <p>Dropper Basic 60 LEDs/m - LED Strip stripLED 25 W DC 24 V 5 W/m 529.8 Lm/m</p> | <p>Code <u>99588</u></p> |
|  |  | <p>Dropper Basic 60 LEDs/m - LED Strip stripLED 25 W DC 24 V 5 W/m 549.8 Lm/m</p> | <p>Code <u>99590</u></p> |
|  |  | <p>Dropper Hi-Flux 60 LEDs/m</p> | <p>Code <u>99628</u></p> |
|  |  | <p>Dropper Hi-Flux 60 LEDs/m - LED Strip stripLED 60 W DC 24 V 12 W/m 1068.6 Lm/m</p> | <p>Code <u>99632</u></p> |
|  |  | <p>Dropper Hi-Flux 60 LEDs/m - LED Strip stripLED 60 W DC 24 V 12 W/m 1151.8 Lm/m</p> | <p>Code <u>99630</u></p> |
|  |  | <p>Ribbon Hi-Flux 60 Leds/m - LED Strip topLED 60 W DC 24 V 12 W/m 1163.8 Lm/m</p> | <p>Code <u>99608</u></p> |



Modular
C-K100017

Components

| | | | |
|----------------|--|--|-------------------------------------|
| | | <p>Ribbon Hi-Flux 60 Leds/m - LED Strip topLED 60 W DC 24 V 12 W/m 1176.4 Lm/m</p> | <p>Code <u>99612</u></p> |
| | | <p>Ribbon Hi-Flux 60 Leds/m</p> | <p>Code <u>99610</u></p> |
| <p>3M TAPE</p> | | <p>Ribbon Plus 140 Hi-flux LEDs/m</p> | <p>Code <u>81956</u></p> |
| <p>3M TAPE</p> | | <p>Ribbon Plus 140 Hi-flux LEDs/m</p> | <p>Code <u>81957</u></p> |
| <p>3M TAPE</p> | | <p>Ribbon Plus 140 Hi-flux LEDs/m</p> | <p>Code <u>81958</u></p> |
| | | <p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1074.8 Lm/m</p> | <p>Code <u>83657</u></p> |
| | | <p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1056 Lm/m</p> | <p>Code <u>83659</u></p> |
| | | <p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1142 Lm/m</p> | <p>Code <u>83658</u></p> |



Modular
C-K100017

















Components

| | | | |
|--|--|---|----------------------------|
| | | Ribbon Hi-Flux 150 LEDs/m | Code |
| | | | <u>84195</u> |
| | | Ribbon Hi-Flux 150 LEDs/m - LED Strip topLED 200 W DC - 200 W AC 20 W/m 1878 Lm/m | Code |
| | | | <u>84196</u> |
| | | Ribbon RGBW 54 LEDs/m - LED Strip topLED 67.5 W DC 48 V 13.5 W/m | Code |
| | | | <u>84197</u> |
| | | Ribbon RGBW 54 LEDs/m - LED Strip topLED 67.5 W DC 48 V 13.5 W/m | Code |
| | | | <u>84198</u> |
| | | Ribbon Slim 120 LEDs/m | Code |
| | | | <u>84219</u> |
| | | Ribbon Slim 120 LEDs/m | Code |
| | | | <u>84220</u> |
| | | Ribbon Slim 120 LEDs/m | Code |
| | | | <u>84221</u> |
| | | Ribbon HD 160 LEDs/m | Code |
| | | | <u>C00509WH - C00510WH</u> |



Modular
C-K100017

















Components

| | | | |
|--|---|-------------------------|--|
|  |  | Ribbon Plus RGBW | Code <u>C00417WHVDI</u> |
|  |  | Ribbon Plus WT | Code <u>C00419WHSDI</u> |
|  |  | Ribbon PRO | Code C00423WH - 82123 - 82124 - 82125 - 82156 - 82157 - 82158 - 82130 - 82131 - 82129 - 82162 - 82163 - 82164 - 82168 - 82169 - 82170 |
|  |  | Ribbon Basic_V2 | Code <u>C00495WH - C00496WH</u> |
|  |  | Silicone 60 LEDs/m | Code <u>C00501WH</u> |
|  |  | Silicone 120 LEDs/m | Code <u>C00502WH</u> |
|  |  | Ribbon HF_V2 168 LEDs/m | Code <u>C00503WH</u> |
|  |  | Ribbon HF_V2 238 LEDs/m | Code <u>C00504WH</u> |



Modular
C-K100017

Components

| | | | |
|--|---|-------------------------------------|---|
|  |  | Silicone 168 LEDs/m | Code <u>C00505WH</u> |
|  |  | Ribbon HE 160 LEDs/m | Code <u>C00506WH - C00507WH</u> |
|  |  | Silicone High Efficiency 160 LEDs/m | Code <u>C00508WH</u> |
|  |  | Ribbon Distance 130 LEDs/m | Code <u>C00514WH - C00515WH</u> |
|  |  | Silicone 130 LEDs/m | Code <u>C00516WH</u> |
|  |  | Ribbon Plus | Code <u>82175 - 82176 - 82187 - 82188 - 82180 - 82182 - 82192 - 82194 - 82207 - 82209 - 82210 - 82174 - 82181 - 82186 - 82193</u> |
|  |  | PU_C Plus RGBW | Code <u>C00466WHVVDI</u> |
|  |  | PU_C Plus 70 LEDs/m | Code <u>C00122WH - C00123WH</u> |



Modular
C-K100017

Components


| | | | |
|--|--|----------------------------------|--|
| | | <p>PU_C Plus 140 LEDs/m</p> | <p>Code C00124WH - C00125WH - C00915WH - C00916WH</p> |
| | | <p>Ribbon Cob</p> | <p>Code C00513WH</p> |
| | | <p>Ribbon Plus Dynamic White</p> | <p>Code C00418WHDDI</p> |
| | | <p>Ribbon Slim_V2 120 LEDs/m</p> | <p>Code C00511WH</p> |
| | | <p>Ribbon Slim_V2 160 LEDs/m</p> | <p>Code C00512WH</p> |



| | | | |
|--|--|---|--|
| | | <p>Klammer L=9mm, H=8.8mm, D=21.8mm. Material:Eisen, farbe:poliert, bearbeitungstyp :Waschen.</p> | <p>Code <u>98931</u></p> |
| | | <p>Diffusor Material:PC, farbe:Opal.</p> | <p>Finish Opaline Code C-K200001</p> |
| | | <p>Diffusor Material:PC, farbe:Schwarz.</p> | <p>Finish Black Code C-K200002</p> |
| | | <p>Diffusor Material:PC, farbe:Opal.</p> | <p>Finish Opaline Code C-K200003</p> |
| | | <p>Diffusor Material:PC, farbe:Schwarz.</p> | <p>Finish Black Code C-K200004</p> |
| | | <p>Endkappe Material:Kunststoff, farbe:Grau.</p> | <p>Code <u>C-V400019</u></p> |
| | | <p>Endkappe Material:Kunststoff ABS, farbe:Schwarz.</p> | <p>Code <u>C-V400020</u></p> |
| | | <p>Endkappe Material:Kunststoff, farbe:Grau.</p> | <p>Code <u>C-V400021</u></p> |



LUNO_20/27 | Profiles | Accessories
C-K100017



Endkappe
Material:Kunststoff ABS, farbe:Schwarz.

Code
C-V400022