


# Dirigo\_M2 Aluminium SLAVE



Lines | Modular Slave  
62402



Technical data	
Designer	Studio RIGO
Construction year	2017
Type	Surface
Installation position	Wall lights - Ceiling - Floor
Installation environment	Outdoor
IK	IK09
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	Yes
Drive-over	No
Cable included	No
Resin potting	No
Net weight	1.6 Kg
Modularity	Modular Slave

Finishing casing	
Material	Aluminium 6060
Colour	Dark brown
Processing	Open pore anodizing + Powder Coating



Finishing diffuser	
Material	UV Resistant Polymethylmethacrylate
Colour	opaline




Lines | Modular Slave  
**62402**

## Components


		Silicone_C 120 LEDs/m	<b>Code</b> <u>62403</u>
--	---	-----------------------	-----------------------------

		Silicone_C 120 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1435 Lm/m	<b>Code</b> <u>62403N</u>
--	---	---	------------------------------



Closing cap  
Material:Aluminium 6060, colour:Dark brown, processing:Open pore anodizing + Powder Coating.

**Code**  
64589



Junction  
Type linear.  
Material:Aluminium 6060, colour:Dark brown, processing:Open pore anodizing + Powder Coating.

**Code**  
64662