


# Dirigo\_M2 Aluminium MASTER



Lines | Modular Master  
64644



Technical data	
Designer	Studio RIGO
Construction year	2017
Type	Surface
Installation position	Wall lights - Ceiling - Floor
Installation environment	Outdoor
IK	IK09
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	Yes
Drive-over	No
Cable included	No
Resin potting	No
Net weight	1.6 Kg
Modularity	Modular Master

Finishing casing	
Material	Aluminium 6060
Colour	Grey
Processing	Open pore anodizing + Powder Coating



Finishing diffuser	
Material	UV Resistant Polymethylmethacrylate
Colour	opaline



Lines | Modular Master  
**64644**


## Components

		Silicone_C 120 LEDs/m	<b>Code</b> <u>62403</u>
--	---	-----------------------	-----------------------------

		Silicone_C 120 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1435 Lm/m	<b>Code</b> <u>62403N</u>
--	---	---	------------------------------



Dirigo\_M2 Aluminium MASTER | Lines | Accessories  
**64644**




Closing cap

Material:Aluminium 6060, colour:Grey, processing:Open pore anodizing + Powder Coating.

**Code**

64640



Junction

Type linear.

Material:Aluminium 6060, colour:Grey, processing:Open pore anodizing + Powder Coating.

**Finish**



**Code**

64663