Dirigo_M2 Aluminium MASTER



Lines | Modular Master 64645
















Technical data		
Designer	Studio RIGO	
Construction year	2017	
Туре	Surface	
Installation position	Wall lights - Ceiling - Floor	
Installation environment	Outdoor	
IK	IK09	
Glow wire test	850°	
Direct mounting on normally flammable surfaces	Yes	
CE	Yes	
Dimmable article	No	
Directional	No	
ilting No		
Walk-over	Yes	
Drive-over	No	
Cable included	No	
Resin potting	No	
Net weight	1.6 Kg	
Modularity	Modular Master	

Finishing casin	g	
Material	Aluminium 6060	
Colour	grey RAL 7021	
Processing	Open pore anodizing + Powder Coating	
Finishing diffus	ser	
Material	UV Resistant Polymethylmethacrylate	
Colour	opaline	

Dirigo_M2 Aluminium MASTER



Lines | Modular Master 64645

Components Code


0x0 0 0x0 0 0 0x0 0 0x0 0 0 0	50 × 10,5	Silicone_C 120 LEDs/m	62403
EKO O ΟΚΟΦΙ ΘΚΟ Θ ΟΚΙΦΙ Θ	4,5 50 × 10,5	Silicone_C 120 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m 1435 Lm/m	Code 62403N

Dirigo_M2 Aluminium MASTER



Dirigo_M2 Aluminium MASTER | Lines | Accessories 64645





Closing cap

Material:Aluminium 6060, colour:grey RAL 7021, processing:Open pore anodizing + Powder Coating.

Code

64641





Junction
Type linear.

Material:Aluminium 6060, colour:grey RAL 7021, processing:Open pore anodizing +
Powder Coating.

Finish

Code 64661