


Dirigo_M1 Steel SLAVE



Lines | Modular Slave
64648



Technical data	
Designer	Studio RIGO
Construction year	2017
Type	Surface
Installation position	Wall lights - Ceiling - Floor
Installation environment	Outdoor
IK	IK09
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	Yes
Drive-over	No
Cable included	No
Resin potting	No
Net weight	2.7 Kg
Modularity	Modular Slave



Finishing casing	
Material	AISI 316L steel
Colour	steel
Processing	Satin finishing



Finishing diffuser	
Material	UV Resistant Polymethylmethacrylate
Colour	opaline



Lines | Modular Slave
64648

Components

		Silicone_C 120 LEDs/m	Code <u>62403</u>
--	---	-----------------------	-----------------------------



		Silicone_C 120 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m 1435 Lm/m	Code <u>62403N</u>
--	---	---	------------------------------

Dirigo_M1 Steel SLAVE



Dirigo_M1 Steel SLAVE | Lines | Accessories

64648




Closing cap

Material:AISI 316L steel, colour:steel, processing:Satin finishing.

Code

64592



Junction

Material:AISI 316L steel, colour:steel, processing:Satin finishing.

Finish



Code

64593