



# Rubber 3D Optic



LED Strip | topLED 0 W DC | CRI 85  
82216N30



Technical data	
Length	1000 mm
Minimum cut	168 mm
Type	LED Strip
Installation position	Wall lights - Ceiling - Floor
Installation environment	Outdoor
Light Source	LED
Circuit structure	topLED
Optics	Medium Wide Flood
Light emission direction	downward
Nominal power	0 W DC
CCT / Tone	4000 K
Colour rendering index	85 Ra
C.C. / C.V.	CV
Safety class	3
IP	IP67
IK	IK07
Glow wire test	960°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	Yes
Driver included	No
Dimmable article	DALI - 1-10V
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	Yes
Cable length	1(M)x0.25 m + 1(F)x0.25 m
Resin potting	Yes
Type of light emission	Single emission
Length	1000 mm
Net weight	0.29 Kg
Electrostatic discharge protection	No
Surge protection	No


Finishing casing	
Material	Technopolymer
Colour	white
Finishing diffuser	
Material	PU
Colour	Opal

# Rubber 3D Optic



LED Strip | topLED 0 W DC | CRI 85  
**82216N30**

## Components



D-Wave

**Code**  
77407

# Rubber 3D Optic





Rubber 3D Optic | LED Strip | Accessories  
82216N30




Outer casing - Linear profile in aluminum 19x18x1000mm for Rubber 3D, Rubber 3D Concrete, Rubber 3D 48V, Rubber 3D Optic, Rubber 3d Pixel  
installation position: wall lights, ceiling L=1000mm, H=18mm, D=19mm.  
Material:Aluminium, colour:Aluminium, processing:Anodisation.

Finish	Code
	99549




Outer casing - Linear profile in aluminum 19x18x2000mm for Rubber 3D, Rubber 3D Concrete, Rubber 3D 48V, Rubber 3D Optic, Rubber 3D Pixel  
installation position: wall lights, ceiling L=2000mm, H=18mm, D=19mm.  
Material:Aluminium, colour:Aluminium, processing:Anodisation.

Finish	Code
	82198




Profile - Black aluminium 18x19 profile 1m for Rubber 3D, Rubber 3D Concrete, Rubber 3D 48V, Rubber 3D Optic, Rubber 3D Pixel  
Material:Aluminium, colour:black, processing:Anodisation.

Code
C-K100007



Profile - Black aluminium 18x19 profile 1m for Rubber 3D, Rubber 3D Concrete, Rubber 3D 48V, Rubber 3D Optic, Rubber 3D Pixel  
Material:Aluminium, colour:black, processing:Anodisation.

Code
C-K100008





Bracket - Clip with toothed spring - Anodised Aluminium - for Rubber 3D (not for Rubber 3D PROtection)  
installation position: wall lights, ceiling L=50mm, H=23mm, D=21mm.  
Material:Aluminium, colour:Aluminium, processing:Anodisation.

Finish	Code
	C-F400001




Bracket - Clip with toothed spring - Anodised Black Aluminium - for Rubber 3D (not for Rubber 3D PROtection)  
installation position: wall lights, ceiling L=50mm, H=23mm, D=21mm.  
Material:Aluminium, colour:black, processing:Anodisation.

Finish	Code
	C-F400002



Outer casing - Linear profile with aluminium cable passage 39x18x1000mm for Rubber 3D, Rubber 3D Concrete, Rubber 3D 48V, Rubber 3D Optic, Rubber 3D Pixel  
installation position: wall lights, ceiling L=2000mm, H=39mm, D=19mm.  
Material:Aluminium, colour:Aluminium, processing:Anodisation.

Finish	Code
	83034




Outer casing - Linear profile with aluminum cable passage 39x18x2000mm for Rubber 3D, Rubber 3D Concrete, Rubber 3D 48V, Rubber 3D Optic, Rubber 3D Pixel  
installation position: wall lights, ceiling L=1000mm, H=39mm, D=19mm.  
Material:Aluminium, colour:Aluminium, processing:Anodisation.

Finish	Code
	82199

# Rubber 3D Optic




Rubber 3D Optic | LED Strip | Accessories  
**82216N30**




Profile - Profile 39x19 Aluminum black 1m for Rubber 3D, Rubber 3D Concrete, Rubber 3D 48V, Rubber 3D Optic, Rubber 3D Pixel  
 Material:Aluminium, colour:black, processing:Anodisation.

**Code**  
C-K100009




Profile - Profile 39x19 Aluminium black 2m for Rubber 3D, Rubber 3D Concrete, Rubber 3D 48V, Rubber 3D Optic, Rubber 3D Pixel  
 Material:Aluminium, colour:black, processing:Anodisation.

**Code**  
C-K100010




Bracket - Clip with toothed spring with cable passage - Anodised Aluminium - for Rubber 3D (not for Rubber 3D PROtection)  
 installation position: wall lights, ceiling L=50mm, H=41mm, D=21mm.  
 Material:Aluminium, colour:Aluminium, processing:Anodisation.

**Finish**  
 [Redacted]  
**Code**  
C-F400003





Bracket - Clip with toothed spring with cable passage - Anodised Black Aluminium - for Rubber 3D (not for Rubber 3D PROtection)  
 installation position: wall lights, ceiling L=50mm, H=41mm, D=21mm.  
 Material:Aluminium, colour:black, processing:Anodisation.

**Finish**  
 [Redacted]  
**Code**  
C-F400004




Profile - Flexible profile  
 Material:AISI 304 steel, colour:steel.

**Code**  
C-K100011




Anti-glare - Anti-glare herringbone eyelid  
 Anti-glare Type: eyelid.  
 Material:Aluminium 6060, colour:Anodised Aluminum, processing:20 µm anodizing.

**Finish**  
 [Redacted]  
**Code**  
C-K100032



Bag / Fixing kit - TILTING KIT + BRACKET D68X20 - Transparent - for Rubber 3D (not Rubber 3D PROtection)

**Code**  
83352



Bag / Fixing kit - Wall-mounted tilting kit in AISI 304 steel


**Code**  
C-K400168

# Rubber 3D Optic



Rubber 3D Optic | LED Strip | Accessories

**82216N30**



Bag / Fixing kit - Wall-mounted tilting kit in AISI 304 steel

**Code**  
C-K400169




Bag / Fixing kit - RUBBER PEG + BRACKET RUBBER PEG + BRACKET PEG + BRACKET D114X204 for Rubber 3D, Rubber 3D Concrete, Rubber 3D 48V, Rubber 3D Optic, Rubber 3D Pixel

**Code**  
83351



Bag / Fixing kit - Picket with tilting bracket

**Code**  
C-F500004




Bag / Fixing kit - Picket with tilting bracket

**Code**  
C-F500005




Closing cap - PU Rubber  
Material:Silicone, colour:transparent.

**Code**  
99539




Template

**Code**  
C-V200005



Profile  
Material:UV Resistant Polycarbonate, colour:transparent.

**Code**  
C-K100021




Profile  
Material:UV Resistant Polycarbonate, colour:transparent.

**Code**  
C-K100022

# Rubber 3D Optic




Rubber 3D Optic | LED Strip | Accessories  
**82216N30**



Electronic accessory  
installation position: ceiling L=218mm, H=42mm, D=31mm.  
Material:ABS Plastic, colour:white.

**Code**  
C-E300007



Electronic accessory  
installation position: ceiling L=218mm, H=42mm, D=31mm.  
Material:ABS Plastic, colour:black.

**Code**  
C-E300008



Cable gland

**Code**  
98990



Connector

**Code**  
89548



Strip Service - Double sided tape 33 meters

**Code**  
99520