


Projectors | 198-264 V 1 arrayLED 23 W DC - 26 W AC | CRI 90 82229N60





Technical data	
Туре	Track
Installation position	Ceiling
Installation environment	Indoor
Light Source	LED
Circuit structure	arrayLED
Optics	Wide Flood
Light emission direction	frontal
Nominal power	23 W DC
Total Power	26 W
Source lumens	3418 lm
Nominal input voltage	220 - 240 V AC
Input voltage range	198 - 264 V AC
Frequency	50 - 60 Hz
CCT / Tone	4000 K
Colour rendering index	90 Ra
C.C. / C.V.	AC
Safety class	2
IP	IP20
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Driver included	Driver
Dimmable article	Dimming on Board
Directional	Swivelling
total angle (vertical plane)	90 °
total angle (horizontal plane)	360 °
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Type of light emission	Single emission
Net weight	0.612 Kg
Electrostatic discharge protection	Yes
Surge protection	2 KV





Finishing casin	g
Material	Die-cast Aluminium EN AB - 46100
Colour	White
Processing	Powder coating

Anti - Glare

Optics technology



Projectors | 198-264 V | 1 array LED 23 W DC - 26 W AC | CRI 90 | Base $\bf 82229N60$


Single emission projectors for indoor application. The natural white LED light source with a wide flood light distribution is composed of 1 arrayled LEDs with CCT of 4000 K and a CRI 90; the source luminous flux is 3418 lm, with a 148.6 lm/W nominal luminous efficacy.


The device body is made of die-cast aluminium en ab - 46100 and features a white finish, processed by means of powder coating. The ingress protection degree is IP20; the total weight is of 0.612 kg.

The total absorbed power is 26 W.

The device features protection class II and can be ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.





Energy efficiency class

This product contains a light source of energy efficiency class E.

Illuminotechnical Features	
Light Output Ratio (LOR)	71 %
Source lumens	3418 lm
Delivered lumens	2443 lm
Consumption	26 W
Luminaire efficacy	93 lm/W
Colour temperature	4000 K
Standard Deviation of Colour Matching	2 Step MacAdam
Colour rendering index	90 Ra
Colour Rendering Index	60 R9
Black Body Locus	On
Standard Operating Ambient Temperature	-20 / +50°C
Ordinary temperature on the glass	40°C


LED Life / Failure Ratio


L70 B10 C0 252000h (at Tj 65 Ta 25)

UGR	
UGR axial	23.6
UGR transversal	23.6
X=4H Y=8H	S=0.25H
Reflection factor	70/50/20

OPTICAL	
C0/C180 optics	56°
Light distribution simmetry	Symmetrical

COLOR VECTOR GRAPHIC







		Code
	Optics Light distribution: spot,Cover material: uv resistant polycarbonate	99827
18 180	Optics	Code
	Light distribution: medium flood,Cover material: ,uv resistant polycarbonate,uv resistant polycarbonate polycarbonate,uv resistant polycarbonate	99828
Married Street, Street	Optics	Code
	Light distribution: flood,Cover material: ,uv resistant polycarbonate,uv resistant polycarbonate polycarbonate,uv resistant polycarbonate	99829
	Anti-glare	Code
	Anti-glare Type: cross louvres. Material:Pom-C, colour:Black.	99779
		Code
	Anti-glare Anti-glare Type: honeycomb louvre. Material:Pom-C, colour:Black.	99780
		Code
	Diffuser Diffuser Type: elliptical filter. Material:Pom-C, colour:Black.	99781
	Anti-glare	Code
	Anti-glare Type: 45° cylindrical screen. Material:Pom-C, colour:Black.	99782
	Anti-glare	Code
	Anti-glare Type: cylindrical screen. Material:Pom-C, colour:Black.	99783



37.8	Track Length: 1000mm; Type of track: Standard. Material:Aluminium, colour:White, processing:Coating.	Finish White	Code 83336
37.8	Track Length: 1000mm; Type of track: Standard. Material:Aluminium, colour:Black, processing:Coating.	Finish Black	Code 83339
37.8	Track Length: 3000mm; Type of track: Standard. Material:Aluminium, colour:Black, processing:Coating.	Finish Black	Code 83341
	Track - Three-phase Recessed White DALI Track, 2 m (9000-2/W-R) Length: 2000mm; Type of track: Standard. Material:Aluminium, colour:White, processing:Coating.	Finish White	Code 80991
31.4 (a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Track - Three-phase Recessed Grey DALI Track, 1 m (9000-1/B-R) Length: 1000mm; Type of track: Standard. Material:Aluminium, colour:Black, processing:Coating.	Finish Black	Code 80993
31.4 (a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Track - Trhee-phase Recessed White DALI Track, 3 m (9000-3/W-R) Length: 3000mm; Type of track: Standard. Material:Aluminium, colour:White, processing:Coating.	Finish White	Code 80992
 95 8 31 148	Power supply - White Right power supply header (9001/W) Material:PC, colour:white.		Code 81033
95	Power supply - Black left power supply header (9002/B) Material:PC, colour:black.		Code 81037



Pound_T | Projectors | Accessories **82229N60**



2 0	0 million 0	

Junction - White power supply junction - central (9010/W)

Type linear.

Material:PC, colour:white.

Finish White Code

nite 81042



Junction - Black power supply junction - centrale (9010/B)

Type linear.

Material:PC, colour:black.

Finish

Code

81043





Track - Three-phase Recessed Black DALI Track, 2 m (9000-1/B-R)

Length: 2000mm; Type of track: Standard.

Material:Aluminium, colour:Black, processing:Coating.

Finish

Code

80994






Power supply - White left power supply header (9002/W)

Material:PC, colour:white.

Code

81036





Junction - Left white T junction - external (9013/W)


Type linear.

Material:PC, colour:white.

Finish White Code

81051





Junction - Black left T junction - external (9013/B)

Type linear.


Material:PC, colour:black.

Finish

Code

81052






Track

Length: 2000mm; Type of track: Standard.

Material: Aluminium, colour: White, processing: Coating.

Finish

Code 83337



Track

Length: 2000mm; Type of track: Standard.

Material:Aluminium, colour:Black, processing:Coating.

Finish Black Code



Pound_T | Projectors | Accessories **82229N60**





Junction - Flexible white junction (9018/W) Type flexible curve.

Material:PC, colour:white.

Finish White **Code** 81066


St. G.C.C. !!

Closing cap - White end cap 9004/W Material:PC, colour:white.

Code

80999





Junction - White electrical junction - internal (9003/W)

Type linear.

Material:PC, colour:white.

Finish White Code

81039





Track - Three-phase Recessed Black DALI Track, 3 m (9000-3/B-R)

Length: 3000mm; Type of track: Standard.


Material:Aluminium, colour:Black, processing:Coating.

Finish

Code

80995





Junction - Right white T junction - external (9014/W)


Type linear.

Material:PC, colour:white.

Finish White Code

81054





Junction - Black electrical junction - internal (9003/B)

Type linear.


Material:PC, colour:black.

Finish

Code

81040





Junction - White L junction - internal (9011/W)

Type linear.

Material:PC, colour:white.

Finish White Code

81045





Junction - Flexible black junction (9018/B)

Type flexible curve.

Material:PC, colour:black.

Finish

Code

81067



Pound_T | Projectors | Accessories 82229N60






Power supply - Black Right power supply header (9001/B) Material:PC, colour:black.

Code

81034





Junction - White X junction (9017/W) Type linear.

Finish White

Code 81063

Material:PC, colour:white.





Track - Three-phase Recessed White DALI Track, 1 m (9000-1/W-R) Length: 1000mm; Type of track: Standard.

Finish White

Code 80990

Material: Aluminium, colour: White, processing: Coating.




Closing cap - Black end cap 9004/B Material:PC, colour:black.

Code

81000





Junction - Left black T junction - internal (9015/B)

Type linear.


Material:PC, colour:black.

Finish

Code

81058





Junction - Right black T junction - internal (9016/B)

Type linear.

Material:PC, colour:black.

Finish


Code

81061



Closing cap - Recessed white end cap 9004-R/W Material:PC, colour:white.

Code 81002



Junction - Left white T junction - internal (9015/W)

Type linear.

Material:PC, colour:white.

Finish White

Code

81057

8/13 21.12.2024







		Ceiling rose - 1.5m white pendant luminaires kit + bracket (9000-KIT5-1,5-W) Material:plastic, colour:white.		Code 81012
*	99 32 99 32 99 32 99 32 99 32	Ceiling rose - 1.5m black pendant luminaires kit + bracket ((9000-KIT5-1,5-B) Material:plastic, colour:black.		Code 81014
	24 40	Bracket - Anodized fixing bracket (S-9000/131) L=35mm, H=14mm, D=24mm. Material:Aluminium, colour:translucent.	Finish Anod. Al.	Code 81086
	# [[-]	Bracket - White fixing braket (S-9000/131-W) L=35mm, H=14mm, D=24mm. Material:Aluminium, colour:white, processing:Coating.	Finish White	Code 81087
	24 40	Bracket - Black fixing braket (S-9000/131-B) L=35mm, H=14mm, D=24mm. Material:Aluminium, colour:Black, processing:Coating.	Finish Black	Code 81088
	o taribano	Cable cover - White cover for recessed L junction (S-9011-R/6-W) Material:PC, colour:white.		Code 81075
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cable cover - Black cover for recessed X junction (S-9017-R/6-B) Material:PC, colour:black.		Code 81082
· Pin		White three-phase adapter (9009-4/W)		Code 81091



23.5 0 10 10 10 10 10 10 10 10 10	Junction - White L junction - external (9012/W) Type linear. Material:PC, colour:white.	Finish White	Code 81048
3 11 11 11 11 11 11 11 11 11 11 11 11 11	Black trhee-phase adapter (9009-4/B)		Code 81093
	Suspensions - 1.5m white pendant luminaires kit (9000-KIT3-1,5-W) Material:plastic, colour:white.		Code 81006
# 1	Cable cover - White recessed cover (S-9001-R/6-W) Material:PC, colour:white.		Code 81069
	Suspensions - 5m white pendant luminaires kit (9000-KIT3-5-W) Material:plastic, colour:white.		Code 81007
	Tool - Cutter S-9000/T		Code 81005
25.4 • • • • • • • • • • • • • • • • • • •	Junction - Right black T junction - external (9014/B) Type linear. Material:PC, colour:black.	Finish Black	Code 81055
	Suspensions - White rigid suspension clip (S-9000-P2-W) Material:plastic, colour:white.		Code 81018



	**************************************	Cable cover - Black recessed cover (S-9001-R/6-B) Material:PC, colour:black.		Code 81070
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cable cover - White cover for recessed X junction (S-9017-R/6-W) Material:PC, colour:white.		Code 81081
	E 8 180	Bracket - Black stiffening bracket (S-9000/333-B) L=180mm, H=24mm, D=20mm. Material:Aluminium, colour:black RAL 9005, processing:Coating.	Finish Black	Code 81026
	• 6000000000000000000000000000000000000	Cable cover - White cover for recessed junction (S-9010-R/6-W) Material:PC, colour:white.		Code 81072
*	32. \$32. \$4. \$7. \$2. \$3. \$3. \$3. \$3. \$3. \$4. \$4. \$5. \$6. \$6. \$6. \$6. \$6. \$6. \$6. \$6	Suspensions - 1.5m black pendant luminaires kit (9000-KIT3-1,5-B) Material:plastic, colour:black.		Code 81008
	3 · · · · · · · · · · · · · · · · · · ·	Junction - Black X junction (9017/B) Type linear. Material:PC, colour:black.	Finish Black	Code 81064
	+ (11)(1)(1) + (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Cable cover - Black cover for recessed T junction (S-9013-R/6-B) Material:PC, colour:black.		Code 81079
		Cable cover Material:white.		Code 83249



Pound_T | Projectors | Accessories **82229N60**

37.8 (I) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	Track	Finish	Code
	Cable cover Material:black, colour:black.		Code 83250
332 4 59 59 59 50 50 50 50 50 50 50 50 50 50	Suspensions - 5m black pendant luminaires kit (9000-KIT3-5-B) Material:plastic, colour:black.		Code 81009
	Suspensions - Black rigid suspension clip (S-9000-P2-B) Material:plastic, colour:black.		Code 81019
+ (1225m) +	Cable cover - White cover for recessed T junction (S-9013-R/6-W) Material:PC, colour:white.		Code 81078
0 (AZEX)	Cable cover - Black cover for recessed junction (S-9010-R/6-B) Material:PC, colour:black.		Code 81073
E 180 8	Bracket - White stiffening bracket (S-9000/333-W) L=180mm, H=24mm, D=20mm. Material:Aluminium, colour:white RAL 9010, processing:Coating.	Finish White	Code 81025
E	Bracket - Anodized stiffening bracket (S-9000/333) L=180mm, H=24mm, D=26mm. Material:Aluminium, colour:Anodised Aluminum, processing:Anodisation.	Finish	Code 81024

 ${\it Material:} A luminium, colour: White, processing: Coating.$

Length: 3000mm; Type of track: Standard.

83338

White



O (LIMENIO)	Cable cover Material:PC, colour:black.	Code 81076
985	Closing cap - White gasket (S-9001/115-W) Material:white.	Code 81084
3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Closing cap - Black gasket (S-9001/115-B) Material:black, colour:black.	Code 81085
2	White three-phase/DALI adapter (9009/W)	Code 81094
	Black three-phase/DALI adapter (9009/B)	Code 81095
124	Electronic accessory - TWIL-DALI controller for devices with DALI protocol installed on three-phase track. installation position: ceiling L=90mm, H=124mm, D=45mm. Material:ABS Plastic, colour:black.	Code C-E700008