

#### Projectors | arrayLED 0 W DC - 15.5 W AC | CRI 98 82423M85




















Technical data	
Туре	Track
Installation position	Ceiling
Installation environment	Indoor
Light Source	LED
Circuit structure	arrayLED
Optics	Adjustable Focus
Light emission direction	frontal
Nominal power	0 W DC
Total Power	15.5 W
Nominal input voltage	220 - 240 V AC
Input voltage range	198 - 264 V AC
CCT / Tone	2700 K
Colour rendering index	98 Ra
C.C. / C.V.	AC
Safety class	2
IP	IP20
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Driver included	Driver
Dimmable article	DALI-2 - PUSH DIM
Directional	Swivelling
total angle (vertical plane)	90 °
total angle (horizontal plane)	360 °
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Type of light emission	Single emission
Net weight	0.390 Kg
Electrostatic discharge protection	Yes
Surge protection	2 KV
Optics technology	Anti - Glare

Finishing casin	g
Material	Die-cast Aluminium EN AB - 46100
Colour	Black
Processing	Powder coating



#### Pound\_Focus | Projectors | Accessories 82423M85

	95 31 148	Power supply - White Right power supply header (9001/W) Material:PC, colour:white.	<b>Code</b> 81033
	95 S 31 148	Power supply - White left power supply header (9002/W) Material:PC, colour:white.	<b>Code</b> 81036
18	95 95 95 91 148	Power supply - Black left power supply header (9002/B) Material:PC, colour:black.	<b>Code</b> 81037
	95 S 31 148	Power supply - Black Right power supply header (9001/B) Material:PC, colour:black.	<b>Code</b> 81034
इए वैकल्या		Closing cap - White end cap 9004/W Material:PC, colour:white.	<b>Code</b> 80999
		Closing cap - Black end cap 9004/B Material:PC, colour:black.	<b>Code</b> 81000
stuccii I		Closing cap - Recessed white end cap 9004-R/W Material:PC, colour:white.	<b>Code</b> 81002
	* STOCCH	Closing cap - Recessed black end cap 9004-R/B Material:PC, colour:black.	<b>Code</b> 81003



Pound\_Focus | Projectors | Accessories **82423M85** 

	3	Closing cap - White gasket (S-9001/115-W) Material:white.		<b>Code</b> 81084
	3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Closing cap - Black gasket (S-9001/115-B) Material:black, colour:black.		<b>Code</b> 81085
		Ceiling rose - 1.5m white pendant luminaires kit + bracket (9000-KIT5-1,5-W) Material:plastic, colour:white.		<b>Code</b> 81012
*	Ø 32 Ø 32 Ø 57 Ø 35	Ceiling rose - 1.5m black pendant luminaires kit + bracket ((9000-KIT5-1,5-B) Material:plastic, colour:black.		<b>Code</b> 81014
4	Ø 32.	Ceiling rose - 5m white pendant luminaires kit + bracket (9000-KIT5-5-W) Material:plastic, colour:white.		<b>Code</b> 81013
*		Ceiling rose - 5m black pendant luminaires kit + bracket (9000-KIT5-5-B) Material:plastic, colour:black.		<b>Code</b> 81015
	z (	Bracket - Anodized fixing bracket (S-9000/131) L=35mm, H=14mm, D=24mm. Material:Aluminium, colour:translucent.	Finish Anod. Al.	<b>Code</b> 81086

Bracket - Anodized stiffening bracket (S-9000/333) L=180mm, H=24mm, D=26mm. Material:Aluminium, colour:Anodised Aluminum, processing:Anodisation. Code

81024

**Finish** 



## Pound\_Focus | Projectors | Accessories **82423M85**





Bracket - White stiffening bracket (S-9000/333-W) L=180mm, H=24mm, D=20mm. Material:Aluminium, colour:white RAL 9010, processing:Coating. Finish White **Code** 81025





Bracket - Black stiffening bracket (S-9000/333-B) L=180mm, H=24mm, D=20mm. Material:Aluminium, colour:black RAL 9005, processing:Coating. Finish Black **Code** 81026





Bracket - White fixing braket (S-9000/131-W)
L=35mm, H=14mm, D=24mm.
Material:Aluminium, colour:white, processing:Coating.

Finish White **Code** 81087





Bracket - Black fixing braket (S-9000/131-B) L=35mm, H=14mm, D=24mm. Material:Aluminium, colour:Black, processing:Coating. Finish

Code

81088





115

Junction - White electrical junction - internal (9003/W)

Type linear.

Material:PC, colour:white.

Finish White Code

ite 81039





Junction - Black electrical junction - internal (9003/B) Type linear.

Material:PC, colour:black.

Finish

**Code** 81040

---




Junction - White power supply junction - central (9010/W) Type linear.

Material:PC, colour:white.

Finish White Code

81042






Junction - White L junction - internal (9011/W) Type linear.
Material:PC, colour:white.

Finish White **Code** 81045



## Pound\_Focus | Projectors | Accessories 82423M85





Junction - White L junction - external (9012/W) Type linear.
Material:PC, colour:white.

Finish Code
White 81048






Junction - Flexible white junction (9018/W) Type flexible curve.
Material:PC, colour:white.

Finish Code
White 81066






Junction - White X junction (9017/W) Type linear.
Material:PC, colour:white.

Finish Code
White 81063






Junction - Left white T junction - external (9013/W) Type linear.
Material:PC, colour:white.

Finish Code
White 81051






Junction - Right white T junction - external (9014/W) Type linear.
Material:PC, colour:white.

Finish Code
White 81054






Junction - Left white T junction - internal (9015/W) Type linear.
Material:PC, colour:white.

Finish Code
White 81057





Junction - Right White T junction - internal (9016/W) Type linear.
Material:PC, colour:white.

Finish Code
White 81060





Junction - Black power supply junction - centrale (9010/B) Type linear.

Material:PC, colour:black.

Finish Code
Black 81043



## Pound\_Focus | Projectors | Accessories 82423M85





Junction - Black L junction - internal (9011/B) Type linear.
Material:PC, colour:black.

Finish

**Code** 81046





Junction - Black L junction - external (9012/B) Type linear.
Material:PC, colour:black.

Finish

**Code** 81049





Junction - Flexible black junction (9018/B) Type flexible curve. Material:PC, colour:black. Finish

Code

81067






Junction - Black X junction (9017/B) Type linear. Material:PC, colour:black. Finish

Code

81064





Junction - Black left T junction - external (9013/B) Type linear.


Material:PC, colour:black.

Finish

Code

81052






Junction - Right black T junction - external (9014/B) Type linear.

Material:PC, colour:black.

Finish

**Code** 81055



Junction - Left black T junction - internal (9015/B) Type linear.


Material:PC, colour:black.

Finish

Code

81058





Junction - Right black T junction - internal (9016/B) Type linear.

Material:PC, colour:black.

Finish

**Code** 81061



		Suspensions - 1.5m white pendant luminaires kit (9000-KIT3-1,5-W) Material:plastic, colour:white.	<b>Code</b> 81006
		Suspensions - 5m white pendant luminaires kit (9000-KIT3-5-W) Material:plastic, colour:white.	<b>Code</b> 81007
†	32 \$\frac{1}{2}\$ \$\	Suspensions - 1.5m black pendant luminaires kit (9000-KIT3-1,5-B) Material:plastic, colour:black.	<b>Code</b> 81008
	32 32 37 39 30 32 37 39 30 32 32 32 32 32 32 32 32 32 32	Suspensions - 5m black pendant luminaires kit (9000-KIT3-5-B) Material:plastic, colour:black.	<b>Code</b> 81009
		Suspensions - White rigid suspension clip (S-9000-P2-W) Material:plastic, colour:white.	<b>Code</b> 81018
<b>!</b>		Suspensions - Black rigid suspension clip (S-9000-P2-B) Material:plastic, colour:black.	<b>Code</b> 81019
		Suspensions - White rigid suspension 1m (S-9000-P3-W) Material:plastic, colour:white.	<b>Code</b> 81021
		Suspensions - Black rigid suspension 1m (S-9000-P3-B) Material:plastic, colour:black.	<b>Code</b> 81022



	***************************************	Cable cover - White recessed cover (S-9001-R/6-W) Material:PC, colour:white.	<b>Code</b> 81069
	• 61000000000000000000000000000000000000	Cable cover - White cover for recessed junction (S-9010-R/6-W) Material:PC, colour:white.	<b>Code</b> 81072
	O (AZEKKANO)	Cable cover - White cover for recessed L junction (S-9011-R/6-W) Material:PC, colour:white.	<b>Code</b> 81075
	+ trixis +	Cable cover - White cover for recessed T junction (S-9013-R/6-W) Material:PC, colour:white.	<b>Code</b> 81078
- 1-1-1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cable cover - White cover for recessed X junction (S-9017-R/6-W) Material:PC, colour:white.	<b>Code</b> 81081
	**************************************	Cable cover - Black recessed cover (S-9001-R/6-B) Material:PC, colour:black.	<b>Code</b> 81070
		Cable cover - Black cover for recessed junction (S-9010-R/6-B) Material:PC, colour:black.	<b>Code</b> 81073
	O LIGHTANIO	Cable cover Material:PC, colour:black.	<b>Code</b> 81076



	+ (111711) + (111711) + (111711)	Cable cover - Black cover for recessed T junction (S-9013-R/6-B) Material:PC, colour:black.	<b>Code</b> 81079
	0 (12) (15) (15) (15) (15) (15) (15) (15) (15	Cable cover - Black cover for recessed X junction (S-9017-R/6-B) Material:PC, colour:black.	<b>Code</b> 81082
		Cable cover Material:white.	<b>Code</b> 83249
		Cable cover Material:black, colour:black.	<b>Code</b> 83250
		White three-phase/DALI adapter (9009/W)	<b>Code</b> 81094
The state of the s	3	White three-phase adapter (9009-4/W)	<b>Code</b> 81091
		Black three-phase/DALI adapter (9009/B)	<b>Code</b> 81095
	N S S S S S S S S S S S S S S S S S S S	Black trhee-phase adapter (9009-4/B)	<b>Code</b> 81093



Pound\_Focus | Projectors | Accessories **82423M85** 

	Tool - Cutter S-9000/T	<b>Code</b> 81005
31.4 (a) (b) (3) (3) (5) (2) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	Track - Three-phase Recessed White DALI Track, 1 m (9000-1/W-R) Length: 1000mm; Type of track: Standard. Material:Aluminium, colour:White, processing:Coating.	Finish Code White 80990
31.4 (1) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	Track - Three-phase Recessed White DALI Track, 2 m (9000-2/W-R) Length: 2000mm; Type of track: Standard. Material:Aluminium, colour:White, processing:Coating.	Finish Code White 80991
31.4 (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Track - Trhee-phase Recessed White DALI Track, 3 m ( 9000-3/W-R) Length: 3000mm; Type of track: Standard. Material:Aluminium, colour:White, processing:Coating.	Finish Code White 80992
331.4 (a) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Track - Three-phase Recessed Grey DALI Track, 1 m (9000-1/B-R) Length: 1000mm; Type of track: Standard. Material:Aluminium, colour:Black, processing:Coating.	Finish Code Black 80993
31.4 (1) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	Track - Three-phase Recessed Black DALI Track, 2 m (9000-1/B-R) Length: 2000mm; Type of track: Standard. Material:Aluminium, colour:Black, processing:Coating.	Finish Code Black 80994
31.4 (a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	Track - Three-phase Recessed Black DALI Track, 3 m (9000-3/B-R) Length: 3000mm; Type of track: Standard. Material:Aluminium, colour:Black, processing:Coating.	Finish Code Black 80995

Length: 1000mm; Type of track: Standard.
Material:Aluminium, colour:White, processing:Coating.

Track

Code

83336

**Finish** 

White



37.8 (1) (2) (2) (3) (3) (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	Track Length: 2000mm; Type of track: Standard. Material:Aluminium, colour:White, processing:Coating.	
37.8	Track Length: 3000mm; Type of track: Standard. Material:Aluminium, colour:White, processing:Coating.	_
37.8	Track Length: 1000mm; Type of track: Standard. Material:Aluminium, colour:Black, processing:Coating.	
37.8	Track Length: 2000mm; Type of track: Standard. Material:Aluminium, colour:Black, processing:Coating.	_
37.8	Track Length: 3000mm; Type of track: Standard. Material:Aluminium, colour:Black, processing:Coating.	_
124	Electronic accessory - TWIL-DALI controller for devices with DALI protocol installed on three-phase track. installation position: ceiling L=90mm, H=124mm, D=45mm. Material:ABS Plastic, colour:black.	<b>Code</b> C-E700008