




Pendant Luminaires
82753



Technical data

Type	Surface
Installation position	Ceiling
Installation environment	Indoor
Safety class	3
IP	IP20
Glow wire test	No
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	Yes
Cable length	4.85 m
Resin potting	No
Net weight	3.5 Kg

Finishing casing

Material	Aluminium 6060
Colour	White
Processing	Powder coating

Cables Electrification

Cable connector	No
-----------------	----

Cables Pendant Luminaires

Max cable length	5000 mm
------------------	---------



Pendant Luminaires
82753


Components

		<p>Tour_Projectors - Proiettori arrayLED 15 W DC 420 mA</p>	<p>Code <u>82757</u></p>
		<p>Tour_Projectors - Proiettori arrayLED 15 W DC 420 mA</p>	<p>Code <u>82758</u></p>
		<p>Tour_Projectors - Proiettori arrayLED 22 W DC 640 mA</p>	<p>Code <u>82759</u></p>
		<p>Tour_Projectors</p>	<p>Code <u>82760</u></p>




Ceiling rose - Fixing kit
Driver included: No; Power Supply Management Protocol: None.
Material:Aluminium 6026, colour:White, processing:Powder coating.

Code
64575



Ceiling rose - On/Off
Driver included: Yes; Power Supply Management Protocol: On/off; Maximum power: 200W.
Material:Iron, colour:White, processing:Powder coating.

Code
63772



Ceiling rose - On/Off
Driver included: Yes; Power Supply Management Protocol: On/off; Maximum power: 75W.
Material:Iron, colour:White, processing:Powder coating.

Code
63782