


Ink system_L



Systems - Lines | topLED 0 W DC | CRI 90
82946W00




Technical data	
Construction year	2020
Type	Cabled - -
Installation position	Cable
Installation environment	Indoor
Light Source	LED
Circuit structure	topLED
Optics	Diffused
Light emission direction	downward
Nominal power	0 W DC
Frequency	50-60 Hz
CCT / Tone	3000 K
Colour rendering index	90 Ra
C.C. / C.V.	CV
Safety class	3
IP	IP40
Glow wire test	650°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Driver included	No
Dimmable article	DALI - 1-10V - PUSH DIM
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	Yes
Type of light emission	Single emission
Net weight	0.111 Kg
Electrostatic discharge protection	No
Surge protection	No

Finishing casing	
Material	PU
Colour	white

Finishing mounting frame	
Material	PC
Colour	black RAL 9005
Processing	Coating



		<p>Cable Type of cable power cable; Length 5000 mm; insulation double; section 1.5 mm²; cable gland: no; colors: black - red.</p>	<p>Code <u>81410</u></p>
		<p>Cable Type of cable power cable; Length 10000 mm; insulation double; section 1.5 mm²; cable gland: no; colors: black - red.</p>	<p>Code <u>81411</u></p>
		<p>Cable Type of cable power cable; Length 1000 mm; insulation double; section 1.5 mm²; cable gland: no; colors: black - red.</p>	<p>Code <u>84016</u></p>
		<p>Profile - Kit 5 x Material:Aluminium, colour:5G 9005 Black, processing:Coating.</p>	<p>Code <u>81426</u></p>
		<p>Profile - Kit 2 x Material:Aluminium, colour:5G 9005 Black, processing:Coating.</p>	<p>Code <u>81430</u></p>
		<p>Cable cover Material:PC, processing:Coating.</p>	<p>Code <u>81424</u></p>
		<p>Junction Type linear. Material:PC, processing:Coating.</p>	<p>Code <u>81418</u></p>
		<p>Junction - Electrified black L connector Type linear. Material:PC, processing:Coating.</p>	<p>Code <u>81419</u></p>




Junction
Type linear.
Material:PC, processing:Coating.

Code
81420




Closing cap - Electrified black closing plug
Material:PC, processing:Coating.

Code
81421



Profile
Material:Aluminium, processing:Coating.

Code
84010




Profile
Material:Aluminium, processing:Coating.

Code
84011




Bracket - 2X
installation position: wall lights, ceiling.
Material:Aluminium, processing:Coating.

Finish  **Code**
84017




Cable cover - 2X
Material:Iron, processing:Coating.

Code
81422



Cable cover - 2X
Material:Rubber, colour:black.

Code
81423




Cables for suspension
Material:Aluminium, processing:Coating.

Code
81425



Ink system_L | Lines | Accessories
82946W00



Template

Code
83186



Tool


Code
81427




Cables for suspension
 Material:Aluminium, processing:Coating.

Code
83426

Track
 Length: 1000mm.
 Material:Aluminium, processing:Coating.

Finish
 **Code**
83432


Track
 Length: 2000mm.
 Material:Aluminium, processing:Coating.

Finish
 **Code**
83434


Junction
 Material:Aluminium, processing:Coating.

Finish
 **Code**
83436

Junction
 Material:Aluminium, processing:Coating.

Finish
 **Code**
83438

Junction
 Material:Aluminium, processing:Coating.

Finish
 **Code**
83440



Ink system_L | Lines | Accessories
82946W00

Junction

Code
83442

Cables for suspension
Material:Aluminium, processing:Coating.

Code
83443

Cable
Length 1000 mm; colors: black.

Code
83445

Cable
Length 1000 mm; colors: black.

Code
83446
