

Modular **83137**

Resin potting

Modularity






Technical data Type Installation position	Profile Wall lights -
Installation position	
·	Wall lights -
	Ceiling
Installation environment	Indoor
Glow wire test	No
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No

No

Modular




Finishing casing				
Material	Aluminium			
Colour	Anodised Black			
Processing	Anodisation			



Modular 83137

Components






98637

Modular 83137

TOTAL C. C.

9,5 100



Ribbon Plus 70 LEDs/m



Modular 83137

Components			
The effect ext	1.2	Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1475 Lm/m	Code 98638
Egg effet et e E	1.2	Ribbon Plus Hi-Flux 70 LEDs/m	Code 98639
是他"在集研。他们也"也,就到	1,2	Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1710 Lm/m	Code 98640
(Sicherse Sicherse) S	1,2 50 -X	Ribbon Plus 140 LEDs/m - LED Strip topLED 36 W DC 24 V 7.2 W/m 823 Lm/m	Code 98945
(Substantial Substantial Subst	-1.2 -50 -X	Ribbon Plus 140 LEDs/m	Code 98946
	-1.2 (************************************	Ribbon Plus 140 LEDs/m	Code 98948
	ত ত ত ত আছিল ত ত ত ত আই ই 100 5000	Ribbon Plus RGBW	Code 99670
Im however m m. m.2	(EDDEDE (EDDEDE) 2 100	Ribbon Plus WT 70+70 LEDs/m	Code 99671




Modular **83137**

Components

(In manitus m mont)	(E D D D D D D D D D D D D D D D D D D D	Ribbon Plus Dynamic White 70+70 LEDs/m	Code 99672
. Mar-Li. i. I. Mai	3.4	Dropper Basic 60 LEDs/m	Code 99592
der-di i das	3,4	Dropper Basic 60 LEDs/m - LED Strip stripLED 25 W DC 24 V 5 W/m 529.8 Lm/m	Code 99588
. Mar-Li. L. I. Mai	3.4	Dropper Basic 60 LEDs/m - LED Strip stripLED 25 W DC 24 V 5 W/m 549.8 Lm/m	Code 99590
ARTEST STREET,	3 (8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Dropper Hi-Flux 60 LEDs/m	Code 99628
ALTERIA DIRECTION AND ADDRESS OF THE PARTY O	3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Dropper Hi-Flux 60 LEDs/m - LED Strip stripLED 60 W DC 24 V 12 W/m 1068.6 Lm/m	Code 99632
	.3		Code





00000000000011

Ribbon Hi-Flux 60 Leds/m - LED Strip | topLED 60 W DC 24 V | 12 W/m | 1163.8 Lm/m

Dropper Hi-Flux 60 LEDs/m - LED Strip | stripLED 60 W DC 24

V | 12 W/m | 1151.8 Lm/m

Code

99630


99608

50 %



Modular 83137

Components





Modular **83137**

Componente			
Components	-1.5 -100 × 100	Ribbon Hi-Flux 150 LEDs/m	Code 84195
WIZ 000000000000000000000000000000000000	- 1.5	Ribbon Hi-Flux 150 LEDs/m - LED Strip topLED 200 W DC - 200 W AC 20 W/m 1878 Lm/m	Code 84196
and different	(Sr Sr Or Sr Or	Ribbon RGBW 54 LEDs/m - LED Strip topLED 67.5 W DC 48 V 13.5 W/m	Code 84197
Man office a con-	(St. Bt. Gt. Gt. Gt. Gt. Gt. Gt. Gt. Gt. Gt. G	Ribbon RGBW 54 LEDs/m - LED Strip topLED 67.5 W DC 48 V 13.5 W/m	Code 84198
	- 1.6 	Ribbon Slim 120 LEDs/m	Code 84219
	-1.6 	Ribbon Slim 120 LEDs/m	Code 84220
	-1.6 	Ribbon Slim 120 LEDs/m	Code 84221



LUNO_20/27 | Profiles | Accessories 83137





Bracket L=9mm, H=8.8mm, D=21.8mm. Material:Iron, colour:translucent, processing:Washing. Code

98931





Diffuser Material:PC, colour:black. Finish

Code

Black 83138





Closing cap Material:PC, colour:black. Code

83139