



Modular
98885



Technical data	
Type	Profiles
Installation position	Wall lights - Ceiling
Installation environment	Indoor
Glow wire test	No
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Modularity	Modular

Finishing casing	
Material	Aluminium
Colour	Aluminium
Processing	Anodisation



Modular
98885

Components

		Ribbon Slim 120 LEDs/m	Code <u>84219</u>
		Ribbon Slim 120 LEDs/m	Code <u>84220</u>
		Ribbon Slim 120 LEDs/m	Code <u>84221</u>



Fonis_06/11 | Profiles | Accessories
98885

		<p>Diffuser</p>	<p>Code <u>98886</u></p>
		<p>Diffuser</p>	<p>Code <u>98887</u></p>
		<p>Diffuser</p>	<p>Code <u>98888</u></p>
		<p>Closing cap</p>	<p>Code <u>98890</u></p>
		<p>Bag / Fixing kit - aluminium profile + opal profile cover + plastic cap kit 2 pcs. white + kit of 5 plastic brackets + 5 screws</p>	<p>Code <u>83003</u></p>