



Modular C-K100018








Technical data	
Installation position	Wall lights - Ceiling
Installation environment	Indoor
Glow wire test	No
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Modularity	Modular

Finishing casing			
Material	Aluminium		
Colour	Anodised Black		
Processing	Anodisation		



Modular C-K100018

Components






98637

Modular C-K100018

Components

TOTAL C. C.

9,5 100



Ribbon Plus 70 LEDs/m



Modular C-K100018

Components			
The Control of the Co	1.2	Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1475 Lm/m	Code 98638
्रिक् बहुँक्क क्ष्मिक स्ट.सङ्ग	1,2 (************************************	Ribbon Plus Hi-Flux 70 LEDs/m	Code 98639
The eft. eft e e E	1.2 	Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1710 Lm/m	Code 98640
(Sighersen) speciments	1.2 	Ribbon Plus 140 LEDs/m - LED Strip topLED 36 W DC 24 V 7.2 W/m 823 Lm/m	Code 98945
g dereg being	-1.2 	Ribbon Plus 140 LEDs/m	Code 98946
	1,2 (************************************	Ribbon Plus 140 LEDs/m	Code 98948
The state of the s	हित का का का का है कि का का का का की दे कि का का का का का का की की का का का का का की की की का का का का का का का	Ribbon Plus RGBW	Code 99670
in besites at at . m2	(Ribbon Plus WT 70+70 LEDs/m	Code 99671




Modular C-K100018

Com	ponents
-----	---------

RE. E. E.R.E.Z-E.-E.R.E. E.

100



Ribbon Hi-Flux 60 Leds/m - LED Strip | topLED 60 W DC 24 V | 12 W/m | 1163.8 Lm/m


Code

99608



Modular C-K100018

Components



W/m | 1142 Lm/m


50 %



Modular C-K100018

Components			
WZ-commonwell-Z-commonwell-Z	1.5	Ribbon Hi-Flux 150 LEDs/m	Code 84195
A12000000000000000000000000000000000000	-1.5	Ribbon Hi-Flux 150 LEDs/m - LED Strip topLED 200 W DC - 200 W AC 20 W/m 1878 Lm/m	Code 84196
	(5) (5) (6) (6) (6) (6) (6) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	Ribbon RGBW 54 LEDs/m - LED Strip topLED 67.5 W DC 48 V 13.5 W/m	Code 84197
	(0) 0) 0) 0) 0) 0) 0) 0) 0) 0) 0) 0) 0) 0	Ribbon RGBW 54 LEDs/m - LED Strip topLED 67.5 W DC 48 V 13.5 W/m	Code 84198
	-1.8 -50 -%	Ribbon Slim 120 LEDs/m	Code 84219
	-1.6 -50 %	Ribbon Slim 120 LEDs/m	Code 84220
	-1.6 -50 %	Ribbon Slim 120 LEDs/m	Code 84221





Ribbon HD 160 LEDs/m


C00509WH - C00510WH -C0045MDI05000 - C0045NDI05000 -C0045WDI05000 - C0046MDI05000 -C0046NDI05000 - C0046WDI05000

Code




Modular C-K100018

Components



C00506WH - C00507WH - C0043MDI05000 - C0043NDI05000 - C0044MDI05000 - C0044MDI05000 - C0044NDI05000 - C0044NDI05000








C00513WH - C0037MDI05000 -

C0037NDI05000 - C0037WDI05000

Modular C-K100018

Components



Ribbon Cob

8




Modular C-K100018

Components	S
------------	---





LUNO_20/27 | Profiles | Accessories C-K100018





LUNO_20/27 | Profiles | Accessories C-K100018





Closing cap Material:ABS Plastic, colour:black. Code

C-V400022