





Modular  
C-K100026



Technical data	
Type	Profiles
Installation position	Wall lights - Ceiling
Installation environment	Indoor
Glow wire test	No
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Modularity	Modular

Finishing casing	
Material	Aluminium
Colour	Aluminium
Processing	Anodisation



Modular  
C-K100026

## Components

		<p>Dropper RGB 60 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m</p>	<p><b>Code</b> <u>98025</u></p>
		<p>Silicone_C Basic RGB 60 LEDs/m</p>	<p><b>Code</b> <u>98033</u></p>
		<p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   570.2 Lm/m</p>	<p><b>Code</b> <u>98012</u></p>
		<p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   540 Lm/m</p>	<p><b>Code</b> <u>98011</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1367.8 Lm/m</p>	<p><b>Code</b> <u>98077</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1236 Lm/m</p>	<p><b>Code</b> <u>98078</u></p>
		<p>Ribbon RGB 60 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m</p>	<p><b>Code</b> <u>98017</u></p>
		<p>Silicone_C Hi-Flux 60 LEDs/m</p>	<p><b>Code</b> <u>98042</u></p>



Modular  
C-K100026

## Components

		Ribbon 240 LEDs/m	<b>Code</b> <u>98083</u>
		Ribbon 240 LEDs/m - LED Strip   topLED 96 W DC 24 V   19.2 W/m   1537.8 Lm/m	<b>Code</b> <u>98084</u>
		Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   547 Lm/m	<b>Code</b> <u>98556</u>
		Ribbon 120 LEDs/m	<b>Code</b> <u>98568</u>
		Ribbon 240 LEDs/m - LED Strip   topLED 96 W DC 24 V   19.2 W/m   1611.8 Lm/m	<b>Code</b> <u>98570</u>
		Dropper 120 LEDs/m	<b>Code</b> <u>98572</u>
		Dropper 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   780 Lm/m	<b>Code</b> <u>98574</u>
		Ribbon Ribbon Plus 70 LEDs/m	<b>Code</b> <u>98635</u>



Modular  
C-K100026

















## Components

		Ribbon Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   428 Lm/m	<b>Code</b> <u>98636</u>
		Ribbon Plus 70 LEDs/m	<b>Code</b> <u>98637</u>
		Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip   topLED 63 W DC 24 V   12.6 W/m   1475 Lm/m	<b>Code</b> <u>98638</u>
		Ribbon Plus Hi-Flux 70 LEDs/m	<b>Code</b> <u>98639</u>
		Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip   topLED 63 W DC 24 V   12.6 W/m   1710 Lm/m	<b>Code</b> <u>98640</u>
		Ribbon Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   823 Lm/m	<b>Code</b> <u>98945</u>
		Ribbon Plus 140 LEDs/m	<b>Code</b> <u>98946</u>
		Ribbon Plus 140 LEDs/m	<b>Code</b> <u>98948</u>



Modular  
C-K100026

















## Components

 	<p>PU_C Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   299 Lm/m</p>	<p><b>Code</b> <u>98774</u></p>
 	<p>PU_C Plus 70 LEDs/m</p>	<p><b>Code</b> <u>98775</u></p>
 	<p>PU_C Plus 70 LEDs/m</p>	<p><b>Code</b> <u>98776</u></p>
 	<p>PU_C Plus Hi-Flux 70 LEDs/m</p>	<p><b>Code</b> <u>98777</u></p>
 	<p>PU_C Plus Hi-Flux 70 LEDs/m</p>	<p><b>Code</b> <u>98779</u></p>
 	<p>Ribbon Plus RGBW</p>	<p><b>Code</b> <u>99670</u></p>
 	<p>Ribbon Plus WT 70+70 LEDs/m</p>	<p><b>Code</b> <u>99671</u></p>
 	<p>Ribbon Plus Dynamic White 70+70 LEDs/m</p>	<p><b>Code</b> <u>99672</u></p>



Modular  
C-K100026

## Components

		Dropper Basic 60 LEDs/m	<b>Code</b> <u>99592</u>
		Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V   5 W/m   529.8 Lm/m	<b>Code</b> <u>99588</u>
		Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V   5 W/m   549.8 Lm/m	<b>Code</b> <u>99590</u>
		Dropper Hi-Flux 60 LEDs/m	<b>Code</b> <u>99628</u>
		Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V   12 W/m   1068.6 Lm/m	<b>Code</b> <u>99632</u>
		Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V   12 W/m   1151.8 Lm/m	<b>Code</b> <u>99630</u>
		Silicone_C Hi-Flux 60 LEDs/m	<b>Code</b> <u>99622</u>
		Silicone_C Hi-Flux 60 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1212.4 Lm/m	<b>Code</b> <u>99620</u>



Modular  
C-K100026

















## Components

		<p>Silicone_C Basic 60 LEDs/m</p>	<p><b>Code</b> <u>99598</u></p>
		<p>Silicone_C Basic 60 LEDs/m - LED Strip   topLED 25 W DC 24 V   5 W/m   524.6 Lm/m</p>	<p><b>Code</b> <u>99602</u></p>
		<p>Silicone_C Basic 60 LEDs/m - LED Strip   topLED 25 W DC 24 V   5 W/m   529.8 Lm/m</p>	<p><b>Code</b> <u>99600</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1163.8 Lm/m</p>	<p><b>Code</b> <u>99608</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1176.4 Lm/m</p>	<p><b>Code</b> <u>99612</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m</p>	<p><b>Code</b> <u>99610</u></p>
		<p>Silicone_C 120 LEDs/m</p>	<p><b>Code</b> <u>62403</u></p>
		<p>Silicone_C 120 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1435 Lm/m</p>	<p><b>Code</b> <u>62403N</u></p>



Modular  
C-K100026

## Components

		Ribbon Plus 140 Hi-flux LEDs/m	<b>Code</b> 81956
		Ribbon Plus 140 Hi-flux LEDs/m	<b>Code</b> 81957
		Ribbon Plus 140 Hi-flux LEDs/m	<b>Code</b> 81958
		PU_C Plus 140 LEDs/m	<b>Code</b> 81959
		PU_C Plus 140 LEDs/m	<b>Code</b> 81960
		PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   755 Lm/m	<b>Code</b> 81961
		PU_C Plus 140 Hi-Flux LEDs/m	<b>Code</b> 81964
		PU_C Plus 140 Hi-Flux LEDs/m	<b>Code</b> 81962





Modular  
C-K100026

## Components

		<p>PU_C Plus 140 Hi-Flux LEDs/m</p>	<p><b>Code</b> <u>81963</u></p>
		<p>PU_C RGBW 60 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m</p>	<p><b>Code</b> <u>81965</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1074.8 Lm/m</p>	<p><b>Code</b> <u>83657</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1056 Lm/m</p>	<p><b>Code</b> <u>83659</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1142 Lm/m</p>	<p><b>Code</b> <u>83658</u></p>
		<p>Ribbon Hi-Flux 150 LEDs/m</p>	<p><b>Code</b> <u>84195</u></p>
		<p>Ribbon Hi-Flux 150 LEDs/m - LED Strip   topLED 200 W DC - 200 W AC   20 W/m   1878 Lm/m</p>	<p><b>Code</b> <u>84196</u></p>
		<p>Ribbon RGBW 54 LEDs/m - LED Strip   topLED 67.5 W DC 48 V   13.5 W/m</p>	<p><b>Code</b> <u>84197</u></p>




Modular  
C-K100026

## Components



Ribbon RGBW 54 LEDs/m - LED Strip | topLED 67.5 W DC 48 V | 13.5 W/m

**Code**  
84198




Ribbon Slim 120 LEDs/m

**Code**  
84219




Ribbon Slim 120 LEDs/m

**Code**  
84220




Ribbon Slim 120 LEDs/m

**Code**  
84221




PU\_C Plus 70 LEDs/m

**Code**  
C00122WH - C00123WH -  
C0018MDI05019 - C0018NDI05019 -  
C0018WDI05019 - C0025MDI05019 -  
C0025NDI05019 - C0025WDI05019



PU\_C Plus 140 LEDs/m

**Code**  
C00124WH - C00125WH - C00915WH -  
C00916WH - C0019MDI05019 -  
C0019NDI05019 - C0019WDI05019 -  
C0026MDI05019 - C0026NDI05019 -  
C0026WDI05019



PU\_C Plus RGBW

**Code**  
C00466WHVDI - C0025VDI05019



		<p>Diffuser</p>	<p><b>Code</b></p>				
			<p><u>98941</u></p>				
		<p>Diffuser</p>	<p><b>Code</b></p>				
			<p><u>98942</u></p>				
		<p>Diffuser - Opaline Diffuser</p>	<p><b>Code</b></p>				
			<p><u>98943</u></p>				
		<p>Diffuser          Material:PC, colour:black.</p>	<table border="1"> <tr> <td><b>Finish</b></td> <td><b>Code</b></td> </tr> <tr> <td>Black</td> <td>83132</td> </tr> </table>	<b>Finish</b>	<b>Code</b>	Black	83132
<b>Finish</b>	<b>Code</b>						
Black	83132						
		<p>Bracket - Mounting bracket          L=19mm, H=8mm, D=9mm.          Material:Iron, colour:zinc, processing:Washing.</p>	<p><b>Code</b></p> <p><u>98944</u></p>				
		<p>Anti-glare          Anti-glare Type: eyelid.          Material:Aluminium 6060, colour:Anodised Aluminum, processing:20 µm anodizing.</p>	<table border="1"> <tr> <td><b>Finish</b></td> <td><b>Code</b></td> </tr> <tr> <td></td> <td>98778</td> </tr> </table>	<b>Finish</b>	<b>Code</b>		98778
<b>Finish</b>	<b>Code</b>						
	98778						