





2400 x
45



Technical data	
Type	Continuous Line -
Installation position	Ceiling
Installation environment	Indoor
Safety class	1
IP	IP40
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	DALI
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Net weight	3.8 Kg
Modularity	Modular
Ordinary temperature on the glass	40 °C

Finishing casing	
Material	Aluminium 6060
Colour	White
Processing	Powder coating
Finishing base	
Material	Aluminium 6060
Colour	White
Processing	Powder coating




Components

		<p>Modus Projectors</p>	<p>Code <u>83731</u></p>
		<p>Modus Projectors - Sistemi - Elementi lineari arrayLED 13 W DC 24 V</p>	<p>Code <u>83730</u></p>
		<p>Modus Microprismatic - Sistemi - Elementi lineari topLED 19 W DC 24 V Modular</p>	<p>Code <u>83722</u></p>
		<p>Modus Microprismatic</p>	<p>Code <u>83723</u></p>
		<p>Modus Microprismatic - Sistemi - Elementi lineari topLED 30 W DC 24 V Modular</p>	<p>Code <u>83724</u></p>
		<p>Modus Cell</p>	<p>Code <u>83720</u></p>
		<p>Modus Cell_Ww - Sistemi - Elementi lineari 4 x powerLEDs 12 W DC 24 V</p>	<p>Code <u>83721</u></p>
		<p>Modus Optus_EX</p>	<p>Code <u>83732</u></p>





Systems - Lines | Modular
C00172WHEZZ

Components





Junction - T shaped junction element
 Type linear.
 Material:Aluminium 6060, colour:White, processing:Powder coating.

Code
C-K400037




Junction - X shaped junction element
 Type linear.
 Material:Aluminium 6060, colour:White, processing:Powder coating.

Code
C-K400031




Junction - Angular module
 Type linear.
 Material:Aluminium 6060, colour:White, processing:Powder coating.

Code
C-K400027




Closing cap - 2 x
 Material:Die-cast Aluminium EN AB - 46100, colour:White, processing:Powder coating.

Code
C-K400056




Cable cover
 Material:Aluminium 6060, colour:White, processing:Powder coating.

Code
83725




Cable cover
 Material:Aluminium 6060, colour:White, processing:Powder coating.

Code
83729




Cable cover
 Material:Aluminium 6060, colour:White, processing:Powder coating.

Code
83726




Cable cover
 Material:Aluminium 6060, colour:White, processing:Powder coating.

Code
83727




Cable cover
 Material:Aluminium 6060, colour:White, processing:Powder coating.

Code
83728



PIR sensor - Sensor with dual PIR and DAYLIGHT functionality. Bluetooth 5 mesh communication protocol, DALI bus driver with broadcast mode. Built-in status indicator LED.

Code
C-E900002



Electronic accessory - AIR quality sensor is a multi-sensor that allows you to measure VOC levels, CO2 levels, humidity and temperature of the surrounding environment. Equipped with colored signaling LED for direct indication of VOC levels.
 L=150mm, H=45mm, D=38mm

Code
C-E900004