


Ribbon Plus RGBW



LED Strip | 600 topLED 96 W DC 24 V | 19.2 W/m
0 Lm/m | CRI >90 | RGBW - 3000

C00417WHVDI





Technical data	
Length	5000 mm
Minimum cut	100 mm
Type	LED Strip
Installation position	Wall lights - Ceiling
Installation environment	Indoor
Light Source	LED
Circuit structure	topLED
Optics	Diffused
Light emission direction	downward
Nominal power	96 W DC
Power / m	19.2 W / m
Input voltage range	24V
CCT / Tone	RGBW - 3000 K
Colour rendering index	>90 Ra
C.C. / C.V.	CV
Safety class	3
IP	IP20
Glow wire test	650°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Driver included	No
Dimmable article	Yes
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	Yes
Cable length	0.3 m
Resin potting	No
Type of light emission	Single emission
Length	5000 mm
Net weight	0.09 Kg
Electrostatic discharge protection	No
Surge protection	No


Finishing casing

Colour white

Electronics

 99331
On/Off Driver 198~264V AC / 176~275V DC 150 W (1 art.)

 99332
1-10V Controller (1 art.)

 C-E700005
DMX-RDM Multi Channel 10.8~26.4V DC W (- art.)

Cables Electrification

Cable connector No

Lumen RGBW

N. Led	Red	Green	Blue	white
600	729 lm	1449 lm	373 lm	3469 lm

Ribbon Plus RGBW



LED Strip | 600 topLED 96 W DC 24 V | 19.2 W/m | 0 Lm/m | CRI >90 | RGBW - 3000
C00417WHVDI

Single emission led strip for indoor application. The RGBW - 3000 K LED light source with a diffused light distribution is composed of 600 toped LEDs with CCT of RGB-W 3000 K and a CRI >90.

The device body and features a white finish. The ingress protection degree is IP20; the total weight is of 0.09 kg. The power supply driver is not provided and is to be ordered separately.

The total absorbed power is 96 W. The power supply cable is included and features a 0.3 m length.

The device features protection class III and can be wall lights or ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Energy efficiency class

This product contains a light source of energy efficiency class F.



Illuminotechnical Features

Standard Deviation of Colour Matching




3 Step MacAdam

Ribbon Plus RGBW



LED Strip | 600 topLED 96 W DC 24 V | 19.2 W/m | 0 Lm/m | CRI >90 | RGBW - 3000
C00417WHVDI

Components

		LUNO_20/27 - Profili Modular	Code <u>C-K100017</u>
		LUNO_20/27	Code <u>C-K100018</u>
		Rive_17/16 - Profili Modular	Code <u>C-K100015</u>
		Rive_17/16 - Profili Modular	Code <u>C-K100016</u>
		Cela_18/18 - Profili Modular	Code <u>C-K100019</u>
		Cela_18/18 - Profili Modular	Code <u>C-K100020</u>
		Tabulo_35/14 - Profili Modular	Code <u>C-K100025</u>
		Fylo+ Recessed_5	Code <u>65012 - 65013</u>

Ribbon Plus RGBW



LED Strip | 600 topLED 96 W DC 24 V | 19.2 W/m | 0 Lm/m | CRI >90 | RGBW - 3000
C00417WHVDI

Components


		Fylo+ Recessed_1	Code <u>65027 - 65028</u>
		Fylo+ Recessed_3	Code <u>65003 - 65004</u>
		Fylo+ Surface_3	Code <u>65021 - 65022</u>
		Fylo+ Recessed_4	Code <u>65010 - 65009</u>
		Fylo+ Surface_2	Code <u>65019 - 65018</u>
		Fylo+ Direct_1	Code <u>65181 - 65180</u>
		Fylo+ Recessed_2	Code <u>65006 - 65007</u>
		Fylo+ Surface_1	Code <u>65015 - 65016</u>

Ribbon Plus RGBW



LED Strip | 600 topLED 96 W DC 24 V | 19.2 W/m | 0 Lm/m | CRI >90 | RGBW - 3000
C00417WHVDI

Components



Fylo+ Surface_4

















Code

65024 - 65025

Ribbon Plus RGBW



















Ribbon Plus RGBW | LED Strip | Accessories
C00417WHVDI

 <p>5x</p>	 <p>25 30 6,8</p>	<p>Springs for recessing - 5 pieces</p>	<p>Code <u>98420</u></p>
	 <p>2,5 18 2000</p>	<p>Diffuser Diffuser Type: opaline diffuser. Material:PC, colour:opaline.</p>	<p>Finish Opaline Code <u>98395</u></p>
	 <p>15 2000</p>	<p>Diffuser</p>	<p>Code <u>98941</u></p>
	 <p>15 2000</p>	<p>Diffuser</p>	<p>Code <u>98942</u></p>
	 <p>15 2000</p>	<p>Diffuser - Opaline Diffuser</p>	<p>Code <u>98943</u></p>
	 <p>24 2000</p>	<p>Diffuser</p>	<p>Code <u>98898</u></p>
	 <p>24 2000</p>	<p>Diffuser</p>	<p>Code <u>98899</u></p>
	 <p>24 2000</p>	<p>Diffuser</p>	<p>Code <u>98900</u></p>

Ribbon Plus RGBW



Ribbon Plus RGBW | LED Strip | Accessories
C00417WHVDI

		Diffuser		Code 98917
		Diffuser		Code 98925
		Diffuser Material:PC, colour:black.	Finish Black	Code 83132
		Diffuser Material:PC, colour:opaline.	Finish Opaline	Code C-K200001
		Diffuser Material:PC, colour:black.	Finish Black	Code C-K200002
		Diffuser Material:PC, colour:opaline.	Finish Opaline	Code C-K200003
		Diffuser Material:PC, colour:black.	Finish Black	Code C-K200004
		Diffuser Material:PC, colour:opaline.	Finish Opaline	Code C-K200005

Ribbon Plus RGBW



Ribbon Plus RGBW | LED Strip | Accessories
C00417WHVDI




Diffuser
 Material:PC, colour:opaline.

Finish
 Opaline **Code**
 C-K200007




Diffuser
 Material:PC, colour:black.

Finish
 Black **Code**
 C-K200009




Closing cap

Code
 98418




Closing cap - Closing cap
 Material:PC, colour:white.

Code
 98892



Closing cap

Code
 98928




Closing cap

Code
 98896



Closing cap

Code
 98902



















Closing cap
 Material:Aluminium, colour:translucent.

Code
 98907

Ribbon Plus RGBW



Ribbon Plus RGBW | LED Strip | Accessories
C00417WHVDI

















		Closing cap Material:PC, colour:white.	Code <u>98922</u>
		Closing cap Material:PC, colour:white.	Code <u>98918</u>
		Closing cap Material:PC, colour:black.	Code <u>83133</u>
		Closing cap Material:plastic, colour:grey.	Code <u>C-V400023</u>
		Closing cap Material:plastic, colour:grey.	Code <u>C-V400019</u>
		Closing cap Material:ABS Plastic, colour:black.	Code <u>C-V400020</u>
		Closing cap Material:plastic, colour:grey.	Code <u>C-V400021</u>
		Closing cap Material:ABS Plastic, colour:black.	Code <u>C-V400022</u>

Ribbon Plus RGBW



Ribbon Plus RGBW | LED Strip | Accessories

C00417WHVDI

		<p>Closing cap Material:plastic, colour:grey.</p>	<p>Code <u>C-V400025</u></p>
		<p>Closing cap Material:plastic, colour:grey.</p>	<p>Code <u>C-V400027</u></p>
		<p>Closing cap Material:plastic, colour:grey.</p>	<p>Code <u>C-V400029</u></p>
		<p>Closing cap Material:plastic, colour:grey.</p>	<p>Code <u>C-V400031</u></p>
		<p>Closing cap Material:plastic, colour:grey.</p>	<p>Code <u>C-V400033</u></p>
		<p>Closing cap Material:plastic, colour:grey.</p>	<p>Code <u>C-V400035</u></p>
		<p>Closing cap Material:ABS Plastic, colour:black.</p>	<p>Code <u>C-V400036</u></p>
		<p>Closing cap Material:ABS Plastic, colour:black.</p>	<p>Code <u>C-V400038</u></p>

Ribbon Plus RGBW



Ribbon Plus RGBW | LED Strip | Accessories
C00417WHVDI






		<p>Closing cap Material:plastic, colour:grey.</p>	<p>Code <u>C-V400037</u></p>
		<p>Closing cap Material:plastic, colour:grey.</p>	<p>Code <u>C-V400041</u></p>
		<p>Bracket - Mounting bracket L=19mm, H=8mm, D=9mm. Material:Iron, colour:zinc, processing:Washing.</p>	<p>Code <u>98944</u></p>
		<p>Bracket L=9mm, H=8.8mm, D=21.8mm. Material:Iron, colour:translucent, processing:Washing.</p>	<p>Code <u>98931</u></p>
		<p>Bracket L=22mm, H=21.5mm, D=16.4mm. Material:PC, colour:transparent.</p>	<p>Finish Transp. Code <u>98904</u></p>
		<p>Bracket L=12mm, H=15mm, D=30mm. Material:PC, colour:white.</p>	<p>Finish White Code <u>98901</u></p>
		<p>Profile - Wall integrated side profile Material:Aluminium 6060, colour:Anodised Aluminum, processing:20 µm anodizing.</p>	<p>Code <u>98921</u></p>
		<p>Connector - Fast connector 5 poles for Ribbon Plus RGBW Length 22 mm.</p>	<p>Code <u>83403</u></p>

Ribbon Plus RGBW



Ribbon Plus RGBW | LED Strip | Accessories

C00417WHVDI

 <p>Technical drawing showing dimensions: 8.30, 8.45, 6.70, 13.80, 17.50</p>	<p>Connector - Fast connector 5 poles for Ribbon Plus RGBW Length 18,2 mm.</p> <p>Code <u>83402</u></p>
 <p>Technical drawing showing dimensions: 16, 2000</p>	<p>Optics Light distribution: medium flood,Cover material: pc</p> <p>Code <u>C-U100001</u></p>
 <p>Technical drawing showing dimensions: 17.2, 2000</p>	<p>Bag / Fixing kit</p> <p>Code <u>C-K100027</u></p>
 <p>Technical drawing showing dimensions: 18.1, 2000, 12.5</p>	<p>Bag / Fixing kit</p> <p>Code <u>C-K100028</u></p>
 <p>Technical drawing showing dimensions: 18.1, 2000, 12.5</p>	<p>Bag / Fixing kit</p> <p>Code <u>C-K100029</u></p>