



Sistemas - Elementos lineales | Modular
65012

ERACCE~~RoHS~~IK08











Datos técnicos	
Tipo	- - -
Posición de instalación	Techo
Ambiente de instalación	Interiores
IK	IK08
Test del hilo incandescente	850°
Montaje directo sobre superficies normalmente inflamables	Sí
CE	Sí
Artículo regulable	No
Orientabilidad	No
Basculación	No
Practicabilidad	No
Transitabilidad	No
Cable incluido.	No
Resinado	No
Peso neto	1,51 Kg
Modularity	Modular

Acabado cuerpo	
Material	aluminio
Color	Tiza blanca
Elaboración	Pintura

Sistemas - Elementos lineales | Modular
65012

Components

 	Ribbon PRO - topLED 18 W DC - 18 W AC	Code 82123
 	Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 518 Lm/m	Code 82124
 	Ribbon PRO	Code 82125
 	Ribbon PRO - LED Strip topLED 48 W DC 24 V 9.6 W/m 1367 Lm/m	Code 82129
 	Ribbon PRO	Code 82130
 	Ribbon PRO - LED Strip topLED 48 W DC 24 V 9.6 W/m 1503.8 Lm/m	Code 82131
 	Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 927.6 Lm/m	Code 82156
 	Ribbon PRO	Code 82157















Sistemas - Elementos lineales | Modular
65012

Components

		Ribbon PRO	Code 82158
		Ribbon PRO	Code 82162
		Ribbon PRO	Code 82164
		Ribbon PRO - LED Strip topLED 68 W DC 24 V 13.6 W/m 1961.2 Lm/m	Code 82163
		Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2371.4 Lm/m	Code 82168
		Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2419.6 Lm/m	Code 82169
		Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2602.6 Lm/m	Code 82170
		Ribbon PRO - LED Strip topLED 43 W DC 48 V 8.6 W/m 1296.4 Lm/m	Code C00423WH









Sistemas - Elementos lineales | Modular
65012

Components

 		Ribbon Plus	Code <u>82174</u>
 		Ribbon Plus - LED Strip topLED 24 W DC 24 V 4.8 W/m 586 Lm/m	Code <u>82175</u>
 		Ribbon Plus - LED Strip topLED 24 W DC 24 V 4.8 W/m 622 Lm/m	Code <u>82176</u>
 		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1116 Lm/m	Code <u>82180</u>
 		Ribbon Plus	Code <u>82181</u>
 		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1260 Lm/m	Code <u>82182</u>
 		Ribbon Plus - LED Strip topLED 72 W DC 24 V 14.4 W/m 2022 Lm/m	Code <u>82194</u>
 		Ribbon Plus	Code <u>82193</u>









Sistemas - Elementos lineales | Modular
65012

Components

 		Ribbon Plus - LED Strip topLED 72 W DC 24 V 14.4 W/m 1762 Lm/m	Code 82192
 		Ribbon Plus	Code 82187
 		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1122 Lm/m	Code 82186
 		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1252 Lm/m	Code 82188
 		Ribbon Plus - LED Strip topLED 96 W DC 24 V 19.2 W/m 2222 Lm/m	Code 82207
 		Ribbon Plus	Code 82209
 		Ribbon Plus - LED Strip topLED 96 W DC 24 V 19.2 W/m 2402 Lm/m	Code 82210
 		Ribbon Plus WT - LED Strip topLED 65 W DC 24 V 13 W/m	Code C00419WHSDI









Sistemas - Elementos lineales | Modular
65012

Components



 	Ribbon Plus Dynamic White	Code <u>C00418WHDDI</u>
 	Ribbon Plus RGBW - LED Strip topLED 96 W DC 24 V 19.2 W/m	Code <u>C00417WHVDI</u>
 	Ribbon Basic_V2 - LED Strip topLED 24 W DC 24 V 4.8 W/m 522.4 Lm/m	Code <u>C00495WH</u>
 	Ribbon Basic_V2	Code <u>C00496WH</u>
 	Ribbon HF_V2 168 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m 1730 Lm/m	Code <u>C00503WH</u>
 	Ribbon HF_V2 238 LEDs/m - LED Strip topLED 98 W DC 24 V 19.6 W/m 2350 Lm/m	Code <u>C00504WH</u>
 	Ribbon HE 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1467.8 Lm/m	Code <u>C00506WH</u>
 	Ribbon HE 160 LEDs/m - LED Strip topLED 108 W DC 24 V 21.6 W/m 3037.4 Lm/m	Code <u>C00507WH</u>


Sistemas - Elementos lineales | Modular
65012


Components

		Ribbon HD 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1434.8 Lm/m	Code C00509WH
		Ribbon HD 160 LEDs/m - LED Strip topLED 108 W DC 24 V 21.6 W/m 2528.6 Lm/m	Code C00510WH
		Ribbon Slim_V2 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 805.8 Lm/m	Code C00511WH
		Ribbon Slim_V2 160 LEDs/m - LED Strip topLED 52.5 W DC 24 V 10.5 W/m 1326.4 Lm/m	Code C00512WH
		Ribbon Distance 130 LEDs/m - LED Strip topLED 192 W DC 48 V 9.6 W/m 1082.35 Lm/m	Code C00514WH
		Ribbon Distance 130 LEDs/m - LED Strip topLED 207 W DC 48 V 13.8 W/m 1542.13 Lm/m	Code C00515WH

Fylo+ Recessed_5 | Lines | Accessories
65012

		Caja de empotrar posición de instalación: techo L=320mm, H=55mm, D=100mm	Code 62900
--	---	---	----------------------

		Difusor	Code 65054
--	---	---------	----------------------

		Difusor	Code 65055
--	---	---------	----------------------