



1000 x
57



Datos técnicos

Tipo	- - -
Posición de instalación	Pared - Techo
Ambiente de instalación	Interiores
IK	IK08
Test del hilo incandescente	850°
Montaje directo sobre superficies normalmente inflamables	Sí
CE	Sí
Artículo regulable	No
Orientabilidad	No
Basculación	No
Practicabilidad	No
Transitabilidad	No
Cable incluido.	No
Resinado	No
Peso neto	0.787 Kg
Modularity	Modular

Acabado cuerpo

Material	aluminio
Color	Tiza blanca
Elaboración	Pintura



Sistemas - Elementos lineales | Modular
65180

Components

		<p>Ribbon PRO - LED Strip topLED 18 W DC - 18 W AC 3.6 W/m 511.6 Lm/m</p>	<p>Code <u>82123</u></p>
		<p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 518 Lm/m</p>	<p>Code <u>82124</u></p>
		<p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 550.8 Lm/m</p>	<p>Code <u>82125</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82129</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82130</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82131</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82156</u></p>
		<p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 958.2 Lm/m</p>	<p>Code <u>82157</u></p>



















Sistemas - Elementos lineales | Modular
65180

Components

		<p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 1023 Lm/m</p>	<p>Code <u>82158</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82162</u></p>
		<p>Ribbon PRO - LED Strip topLED 68 W DC</p>	<p>Code <u>82164</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82163</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82168</u></p>
		<p>Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2419.6 Lm/m</p>	<p>Code <u>82169</u></p>
		<p>Ribbon PRO - LED Strip topLED 84 W DC - 84 W AC</p>	<p>Code <u>82170</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>C00423WH</u></p>



Components

		Ribbon Plus	Code <u>82174</u>
		Ribbon Plus - LED Strip topLED 24 W DC	Code <u>82175</u>
		Ribbon Plus - LED Strip topLED 24 W DC 24 V 4.8 W/m 622 Lm/m	Code <u>82176</u>
		Ribbon Plus	Code <u>82180</u>
		Ribbon Plus	Code <u>82181</u>
		Ribbon Plus	Code <u>82182</u>
		Ribbon Plus	Code <u>82194</u>
		Ribbon Plus - LED Strip topLED 72 W DC 24 V 14.4 W/m 1870 Lm/m	Code <u>82193</u>



















Components

		Ribbon Plus	Code 82192
		Ribbon Plus - LED Strip topLED 48 W DC	Code 82187
		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1122 Lm/m	Code 82186
		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1252 Lm/m	Code 82188
		Ribbon Plus	Code 82207
		Ribbon Plus	Code 82209
		Ribbon Plus	Code 82210
		Ribbon Plus WT - LED Strip topLED 65 W DC 24 V 13 W/m	Code C00419WHSDI















Components



		<p>Ribbon Plus Dynamic White - LED Strip topLED 62.5 W DC 24 V 12.5 W/m</p>	<p>Code <u>C00418WHDDI</u></p>
		<p>Ribbon Plus RGBW</p>	<p>Code <u>C00417WHVDI</u></p>
		<p>Ribbon Basic_V2 - LED Strip topLED 24 W DC 24 V 4.8 W/m 466.2 Lm/m</p>	<p>Code <u>C00495WH</u></p>
		<p>Ribbon Basic_V2</p>	<p>Code <u>C00496WH</u></p>
		<p>Ribbon HF_V2 168 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m 1545 Lm/m</p>	<p>Code <u>C00503WH</u></p>
		<p>Ribbon HF_V2 238 LEDs/m - LED Strip topLED 98 W DC 24 V 19.6 W/m 2125.6 Lm/m</p>	<p>Code <u>C00504WH</u></p>
		<p>Ribbon HE 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1467.8 Lm/m</p>	<p>Code <u>C00506WH</u></p>
		<p>Ribbon HE 160 LEDs/m - LED Strip topLED 108 W DC 24 V 21.6 W/m 2767.6 Lm/m</p>	<p>Code <u>C00507WH</u></p>



Sistemas - Elementos lineales | Modular
65180

Components

		<p>Ribbon HD 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1278.8 Lm/m</p>	<p>Code <u>C00509WH</u></p>
		<p>Ribbon HD 160 LEDs/m</p>	<p>Code <u>C00510WH</u></p>
		<p>Ribbon Slim_V2 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 842.8 Lm/m</p>	<p>Code <u>C00511WH</u></p>
		<p>Ribbon Slim_V2 160 LEDs/m - LED Strip topLED 52.5 W DC 24 V 10.5 W/m 1132.2 Lm/m</p>	<p>Code <u>C00512WH</u></p>
		<p>Ribbon Distance 130 LEDs/m - LED Strip topLED 192 W DC 48 V 9.6 W/m 993.1 Lm/m</p>	<p>Code <u>C00514WH</u></p>
		<p>Ribbon Distance 130 LEDs/m - LED Strip topLED 207 W DC 48 V 13.8 W/m 1391.2 Lm/m</p>	<p>Code <u>C00515WH</u></p>



Caja de empotrar
posición de instalación: techo L=320mm, H=55mm, D=100mm

Code

62900



Difusor

Code

65184



Difusor

Code

65183



Difusor

Code

65182