





Modular  
98956M



| Datos técnicos  |               |
|---|---------------|
| Tipo  | Perfiles      |
| Posición de instalación                                   | Pared - Techo |
| Ambiente de instalación                                   | Interiores    |
| Test del hilo incandescente                               | No            |
| Montaje directo sobre superficies normalmente inflamables | Sí            |
| CE  | Sí            |
| Artículo regulable  | No            |
| Orientabilidad  | No            |
| Basculación   | No            |
| Practicabilidad   | No            |
| Transitabilidad   | No            |
| Cable incluido.   | No            |
| Resinado  | No            |
| Modularity  | Modular       |

| Acabado cuerpo |           |
|----------------|-----------|
| Material       | aluminio  |
| Color          | aluminio  |
| Elaboración    | Anodizado |



Modular  
98956M

















## Components

|  |  |  |                                     |
|--|--|--|-------------------------------------|
|  |  | <p>Dropper RGB 60 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m</p>              | <p><b>Code</b><br/><u>98025</u></p> |
|  |  | <p>Silicone_C Basic RGB 60 LEDs/m</p>  | <p><b>Code</b><br/><u>98033</u></p> |
|  |  | <p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   570.2 Lm/m</p> | <p><b>Code</b><br/><u>98012</u></p> |
|  |  | <p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   540 Lm/m</p>   | <p><b>Code</b><br/><u>98011</u></p> |
|  |  | <p>Ribbon 120 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1367.8 Lm/m</p>      | <p><b>Code</b><br/><u>98077</u></p> |
|  |  | <p>Ribbon 120 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1236 Lm/m</p>        | <p><b>Code</b><br/><u>98078</u></p> |
|  |  | <p>Ribbon RGB 60 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m</p>               | <p><b>Code</b><br/><u>98017</u></p> |



Modular  
98956M

## Components

|  |   |   |                      |
|--|---|---|----------------------|
|    |    | Silicone_C Hi-Flux 60 LEDs/m  | <b>Code</b><br>98042 |
|    |    | Ribbon 240 LEDs/m   | <b>Code</b><br>98083 |
|    |   | Ribbon 240 LEDs/m - LED Strip   topLED 96 W DC 24 V   19.2 W/m   1537.8 Lm/m  | <b>Code</b><br>98084 |
|  |  | Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   547 Lm/m | <b>Code</b><br>98556 |
|  |  | Ribbon 120 LEDs/m   | <b>Code</b><br>98568 |
|  |  | Ribbon 240 LEDs/m - LED Strip   topLED 96 W DC 24 V   19.2 W/m   1611.8 Lm/m  | <b>Code</b><br>98570 |
|  |  | Dropper 120 LEDs/m  | <b>Code</b><br>98572 |
|  |  | Dropper 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   780 Lm/m     | <b>Code</b><br>98574 |



Modular  
98956M

## Components

|  |  |  |                             |
|--|--|--|-----------------------------|
|  |  | Ribbon Ribbon Plus 70 LEDs/m   | <b>Code</b><br><u>98635</u> |
|  |  | Ribbon Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   428 Lm/m           | <b>Code</b><br><u>98636</u> |
|  |  | Ribbon Plus 70 LEDs/m  | <b>Code</b><br><u>98637</u> |
|  |  | Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip   topLED 63 W DC 24 V   12.6 W/m   1475 Lm/m | <b>Code</b><br><u>98638</u> |
|  |  | Ribbon Plus Hi-Flux 70 LEDs/m  | <b>Code</b><br><u>98639</u> |
|  |  | Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip   topLED 63 W DC 24 V   12.6 W/m   1710 Lm/m | <b>Code</b><br><u>98640</u> |
|  |  | Ribbon Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   823 Lm/m          | <b>Code</b><br><u>98945</u> |
|  |  | Ribbon Plus 140 LEDs/m   | <b>Code</b><br><u>98946</u> |



Modular  
**98956M**

















## Components

|  |  |  |                             |
|--|--|--|-----------------------------|
|  |  | Ribbon Plus 140 LEDs/m   | <b>Code</b><br><u>98948</u> |
|  |  | PU_C Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   299 Lm/m | <b>Code</b><br><u>98774</u> |
|  |  | PU_C Plus 70 LEDs/m  | <b>Code</b><br><u>98775</u> |
|  |  | PU_C Plus 70 LEDs/m  | <b>Code</b><br><u>98776</u> |
|  |  | PU_C Plus Hi-Flux 70 LEDs/m  | <b>Code</b><br><u>98777</u> |
|  |  | PU_C Plus Hi-Flux 70 LEDs/m  | <b>Code</b><br><u>98779</u> |
|  |  | Ribbon Plus RGBW   | <b>Code</b><br><u>99670</u> |
|  |  | Ribbon Plus WT 70+70 LEDs/m  | <b>Code</b><br><u>99671</u> |



Modular  
98956M

## Components

|  |   |   |                                     |
|--|---|---|-------------------------------------|
|    |    | <p>Ribbon Plus Dynamic White 70+70 LEDs/m</p>   | <p><b>Code</b><br/><u>99672</u></p> |
|    |    | <p>Dropper Basic 60 LEDs/m</p>  | <p><b>Code</b><br/><u>99592</u></p> |
|    |    | <p>Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V<br/>  5 W/m   529.8 Lm/m</p>     | <p><b>Code</b><br/><u>99588</u></p> |
|  |  | <p>Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V<br/>  5 W/m   549.8 Lm/m</p>     | <p><b>Code</b><br/><u>99590</u></p> |
|  |  | <p>Dropper Hi-Flux 60 LEDs/m</p>  | <p><b>Code</b><br/><u>99628</u></p> |
|  |  | <p>Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V<br/>  12 W/m   1068.6 Lm/m</p> | <p><b>Code</b><br/><u>99632</u></p> |
|  |  | <p>Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V<br/>  12 W/m   1151.8 Lm/m</p> | <p><b>Code</b><br/><u>99630</u></p> |
|  |  | <p>Silicone_C Hi-Flux 60 LEDs/m</p>   | <p><b>Code</b><br/><u>99622</u></p> |



Modular  
98956M

## Components

|  |  |  |                                     |
|--|--|--|-------------------------------------|
|  |  | <p>Silicone_C Hi-Flux 60 LEDs/m - LED Strip   topLED 60 W DC<br/>24 V   12 W/m   1212.4 Lm/m</p> | <p><b>Code</b><br/><u>99620</u></p> |
|  |  | <p>Silicone_C Basic 60 LEDs/m</p>  | <p><b>Code</b><br/><u>99598</u></p> |
|  |  | <p>Silicone_C Basic 60 LEDs/m - LED Strip   topLED 25 W DC 24<br/>V   5 W/m   524.6 Lm/m</p>     | <p><b>Code</b><br/><u>99602</u></p> |
|  |  | <p>Silicone_C Basic 60 LEDs/m - LED Strip   topLED 25 W DC 24<br/>V   5 W/m   529.8 Lm/m</p>     | <p><b>Code</b><br/><u>99600</u></p> |
|  |  | <p>Ribbon Hi-Flux 60 Leds/m - LED Strip   topLED 60 W DC 24 V  <br/>12 W/m   1163.8 Lm/m</p>     | <p><b>Code</b><br/><u>99608</u></p> |
|  |  | <p>Ribbon Hi-Flux 60 Leds/m - LED Strip   topLED 60 W DC 24 V  <br/>12 W/m   1176.4 Lm/m</p>     | <p><b>Code</b><br/><u>99612</u></p> |
|  |  | <p>Ribbon Hi-Flux 60 Leds/m</p>  | <p><b>Code</b><br/><u>99610</u></p> |
|  |  | <p>Silicone_C 120 LEDs/m</p>   | <p><b>Code</b><br/><u>62403</u></p> |



Modular  
**98956M**

## Components

|  |  |   |                                      |
|--|--|---|--------------------------------------|
|  |  | <p>Silicone_C 120 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1435 Lm/m</p> | <p><b>Code</b><br/><u>62403N</u></p> |
|  |  | <p>Ribbon Plus 140 Hi-flux LEDs/m</p>   | <p><b>Code</b><br/><u>81956</u></p>  |
|  |  |   |                                      |
|  |  | <p>Ribbon Plus 140 Hi-flux LEDs/m</p>   | <p><b>Code</b><br/><u>81957</u></p>  |
|  |  |   |                                      |
|  |  | <p>Ribbon Plus 140 Hi-flux LEDs/m</p>   | <p><b>Code</b><br/><u>81958</u></p>  |
|  |  |   |                                      |
|  |  | <p>PU_C Plus 140 LEDs/m</p>   | <p><b>Code</b><br/><u>81959</u></p>  |
|  |  |   |                                      |
|  |  | <p>PU_C Plus 140 LEDs/m</p>   | <p><b>Code</b><br/><u>81960</u></p>  |
|  |  |   |                                      |
|  |  | <p>PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   755 Lm/m</p>    | <p><b>Code</b><br/><u>81961</u></p>  |
|  |  |   |                                      |
|  |  | <p>PU_C Plus 140 Hi-Flux LEDs/m</p>   | <p><b>Code</b><br/><u>81964</u></p>  |
|  |  |   |                                      |





Modular  
98956M

## Components

|  |  |  |                                     |
|--|--|--|-------------------------------------|
|  |  | <p>PU_C Plus 140 Hi-Flux LEDs/m</p>  | <p><b>Code</b><br/><u>81962</u></p> |
|  |  | <p>PU_C Plus 140 Hi-Flux LEDs/m</p>  | <p><b>Code</b><br/><u>81963</u></p> |
|  |  | <p>PU_C RGBW 60 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m</p>                        | <p><b>Code</b><br/><u>81965</u></p> |
|  |  | <p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1074.8 Lm/m</p>             | <p><b>Code</b><br/><u>83657</u></p> |
|  |  | <p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1056 Lm/m</p>               | <p><b>Code</b><br/><u>83659</u></p> |
|  |  | <p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1142 Lm/m</p>               | <p><b>Code</b><br/><u>83658</u></p> |
|  |  | <p>Ribbon Hi-Flux 150 LEDs/m</p>   | <p><b>Code</b><br/><u>84195</u></p> |
|  |  | <p>Ribbon Hi-Flux 150 LEDs/m - LED Strip   topLED 200 W DC - 200 W AC   20 W/m   1878 Lm/m</p> | <p><b>Code</b><br/><u>84196</u></p> |



Modular  
98956M

## Components




Ribbon RGBW 54 LEDs/m - LED Strip | topLED 67.5 W DC 48 V | 13.5 W/m

**Code**  
84197




Ribbon RGBW 54 LEDs/m - LED Strip | topLED 67.5 W DC 48 V | 13.5 W/m

**Code**  
84198




Ribbon Slim 120 LEDs/m

**Code**  
84219



Ribbon Slim 120 LEDs/m

**Code**  
84220



Ribbon Slim 120 LEDs/m

**Code**  
84221



**98956M**



Perfil - 10 x Disipador de calor

Material:Aluminio 6060, color:Aluminio Anodizado, elaboración :Anodizado 20 µm.

**Code**

99999



antideslumbramiento

Tipo antideslumbrante: palpebra.

Material:Aluminio 6060, color:Aluminio Anodizado, elaboración :Anodizado 20 µm.

**Finish**



**Code**

98778