




Modular  
C-K100015



Datos técnicos	
Tipo	Perfiles
Posición de instalación	Pared - Techo
Ambiente de instalación	Interiores
Test del hilo incandescente	No
Montaje directo sobre superficies normalmente inflamables	Sí
CE	Sí
Artículo regulable	No
Orientabilidad	No
Basculación	No
Practicabilidad	No
Transitabilidad	No
Cable incluido.	No
Resinado	No
Modularity	Modular

Acabado cuerpo	
Material	aluminio
Color	aluminio
Elaboración	Anodizado



Modular  
C-K100015

## Components

		<p>PU_C Plus 70 LEDs/m - LED Strip   topLED 62.5 W DC 24 V   12.5 W/m   1312.6 Lm/m</p>	<p><b>Code</b> <u>C0025MDI05019</u></p>
		<p>PU_C Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   336 Lm/m</p>	<p><b>Code</b> <u>C0018MDI05019</u></p>
		<p>PU_C Plus 70 LEDs/m</p>	<p><b>Code</b> <u>C0018WDI05019</u></p>
		<p>PU_C Plus 70 LEDs/m</p>	<p><b>Code</b> <u>C0018NDI05019</u></p>
		<p>PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   756 Lm/m</p>	<p><b>Code</b> <u>C0019MDI05019</u></p>
		<p>PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   913.6 Lm/m</p>	<p><b>Code</b> <u>C0019NDI05019</u></p>
		<p>PU_C Plus 70 LEDs/m</p>	<p><b>Code</b> <u>C0025WDI05019</u></p>
		<p>PU_C Plus RGBW - LED Strip   topLED 96 W DC 24 V   19.2 W/m</p>	<p><b>Code</b> <u>C0025VDI05019</u></p>



Modular  
C-K100015

















## Components

		PU_C Plus 70 LEDs/m	<b>Code</b> <u>C0025NDI05019</u>
		PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   802 Lm/m	<b>Code</b> <u>C0019WDI05019</u>
		PU_C Plus 140 LEDs/m	<b>Code</b> <u>C0026MDI05019</u>
		PU_C Plus 140 LEDs/m - LED Strip   topLED 125 W DC 24 V   25 W/m   2785 Lm/m	<b>Code</b> <u>C0026WDI05019</u>
		PU_C Plus 140 LEDs/m - LED Strip   topLED 125 W DC 24 V   25 W/m   3172.4 Lm/m	<b>Code</b> <u>C0026NDI05019</u>
		Ribbon Plus	<b>Code</b> <u>C0021MDI05000</u>
		Ribbon Plus	<b>Code</b> <u>C0021WDI05000</u>
		Ribbon Plus - LED Strip   topLED 24 W DC 24 V   4.8 W/m   622 Lm/m	<b>Code</b> <u>C0021NDI05000</u>



Modular  
C-K100015

## Components

		Ribbon Plus	<b>Code</b> <u>C0027MDI05000</u>
		Ribbon Plus - LED Strip   topLED 48 W DC	<b>Code</b> <u>C0027NDI05000</u>
		Ribbon Plus RGBW	<b>Code</b> <u>C0027VDI05000</u>
		Ribbon Plus WT	<b>Code</b> <u>C0027SDI05000</u>
		Ribbon Plus - LED Strip   topLED 48 W DC	<b>Code</b> <u>C0022WDI05000</u>
		Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1252 Lm/m	<b>Code</b> <u>C0022NDI05000</u>
		Ribbon Plus	<b>Code</b> <u>C0027WDI05000</u>
		Ribbon Plus Dynamic White	<b>Code</b> <u>C0027DDI05000</u>



Modular  
C-K100015

















## Components

		<p>Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1122 Lm/m</p>	<p><b>Code</b> <u>C0022MDI05000</u></p>
		<p>Ribbon Plus</p>	<p><b>Code</b> <u>C0039WDI05000</u></p>
		<p>Ribbon Plus</p>	<p><b>Code</b> <u>C0039NDI05000</u></p>
		<p>Ribbon Plus</p>	<p><b>Code</b> <u>C0039MDI05000</u></p>
		<p>Ribbon Basic_V2 - LED Strip   topLED 24 W DC 24 V   4.8 W/m   466.2 Lm/m</p>	<p><b>Code</b> <u>C0033MDI05000</u></p>
		<p>Ribbon Basic_V2</p>	<p><b>Code</b> <u>C0033WDI05000</u></p>
		<p>Ribbon Basic_V2</p>	<p><b>Code</b> <u>C0033NDI05000</u></p>
		<p>Ribbon Basic_V2</p>	<p><b>Code</b> <u>C0036MDI05000</u></p>



Modular  
C-K100015

























## Components

		Ribbon Basic_V2	<b>Code</b> <u>C0036WDI05000</u>
		Ribbon Basic_V2 - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1049.4 Lm/m	<b>Code</b> <u>C0036NDI05000</u>
		Ribbon HF_V2 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1545 Lm/m	<b>Code</b> <u>C0041MDI05000</u>
		Ribbon HF_V2 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1730 Lm/m	<b>Code</b> <u>C0041NDI05000</u>
		Ribbon HF_V2 168 LEDs/m	<b>Code</b> <u>C0041WDI05000</u>
		Ribbon HF_V2 238 LEDs/m	<b>Code</b> <u>C0042MDI05000</u>
		Ribbon HF_V2 238 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m   2216 Lm/m	<b>Code</b> <u>C0042WDI05000</u>
		Ribbon HF_V2 238 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m   2350 Lm/m	<b>Code</b> <u>C0042NDI05000</u>



Modular  
C-K100015

















## Components

 		<p>Ribbon Slim_V2 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   805.8 Lm/m</p>	<p><b>Code</b> <u>C0047MDI05000</u></p>
 		<p>Ribbon Slim_V2 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   842.8 Lm/m</p>	<p><b>Code</b> <u>C0047WDI05000</u></p>
 		<p>Ribbon Slim_V2 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   930.6 Lm/m</p>	<p><b>Code</b> <u>C0047NDI05000</u></p>
 		<p>Silicone 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   423 Lm/m</p>	<p><b>Code</b> <u>C0051MDI05019</u></p>
 		<p>Silicone 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   446.6 Lm/m</p>	<p><b>Code</b> <u>C0051WDI05019</u></p>
 		<p>Silicone 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   470 Lm/m</p>	<p><b>Code</b> <u>C0051NDI05019</u></p>
 		<p>Silicone 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   808 Lm/m</p>	<p><b>Code</b> <u>C0052MDI05019</u></p>
 		<p>Silicone 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   898 Lm/m</p>	<p><b>Code</b> <u>C0052NDI05019</u></p>



Modular  
**C-K100015**

Components























		<p>Silicone 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   864.6 Lm/m</p>	<p><b>Code</b> <u>C0052WDI05019</u></p>
		<p>Silicone 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1620 Lm/m</p>	<p><b>Code</b> <u>C0053NDI05019</u></p>
		<p>Silicone 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1539 Lm/m</p>	<p><b>Code</b> <u>C0053WDI05019</u></p>
		<p>Ribbon HD 160 LEDs/m</p>	<p><b>Code</b> C00509WH - C00510WH - C0045MDI05000 - C0045NDI05000 - C0045WDI05000 - C0046MDI05000 - C0046NDI05000 - C0046WDI05000</p>
		<p>Ribbon Plus Dynamic White</p>	<p><b>Code</b> <u>C00418WHDDI</u></p>
		<p>Ribbon PRO</p>	<p><b>Code</b> C00423WH - 82123 - 82124 - 82125 - 82158 - 82130 - 82131 - 82129 - 82163 - 82164 - 82169 - 82170 - 82156 - 82157 - 82162 - 82168 - C0023MDI05000 - C0023NDI05000 - C0023WDI05000 - C0024MDI05000 - C0024NDI05000 - C0024WDI05000 - C0028MDI05000 - C0028NDI05000 - C0028WDI05000 - C0030MDI05000 - C0030NDI05000 - C0030WDI05000 - C0031MDI05000 - C0031NDI05000 - C0031WDI05000 - C00495WH - C00496WH - C0040MDI05000 - C0040NDI05000 -</p>
		<p>Ribbon Basic_V2</p>	<p><b>Code</b> C00495WH - C00496WH - C0031MDI05000 - C0031NDI05000 - C0031WDI05000 - C0040MDI05000 - C0040NDI05000 -</p>
		<p>Silicone 60 LEDs/m</p>	<p><b>Code</b> <u>C00501WH</u></p>





Modular  
C-K100015

## Components

 	 <p>5000 300 50 X 5.3 10</p>	<p>Silicone 120 LEDs/m</p>	<p><b>Code</b> <u>C00502WH</u></p>
	 <p>5000 200 42 X 1.6 10</p>	<p>Ribbon HF_V2 168 LEDs/m</p>	<p><b>Code</b> <u>C00503WH</u></p>
	 <p>5000 200 29 X 1.6 10</p>	<p>Ribbon HF_V2 238 LEDs/m</p>	<p><b>Code</b> <u>C00504WH</u></p>
 	 <p>5000 200 50 X 1.4 10</p>	<p>Ribbon HE 160 LEDs/m</p>	<p><b>Code</b> <u>C00506WH - C00507WH - C0043MDI05000 - C0043NDI05000 - C0043WDI05000 - C0044MDI05000 - C0044NDI05000 - C0044WDI05000</u></p>
 	 <p>5000 200 50 X 1.4 5</p>	<p>Ribbon Slim_V2 120 LEDs/m</p>	<p><b>Code</b> <u>C00511WH</u></p>
 	 <p>5000 200 50 X 1.4 5</p>	<p>Ribbon Slim_V2 160 LEDs/m</p>	<p><b>Code</b> <u>C00512WH - C0048MDI05000 - C0048NDI05000 - C0048WDI05000</u></p>
 	 <p>5000 50 X 1 8</p>	<p>Ribbon Plus</p>	<p><b>Code</b> <u>82175 - 82176 - 82187 - 82188 - 82180 - 82181 - 82182 - 82192 - 82193 - 82194 - 82207 - 82209 - 82210 - 82174 - 82186 - C0029MDI05000 - C0029NDI05000 - C0029WDI05000</u></p>
 	 <p>5000 100 X 4 12</p>	<p>PU_C Plus 70 LEDs/m</p>	<p><b>Code</b> <u>C00122WH - C00123WH</u></p>



Modular  
C-K100015

## Components

		PU_C Plus 140 LEDs/m	<p><b>Code</b> C00124WH - C00125WH - C00915WH - C00916WH</p>
--	--	----------------------	--



		PU_C Plus RGBW	<p><b>Code</b> <u>C00466WHVDI</u></p>
--	--	----------------	---



		Ribbon Cob	<p><b>Code</b> C00513WH - C0037MDI05000 - C0037NDI05000 - C0037WDI05000</p>
--	--	------------	---



		Ribbon Plus RGBW	<p><b>Code</b> <u>C00417WHVDI</u></p>
--	--	------------------	---




		Ribbon Plus WT	<p><b>Code</b> <u>C00419WHSDI</u></p>
--	--	----------------	---






		Difusor	<b>Code</b>
			<u>98941</u>
		Difusor	<b>Code</b>
			<u>98942</u>
		Difusor - difusor Opalino	<b>Code</b>
			<u>98943</u>
		Difusor Material:PC, color:negro.	<b>Finish</b> <b>Code</b> Black 83132
		Tapón Material:plástico, color:gris.	<b>Code</b> <u>C-V400035</u>
		Tapón Material:Plástico ABS, color:negro.	<b>Code</b> <u>C-V400036</u>
		Difusor Material:PC, color:opalino.	<b>Finish</b> <b>Code</b> Opaline C-K200005
		Difusor Material:PC, color:negro.	<b>Finish</b> <b>Code</b> Black C-K200006



Difusor  
Material:PC, color:opalino.

Finish	Code
Opaline	C-K200007




Difusor  
Material:PC, color:negro.

Finish	Code
Black	C-K200008




Óptica  
Distribución de la luz: medium flood,Material de revestimiento: pc

Code
C-U100001



Tapón  
Material:plástico, color:gris.

Code
C-V400025



Tapón  
Material:Plástico ABS, color:negro.

Code
C-V400026