



# Fylo+ Recessed\_5



Systèmes - Éléments linéaires | Modular  
65013



2000 x  
65



## Données techniques

Typologie	- - -
Position d'installation	Plafond
Environnement d'installation	Intérieur
IK	IK08
Essai au fil incandescent	850°
Montage direct sur des surfaces normalement inflammables	Oui
CE	Oui
Article à intensité variable	Non
Orientable	Non
Basculement	Non
Piétinable	Non
Carrossable	Non
Câble inclus	Non
Revêtement en résine	Non
Poids net	3.02 Kg
Modularity	Modular

















## Finition corps

Matériau	Aluminium
Couleur	Blanc craie
Fabrication	Vernissage



Systèmes d'éclairage linéaires | Modular  
65013

## Components

		<p>Ribbon PRO - topLED 18 W DC - 18 W AC</p>	<p><b>Code</b> <u>82123</u></p>
		<p>Ribbon PRO - LED Strip   topLED 18 W DC 24 V   3.6 W/m   518 Lm/m</p>	<p><b>Code</b> <u>82124</u></p>
		<p>Ribbon PRO</p>	<p><b>Code</b> <u>82125</u></p>
		<p>Ribbon PRO - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1367 Lm/m</p>	<p><b>Code</b> <u>82129</u></p>
		<p>Ribbon PRO</p>	<p><b>Code</b> <u>82130</u></p>
		<p>Ribbon PRO - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1503.8 Lm/m</p>	<p><b>Code</b> <u>82131</u></p>
		<p>Ribbon PRO - LED Strip   topLED 33.5 W DC 24 V   6.7 W/m   927.6 Lm/m</p>	<p><b>Code</b> <u>82156</u></p>
		<p>Ribbon PRO</p>	<p><b>Code</b> <u>82157</u></p>



Systèmes d'éléments linéaires | Modular  
65013

















## Components

		Ribbon PRO	<b>Code</b> 82158
		Ribbon PRO	<b>Code</b> 82162
		Ribbon PRO	<b>Code</b> 82164
		Ribbon PRO - LED Strip   topLED 68 W DC 24 V   13.6 W/m   1961.2 Lm/m	<b>Code</b> 82163
		Ribbon PRO - LED Strip   topLED 84 W DC 24 V   16.8 W/m   2371.4 Lm/m	<b>Code</b> 82168
		Ribbon PRO - LED Strip   topLED 84 W DC 24 V   16.8 W/m   2419.6 Lm/m	<b>Code</b> 82169
		Ribbon PRO - LED Strip   topLED 84 W DC 24 V   16.8 W/m   2602.6 Lm/m	<b>Code</b> 82170
		Ribbon PRO - LED Strip   topLED 43 W DC 48 V   8.6 W/m   1296.4 Lm/m	<b>Code</b> C00423WH



Systèmes - Éclairages linéaires | Modular  
65013

## Components

		Ribbon Plus	<b>Code</b> <u>82174</u>
		Ribbon Plus - LED Strip   topLED 24 W DC 24 V   4.8 W/m   586 Lm/m	<b>Code</b> <u>82175</u>
		Ribbon Plus - LED Strip   topLED 24 W DC 24 V   4.8 W/m   622 Lm/m	<b>Code</b> <u>82176</u>
		Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1116 Lm/m	<b>Code</b> <u>82180</u>
		Ribbon Plus	<b>Code</b> <u>82181</u>
		Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1260 Lm/m	<b>Code</b> <u>82182</u>
		Ribbon Plus - LED Strip   topLED 72 W DC 24 V   14.4 W/m   2022 Lm/m	<b>Code</b> <u>82194</u>
		Ribbon Plus	<b>Code</b> <u>82193</u>



Systèmes - Éclairages linéaires | Modular  
65013

















## Components

		<p>Ribbon Plus - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1762 Lm/m</p>	<p><b>Code</b> <u>82192</u></p>
		<p>Ribbon Plus</p>	<p><b>Code</b> <u>82187</u></p>
		<p>Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1122 Lm/m</p>	<p><b>Code</b> <u>82186</u></p>
		<p>Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1252 Lm/m</p>	<p><b>Code</b> <u>82188</u></p>
		<p>Ribbon Plus - LED Strip   topLED 96 W DC 24 V   19.2 W/m   2222 Lm/m</p>	<p><b>Code</b> <u>82207</u></p>
		<p>Ribbon Plus</p>	<p><b>Code</b> <u>82209</u></p>
		<p>Ribbon Plus - LED Strip   topLED 96 W DC 24 V   19.2 W/m   2402 Lm/m</p>	<p><b>Code</b> <u>82210</u></p>
		<p>Ribbon Plus WT - LED Strip   topLED 65 W DC 24 V   13 W/m</p>	<p><b>Code</b> <u>C00419WHSDI</u></p>



Systèmes & Éclairages linéaires | Modular  
65013



















## Components

 	<p>Ribbon Plus Dynamic White</p>	<p><b>Code</b> <u>C00418WHDDI</u></p>
 	<p>Ribbon Plus RGBW - LED Strip   topLED 96 W DC 24 V   19.2 W/m</p>	<p><b>Code</b> <u>C00417WHVDI</u></p>
 	<p>Ribbon Basic_V2 - LED Strip   topLED 24 W DC 24 V   4.8 W/m   522.4 Lm/m</p>	<p><b>Code</b> <u>C00495WH</u></p>
 	<p>Ribbon Basic_V2</p>	<p><b>Code</b> <u>C00496WH</u></p>
 	<p>Ribbon HF_V2 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1730 Lm/m</p>	<p><b>Code</b> <u>C00503WH</u></p>
 	<p>Ribbon HF_V2 238 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m   2350 Lm/m</p>	<p><b>Code</b> <u>C00504WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1467.8 Lm/m</p>	<p><b>Code</b> <u>C00506WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip   topLED 108 W DC 24 V   21.6 W/m   3037.4 Lm/m</p>	<p><b>Code</b> <u>C00507WH</u></p>



Systèmes d'installations linéaires | Modular  
65013



## Components

 		<p>Ribbon HD 160 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1434.8 Lm/m</p>	<p><b>Code</b> <u>C00509WH</u></p>
 		<p>Ribbon HD 160 LEDs/m - LED Strip   topLED 108 W DC 24 V   21.6 W/m   2528.6 Lm/m</p>	<p><b>Code</b> <u>C00510WH</u></p>
 		<p>Ribbon Slim_V2 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   805.8 Lm/m</p>	<p><b>Code</b> <u>C00511WH</u></p>
 		<p>Ribbon Slim_V2 160 LEDs/m - LED Strip   topLED 52.5 W DC 24 V   10.5 W/m   1326.4 Lm/m</p>	<p><b>Code</b> <u>C00512WH</u></p>
 		<p>Ribbon Distance 130 LEDs/m - LED Strip   topLED 192 W DC 48 V   9.6 W/m   1082.35 Lm/m</p>	<p><b>Code</b> <u>C00514WH</u></p>
 		<p>Ribbon Distance 130 LEDs/m - LED Strip   topLED 207 W DC 48 V   13.8 W/m   1542.13 Lm/m</p>	<p><b>Code</b> <u>C00515WH</u></p>



Fylo+ Recessed\_5 | Lines | Accessories  
**65013**

---

		Boîtier d'encastrement position d'installation: plafond L=320mm, H=55mm, D=100mm	<b>Code</b> <u>62900</u>
--	---	---	-----------------------------

---

		Diffuseur	<b>Code</b> <u>65054</u>
--	---	-----------	-----------------------------

---

		Diffuseur	<b>Code</b> <u>65055</u>
--	---	-----------	-----------------------------