

















Données techniques	
Typologie	- - -
Position d'installation	Plafond
Environnement d'installation	Intérieur
IK	IK08
Essai au fil incandescent	850°
Montage direct sur des surfaces normalement inflammables	Oui
CE	Oui
Article à intensité variable	Non
Orientable	Non
Basculement	Non
Piétinable	Non
Carrossable	Non
Câble inclus	Non
Revêtement en résine	Non
Poids net	1.7 Kg
Modularity	Modular

Finition corps	
Matériau	Aluminium
Couleur	Blanc craie
Fabrication	Vernissage



Systèmes - Éléments linéaires | Modular
65024

















Components

		<p>Ribbon PRO - LED Strip topLED 18 W DC - 18 W AC 3.6 W/m 511.6 Lm/m</p>	<p>Code <u>82123</u></p>
		<p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 518 Lm/m</p>	<p>Code <u>82124</u></p>
		<p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 550.8 Lm/m</p>	<p>Code <u>82125</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82129</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82130</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82131</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82156</u></p>
		<p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 958.2 Lm/m</p>	<p>Code <u>82157</u></p>



Systèmes d'éclairage linéaires | Modular
65024

















Components

 	<p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 1023 Lm/m</p>	<p>Code <u>82158</u></p>
 	<p>Ribbon PRO</p>	<p>Code <u>82162</u></p>
 	<p>Ribbon PRO - LED Strip topLED 68 W DC</p>	<p>Code <u>82164</u></p>
 	<p>Ribbon PRO</p>	<p>Code <u>82163</u></p>
 	<p>Ribbon PRO</p>	<p>Code <u>82168</u></p>
 	<p>Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2419.6 Lm/m</p>	<p>Code <u>82169</u></p>
 	<p>Ribbon PRO - LED Strip topLED 84 W DC - 84 W AC</p>	<p>Code <u>82170</u></p>
 	<p>Ribbon PRO</p>	<p>Code <u>C00423WH</u></p>



Systèmes - Éclairages linéaires | Modular
65024

Components

		Ribbon Plus	Code <u>82174</u>
		Ribbon Plus - LED Strip topLED 24 W DC	Code <u>82175</u>
		Ribbon Plus - LED Strip topLED 24 W DC 24 V 4.8 W/m 622 Lm/m	Code <u>82176</u>
		Ribbon Plus	Code <u>82180</u>
		Ribbon Plus	Code <u>82181</u>
		Ribbon Plus	Code <u>82182</u>
		Ribbon Plus	Code <u>82194</u>
		Ribbon Plus - LED Strip topLED 72 W DC 24 V 14.4 W/m 1870 Lm/m	Code <u>82193</u>



Systèmes - Éclairages linéaires | Modular
65024

















Components

		Ribbon Plus	Code <u>82192</u>
		Ribbon Plus - LED Strip topLED 48 W DC	Code <u>82187</u>
		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1122 Lm/m	Code <u>82186</u>
		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1252 Lm/m	Code <u>82188</u>
		Ribbon Plus	Code <u>82207</u>
		Ribbon Plus	Code <u>82209</u>
		Ribbon Plus	Code <u>82210</u>
		Ribbon Plus WT - LED Strip topLED 65 W DC 24 V 13 W/m	Code <u>C00419WHSDI</u>



Systèmes - Éclairages linéaires | Modular
65024













Components

 	<p>Ribbon Plus Dynamic White - LED Strip topLED 62.5 W DC 24 V 12.5 W/m</p>	<p>Code <u>C00418WHDDI</u></p>
 	<p>Ribbon Plus RGBW</p>	<p>Code <u>C00417WHVDI</u></p>
 	<p>Ribbon Basic_V2 - LED Strip topLED 24 W DC 24 V 4.8 W/m 466.2 Lm/m</p>	<p>Code <u>C00495WH</u></p>
 	<p>Ribbon Basic_V2</p>	<p>Code <u>C00496WH</u></p>
 	<p>Ribbon HF_V2 168 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m 1545 Lm/m</p>	<p>Code <u>C00503WH</u></p>
 	<p>Ribbon HF_V2 238 LEDs/m - LED Strip topLED 98 W DC 24 V 19.6 W/m 2125.6 Lm/m</p>	<p>Code <u>C00504WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1467.8 Lm/m</p>	<p>Code <u>C00506WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip topLED 108 W DC 24 V 21.6 W/m 2767.6 Lm/m</p>	<p>Code <u>C00507WH</u></p>





Systèmes d'éclairage linéaires | Modular
65024



Components



		<p>Ribbon HD 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1278.8 Lm/m</p>	<p>Code <u>C00509WH</u></p>
		<p>Ribbon HD 160 LEDs/m</p>	<p>Code <u>C00510WH</u></p>
		<p>Ribbon Slim_V2 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 842.8 Lm/m</p>	<p>Code <u>C00511WH</u></p>
		<p>Ribbon Slim_V2 160 LEDs/m - LED Strip topLED 52.5 W DC 24 V 10.5 W/m 1132.2 Lm/m</p>	<p>Code <u>C00512WH</u></p>
		<p>Ribbon Distance 130 LEDs/m - LED Strip topLED 192 W DC 48 V 9.6 W/m 993.1 Lm/m</p>	<p>Code <u>C00514WH</u></p>
		<p>Ribbon Distance 130 LEDs/m - LED Strip topLED 207 W DC 48 V 13.8 W/m 1391.2 Lm/m</p>	<p>Code <u>C00515WH</u></p>



		<p>Boîtier d'encastrement position d'installation: plafond L=320mm, H=55mm, D=100mm</p>	<p>Code <u>62900</u></p>
---	---	---	-------------------------------------

		<p>Diffuseur</p>	<p>Code <u>65054</u></p>
---	---	------------------	-------------------------------------

		<p>Diffuseur</p>	<p>Code <u>65055</u></p>
---	---	------------------	-------------------------------------

		<p>Bouchon Matériau:Aluminium, couleur:Blanc craie, fabrication :Vernissage.</p>	<p>Code <u>65097</u></p>
---	---	--	-------------------------------------