



Éléments linéaires | 220-240 V | 11 x powerLEDs 11.2 W DC - 14 W AC | CRI 80
81594W25

Single emission lines for outdoor application. The warm white LED light source with a elliptical light distribution is composed of 11 powered LEDs with CCT of 3000 K and a CRI 80; the source luminous flux is 1837 lm, with a 164.0 lm/W nominal luminous efficacy.

The device body is made of aluminium 6060 and features a anodised black finish, processed by means of 15 µm anodizing; the diffuser is made of extra clear glass - tempered with a silk-screening treatment. The ingress protection degree is IP67; the total weight is of 1.5 kg.

The total absorbed power is 14 W. The power supply cable is included and features a 0.2 m length.

The device features protection class I and can be floor-mounted with an outer casing, code 98724(for concrete or masonry).

Compliant with the EN 60598-1 standard and its specific provisions.

Classe d'efficacité énergétique

Ce produit contient une source lumineuse de classe d'efficacité énergétique D.


Caractéristiques Techniques de l'éclairage

Light Output Ratio (LOR)	43 %
Flux lumineux (source)	1837 lm
Flux lumineux du luminaire	792 lm
Consumption	14 W
Efficacité lumineuse du luminaire	56 lm/W
Température de couleur	3000 K
Standards de Concordance de Couleur	1.5 Step
Indice de rendu chromatique	80 Ra

Température standard de l'environnement de	-20 / +50°C
Température typique sur le verre	40°C

LED Life / Failure Ratio

L70 B10 C0 361980h (at Tj 60 Ta 25)



Archiline_F Anti-glare



Archiline_F Anti-glare | Lines | Accessories
81594W25

		<p>Boîtier d'encastrement position d'installation: sol; type installation: maçonnerie L=320mm, H=140mm, D=75mm. Matériau:Aluminium 6060, couleur:Noir anodisé, fabrication :Anodisation 15 ?m.</p>	Finish [Black box]	Code 98724
		Clé		Code 98957
		Câble et connecteur Longueur 5000 mm.		Code 99822
		Câble et connecteur Longueur 1000 mm.		Code 99823
		Câble et connecteur Longueur 5000 mm.		Code 99824
		Câble et connecteur Longueur 10000 mm.		Code 99825
		Câble et connecteur Longueur 1000 mm.		Code 99826