




Modular
83129



















| Données techniques | |
|--|---------------|
| Typologie | Profils |
| Position d'installation | Mur - Plafond |
| Environnement d'installation | Intérieur |
| Essai au fil incandescent | Non |
| Montage direct sur des surfaces normalement inflammables | Oui |
| CE | Oui |
| Article à intensité variable | Non |
| Orientable | Non |
| Basculement | Non |
| Piétinable | Non |
| Carrossable | Non |
| Câble inclus | Non |
| Revêtement en résine | Non |
| Modularity | Modular |

| Finition corps | |
|----------------|--------------|
| Matériau | Aluminium |
| Couleur | Noir anodisé |
| Fabrication | Anodisation |

















Modular
83129

Components

| | | | |
|--|---|--|-------------------------------------|
|  |  | <p>Dropper RGB 60 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m</p> | <p>Code <u>98025</u></p> |
|  |  | <p>Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 570.2 Lm/m</p> | <p>Code <u>98012</u></p> |
|  |  | <p>Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 540 Lm/m</p> | <p>Code <u>98011</u></p> |
|  |  | <p>Ribbon 120 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1367.8 Lm/m</p> | <p>Code <u>98077</u></p> |
|  |  | <p>Ribbon 120 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1236 Lm/m</p> | <p>Code <u>98078</u></p> |
|  |  | <p>Ribbon RGB 60 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m</p> | <p>Code <u>98017</u></p> |
|  |  | <p>Ribbon 240 LEDs/m</p> | <p>Code <u>98083</u></p> |
|  |  | <p>Ribbon 240 LEDs/m - LED Strip topLED 96 W DC 24 V 19.2 W/m 1537.8 Lm/m</p> | <p>Code <u>98084</u></p> |

















Modular
83129

Components

















| | | | |
|--|---|--|-------------------------------------|
|  |  | <p>Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 547 Lm/m</p> | <p>Code <u>98556</u></p> |
|  |  | <p>Ribbon 120 LEDs/m</p> | <p>Code <u>98568</u></p> |
|  |  | <p>Ribbon 240 LEDs/m - LED Strip topLED 96 W DC 24 V 19.2 W/m 1611.8 Lm/m</p> | <p>Code <u>98570</u></p> |
|  |  | <p>Dropper 120 LEDs/m</p> | <p>Code <u>98572</u></p> |
|  |  | <p>Dropper 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 780 Lm/m</p> | <p>Code <u>98574</u></p> |
|  |  | <p>Ribbon Ribbon Plus 70 LEDs/m</p> | <p>Code <u>98635</u></p> |
|  |  | <p>Ribbon Plus 70 LEDs/m - LED Strip topLED 16 W DC 24 V 3.2 W/m 428 Lm/m</p> | <p>Code <u>98636</u></p> |
|  |  | <p>Ribbon Plus 70 LEDs/m</p> | <p>Code <u>98637</u></p> |

Modular
83129

Components

| | | | |
|--|---|---|-------------------------------------|
|  |  | <p>Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1475 Lm/m</p> | <p>Code <u>98638</u></p> |
|  |  | <p>Ribbon Plus Hi-Flux 70 LEDs/m</p> | <p>Code <u>98639</u></p> |
|  |  | <p>Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1710 Lm/m</p> | <p>Code <u>98640</u></p> |
|  |  | <p>Ribbon Plus 140 LEDs/m - LED Strip topLED 36 W DC 24 V 7.2 W/m 823 Lm/m</p> | <p>Code <u>98945</u></p> |
|  |  | <p>Ribbon Plus 140 LEDs/m</p> | <p>Code <u>98946</u></p> |
|  |  | <p>Ribbon Plus 140 LEDs/m</p> | <p>Code <u>98948</u></p> |
|  |  | <p>Ribbon Plus RGBW</p> | <p>Code <u>99670</u></p> |
|  |  | <p>Ribbon Plus WT 70+70 LEDs/m</p> | <p>Code <u>99671</u></p> |

Components

| | | | |
|--|---|---|-------------------------------------|
|  |  | <p>Ribbon Plus Dynamic White 70+70 LEDs/m</p> | <p>Code <u>99672</u></p> |
|  |  | <p>Dropper Basic 60 LEDs/m</p> | <p>Code <u>99592</u></p> |
|  |  | <p>Dropper Basic 60 LEDs/m - LED Strip stripLED 25 W DC 24 V 5 W/m 529.8 Lm/m</p> | <p>Code <u>99588</u></p> |
|  |  | <p>Dropper Basic 60 LEDs/m - LED Strip stripLED 25 W DC 24 V 5 W/m 549.8 Lm/m</p> | <p>Code <u>99590</u></p> |
|  |  | <p>Dropper Hi-Flux 60 LEDs/m</p> | <p>Code <u>99628</u></p> |
|  |  | <p>Dropper Hi-Flux 60 LEDs/m - LED Strip stripLED 60 W DC 24 V 12 W/m 1068.6 Lm/m</p> | <p>Code <u>99632</u></p> |
|  |  | <p>Dropper Hi-Flux 60 LEDs/m - LED Strip stripLED 60 W DC 24 V 12 W/m 1151.8 Lm/m</p> | <p>Code <u>99630</u></p> |
|  |  | <p>Ribbon Hi-Flux 60 Leds/m - LED Strip topLED 60 W DC 24 V 12 W/m 1163.8 Lm/m</p> | <p>Code <u>99608</u></p> |

Modular
83129














Components

| | | | |
|--|--|--|-------------------------------------|
| | | <p>Ribbon Hi-Flux 60 Leds/m - LED Strip topLED 60 W DC 24 V 12 W/m 1176.4 Lm/m</p> | <p>Code <u>99612</u></p> |
| | | <p>Ribbon Hi-Flux 60 Leds/m</p> | <p>Code <u>99610</u></p> |
| | | <p>Ribbon Plus 140 Hi-flux LEDs/m</p> | <p>Code <u>81956</u></p> |
| | | <p>Ribbon Plus 140 Hi-flux LEDs/m</p> | <p>Code <u>81957</u></p> |
| | | <p>Ribbon Plus 140 Hi-flux LEDs/m</p> | <p>Code <u>81958</u></p> |
| | | <p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1074.8 Lm/m</p> | <p>Code <u>83657</u></p> |
| | | <p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1056 Lm/m</p> | <p>Code <u>83659</u></p> |
| | | <p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1142 Lm/m</p> | <p>Code <u>83658</u></p> |

Modular
83129


Components

| | | | |
|--|--|---|----------------------|
| | | Ribbon Hi-Flux 150 LEDs/m | Code 84195 |
| | | Ribbon Hi-Flux 150 LEDs/m - LED Strip topLED 200 W DC - 200 W AC 20 W/m 1878 Lm/m | Code 84196 |
| | | Ribbon RGBW 54 LEDs/m - LED Strip topLED 67.5 W DC 48 V 13.5 W/m | Code 84197 |
| | | Ribbon RGBW 54 LEDs/m - LED Strip topLED 67.5 W DC 48 V 13.5 W/m | Code 84198 |
| | | Ribbon Slim 120 LEDs/m | Code 84219 |
| | | Ribbon Slim 120 LEDs/m | Code 84220 |
| | | Ribbon Slim 120 LEDs/m | Code 84221 |

| | | | |
|---|---|---|---|
|  |  | Diffuseur | Code 98941 |
|  |  | Diffuseur | Code 98942 |
|  |  | Diffuseur - Diffuseur Opaline | Code 98943 |
|  |  | Diffuseur | Code 98925 |
|  |  | Diffuseur Matériau:PC, couleur:noir. | Finish Black Code 83132 |
|  | | Diffuseur Matériau:PC, couleur:opalin. | Finish Opaline Code C-K200005 |
|  | | Diffuseur Matériau:PC, couleur:noir. | Finish Black Code C-K200006 |
|  | | Diffuseur Matériau:PC, couleur:opalin. | Finish Opaline Code C-K200007 |




| | | |
|--|---|--|
| | <p>Diffuseur Matériau:PC, couleur:noir.</p> | <p>Finish Black</p> <p>Code C-K200008</p> |
| | <p>Bouchon - Bouchon de fermeture Matériau:PC, couleur:blanc.</p> | <p>Code 98892</p> |
| | <p>Bouchon</p> | <p>Code 98928</p> |
| | <p>Bouchon Matériau:PC, couleur:noir.</p> | <p>Code 83133</p> |
| | <p>Bouchon Matériau:plastique, couleur:gris.</p> | <p>Code C-V400023</p> |
| | <p>Bouchon Matériau:Plastique ABS, couleur:noir.</p> | <p>Code C-V400024</p> |
| | <p>Bouchon Matériau:plastique, couleur:gris.</p> | <p>Code C-V400027</p> |
| | <p>Bouchon Matériau:Plastique ABS, couleur:noir.</p> | <p>Code C-V400028</p> |




Bouchon
Matériau:Plastique ABS, couleur:noir.

Code
C-V400030



Bouchon
Matériau:plastique, couleur:gris.

Code
C-V400029



Étrier - Support de montage
L=19mm, H=8mm, D=9mm.
Matériau:Fer, couleur:zinc, fabrication :Lavage.

Code
98944



Optique
Distribution de la lumière: medium flood,Matériau revêtement: pc

Code
C-U100001