




Modular  
98419



Données techniques	
Typologie	Profils
Position d'installation	Mur - Plafond
Environnement d'installation	Intérieur
Essai au fil incandescent	Non
Montage direct sur des surfaces normalement inflammables	Oui
CE	Oui
Article à intensité variable	Non
Orientable	Non
Basculement	Non
Piétinable	Non
Carrossable	Non
Câble inclus	Non
Revêtement en résine	Non
Modularity	Modular

Finition corps	
Matériau	Aluminium
Couleur	Aluminium
Fabrication	Anodisation



Modular  
98419

## Components

		<p>Dropper RGB 60 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m</p>	<p><b>Code</b> <u>98025</u></p>
		<p>Silicone_C Basic RGB 60 LEDs/m</p>	<p><b>Code</b> <u>98033</u></p>
		<p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   570.2 Lm/m</p>	<p><b>Code</b> <u>98012</u></p>
		<p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   540 Lm/m</p>	<p><b>Code</b> <u>98011</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1367.8 Lm/m</p>	<p><b>Code</b> <u>98077</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1236 Lm/m</p>	<p><b>Code</b> <u>98078</u></p>
		<p>Ribbon RGB 60 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m</p>	<p><b>Code</b> <u>98017</u></p>
		<p>Silicone_C Hi-Flux 60 LEDs/m</p>	<p><b>Code</b> <u>98042</u></p>



Modular  
98419

## Components

	<p>2.4 10 25<sup>X</sup></p>	Ribbon 240 LEDs/m	<b>Code</b> 98083
	<p>2.4 10 25<sup>X</sup></p>	Ribbon 240 LEDs/m - LED Strip   topLED 96 W DC 24 V   19.2 W/m   1537.8 Lm/m	<b>Code</b> 98084
	<p>2.4 8 100<sup>X</sup></p>	Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   547 Lm/m	<b>Code</b> 98556
	<p>2.4 10 50<sup>X</sup></p>	Ribbon 120 LEDs/m	<b>Code</b> 98568
	<p>2.4 10 25<sup>X</sup></p>	Ribbon 240 LEDs/m - LED Strip   topLED 96 W DC 24 V   19.2 W/m   1611.8 Lm/m	<b>Code</b> 98570
	<p>3 8 50<sup>X</sup></p>	Dropper 120 LEDs/m	<b>Code</b> 98572
	<p>3 8 50<sup>X</sup></p>	Dropper 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   780 Lm/m	<b>Code</b> 98574
	<p>1.2 9.5 100<sup>X</sup></p>	Ribbon Ribbon Plus 70 LEDs/m	<b>Code</b> 98635



Modular  
98419





















## Components

		<p>Ribbon Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   428 Lm/m</p>	<p><b>Code</b> <u>98636</u></p>
		<p>Ribbon Plus 70 LEDs/m</p>	<p><b>Code</b> <u>98637</u></p>
		<p>Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip   topLED 63 W DC 24 V   12.6 W/m   1475 Lm/m</p>	<p><b>Code</b> <u>98638</u></p>
		<p>Ribbon Plus Hi-Flux 70 LEDs/m</p>	<p><b>Code</b> <u>98639</u></p>
		<p>Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip   topLED 63 W DC 24 V   12.6 W/m   1710 Lm/m</p>	<p><b>Code</b> <u>98640</u></p>
		<p>Ribbon Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   823 Lm/m</p>	<p><b>Code</b> <u>98945</u></p>
		<p>Ribbon Plus 140 LEDs/m</p>	<p><b>Code</b> <u>98946</u></p>
		<p>Ribbon Plus 140 LEDs/m</p>	<p><b>Code</b> <u>98948</u></p>



Modular  
98419

















## Components

 		<p>PU_C Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   299 Lm/m</p>	<p><b>Code</b> <u>98774</u></p>
 		<p>PU_C Plus 70 LEDs/m</p>	<p><b>Code</b> <u>98775</u></p>
 		<p>PU_C Plus 70 LEDs/m</p>	<p><b>Code</b> <u>98776</u></p>
 		<p>PU_C Plus Hi-Flux 70 LEDs/m</p>	<p><b>Code</b> <u>98777</u></p>
 		<p>PU_C Plus Hi-Flux 70 LEDs/m</p>	<p><b>Code</b> <u>98779</u></p>
		<p>Ribbon Plus RGBW</p>	<p><b>Code</b> <u>99670</u></p>
		<p>Ribbon Plus WT 70+70 LEDs/m</p>	<p><b>Code</b> <u>99671</u></p>
		<p>Ribbon Plus Dynamic White 70+70 LEDs/m</p>	<p><b>Code</b> <u>99672</u></p>



Modular  
98419

## Components

		Dropper Basic 60 LEDs/m	<b>Code</b> <u>99592</u>
		Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V   5 W/m   529.8 Lm/m	<b>Code</b> <u>99588</u>
		Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V   5 W/m   549.8 Lm/m	<b>Code</b> <u>99590</u>
		Dropper Hi-Flux 60 LEDs/m	<b>Code</b> <u>99628</u>
		Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V   12 W/m   1068.6 Lm/m	<b>Code</b> <u>99632</u>
		Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V   12 W/m   1151.8 Lm/m	<b>Code</b> <u>99630</u>
		Silicone_C Hi-Flux 60 LEDs/m	<b>Code</b> <u>99622</u>
		Silicone_C Hi-Flux 60 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1212.4 Lm/m	<b>Code</b> <u>99620</u>



Modular  
98419

























## Components

		<p>Silicone_C Basic 60 LEDs/m</p>	<p><b>Code</b> <u>99598</u></p>
		<p>Silicone_C Basic 60 LEDs/m - LED Strip   topLED 25 W DC 24 V   5 W/m   524.6 Lm/m</p>	<p><b>Code</b> <u>99602</u></p>
		<p>Silicone_C Basic 60 LEDs/m - LED Strip   topLED 25 W DC 24 V   5 W/m   529.8 Lm/m</p>	<p><b>Code</b> <u>99600</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1163.8 Lm/m</p>	<p><b>Code</b> <u>99608</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1176.4 Lm/m</p>	<p><b>Code</b> <u>99612</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m</p>	<p><b>Code</b> <u>99610</u></p>
		<p>Silicone_C 120 LEDs/m</p>	<p><b>Code</b> <u>62403</u></p>
		<p>Silicone_C 120 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1435 Lm/m</p>	<p><b>Code</b> <u>62403N</u></p>



Modular  
98419

## Components

 	 1.2 9.5 50	Ribbon Plus 140 Hi-flux LEDs/m	<b>Code</b> <u>81956</u>
 	 1.2 9.5 50	Ribbon Plus 140 Hi-flux LEDs/m	<b>Code</b> <u>81957</u>
 	 1.2 9.5 50	Ribbon Plus 140 Hi-flux LEDs/m	<b>Code</b> <u>81958</u>
 	 4 12 50	PU_C Plus 140 LEDs/m	<b>Code</b> <u>81959</u>
 	 4 12 50	PU_C Plus 140 LEDs/m	<b>Code</b> <u>81960</u>
 	 4 12 50	PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   755 Lm/m	<b>Code</b> <u>81961</u>
 	 4 12 50	PU_C Plus 140 Hi-Flux LEDs/m	<b>Code</b> <u>81964</u>
 	 4 12 50	PU_C Plus 140 Hi-Flux LEDs/m	<b>Code</b> <u>81962</u>





Modular  
98419


## Components

		<p>PU_C Plus 140 Hi-Flux LEDs/m</p>	<p><b>Code</b> <u>81963</u></p>
		<p>PU_C RGBW 60 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m</p>	<p><b>Code</b> <u>81965</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1074.8 Lm/m</p>	<p><b>Code</b> <u>83657</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1056 Lm/m</p>	<p><b>Code</b> <u>83659</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1142 Lm/m</p>	<p><b>Code</b> <u>83658</u></p>
		<p>Ribbon Hi-Flux 150 LEDs/m</p>	<p><b>Code</b> <u>84195</u></p>
		<p>Ribbon Hi-Flux 150 LEDs/m - LED Strip   topLED 200 W DC - 200 W AC   20 W/m   1878 Lm/m</p>	<p><b>Code</b> <u>84196</u></p>
		<p>Ribbon RGBW 54 LEDs/m - LED Strip   topLED 67.5 W DC 48 V   13.5 W/m</p>	<p><b>Code</b> <u>84197</u></p>



Modular  
**98419**

## Components



Ribbon RGBW 54 LEDs/m - LED Strip | topLED 67.5 W DC 48 V | 13.5 W/m

**Code**  
84198




Ribbon Slim 120 LEDs/m

**Code**  
84219



Ribbon Slim 120 LEDs/m



**Code**  
84220





Ribbon Slim 120 LEDs/m


**Code**  
84221



	5x		<p>Ressorts pour encastrement - 5 pièces</p>	<p><b>Code</b>  <u>98420</u></p>
--	----	---	--	--------------------------------------

		<p>Diffuseur          Type de diffuseur: diffuseur opaline.          Matériau:PC, couleur:opalin.</p>	<p><b>Finish</b>  <span style="background-color: #d9ead3; padding: 2px;">Opaline</span></p> <p><b>Code</b>  <u>98395</u></p>
--	---	---	--

		<p>Bouchon</p>	<p><b>Code</b>  <u>98418</u></p>
--	---	----------------	--------------------------------------

	<p>anti-éblouissement          Type anti-éblouissement: palpebra.          Matériau:Aluminium 6060, couleur:Aluminium Anodisé, fabrication :Anodisation 20 µm.</p>	<p><b>Finish</b>  <span style="background-color: #333; color: white; padding: 2px;"> </span></p> <p><b>Code</b>  <u>98778</u></p>
--	--	---