




Modular  
C-K100015



## Dati tecnici

|   |                   |
|---|-------------------|
| Posizione installativa                                  | Parete - Soffitto |
| Ambiente installativo                                   | Indoor            |
| Prova del filo incandescente                            | No                |
| Montaggio diretto su superfici normalmente infiammabili | Si                |
| CE  | Si                |
| Articolo dimmerabile                                    | No                |
| Orientabilità   | No                |
| Basculante  | No                |
| Calpestabilità  | No                |
| Carrabilità   | No                |
| Cavo incluso  | No                |
| Resinatura  | No                |
| Modularità  | Modular           |

## Finitura corpo

|             |               |
|-------------|---------------|
| Materiale   | alluminio     |
| Colore      | alluminio     |
| Lavorazione | anodizzazione |



Modular  
C-K100015

## Components

|  |  |   |   |
|--|--|---|---|
|  |  | <p>PU_C Plus 70 LEDs/m - LED Strip   topLED 62.5 W DC 24 V   12.5 W/m   1312.6 Lm/m</p> | <p><b>Code</b><br/><u>C0025MDI05019</u></p> |
|  |  | <p>PU_C Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   336 Lm/m</p>       | <p><b>Code</b><br/><u>C0018MDI05019</u></p> |
|  |  | <p>PU_C Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   356.4 Lm/m</p>     | <p><b>Code</b><br/><u>C0018WDI05019</u></p> |
|  |  | <p>PU_C Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   406 Lm/m</p>       | <p><b>Code</b><br/><u>C0018NDI05019</u></p> |
|  |  | <p>PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V</p>                           | <p><b>Code</b><br/><u>C0019MDI05019</u></p> |
|  |  | <p>PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V</p>                           | <p><b>Code</b><br/><u>C0019NDI05019</u></p> |
|  |  | <p>PU_C Plus 70 LEDs/m - LED Strip   topLED 62.5 W DC</p>                               | <p><b>Code</b><br/><u>C0025WDI05019</u></p> |
|  |  | <p>PU_C Plus RGBW - LED Strip   topLED 96 W DC 24 V   19.2 W/m</p>                      | <p><b>Code</b><br/><u>C0025VDI05019</u></p> |



Modular  
C-K100015

## Components

|  |  |   |   |
|--|--|---|---|
|  |  | <p>PU_C Plus 70 LEDs/m - LED Strip   topLED 62.5 W DC 24 V  <br/>12.5 W/m   1586.2 Lm/m</p> | <p><b>Code</b><br/><u>C0025NDI05019</u></p> |
|  |  | <p>PU_C Plus 140 LEDs/m - 36 W DC</p>   | <p><b>Code</b><br/><u>C0019WDI05019</u></p> |
|  |  | <p>PU_C Plus 140 LEDs/m - LED Strip   topLED 125 W DC</p>                                   | <p><b>Code</b><br/><u>C0026MDI05019</u></p> |
|  |  | <p>PU_C Plus 140 LEDs/m - 125 W DC</p>  | <p><b>Code</b><br/><u>C0026WDI05019</u></p> |
|  |  | <p>PU_C Plus 140 LEDs/m - LED Strip   topLED 125 W DC 24 V  <br/>25 W/m   3172.4 Lm/m</p>   | <p><b>Code</b><br/><u>C0026NDI05019</u></p> |
|  |  | <p>Ribbon Plus</p>  | <p><b>Code</b><br/><u>C0021MDI05000</u></p> |
|  |  | <p>Ribbon Plus</p>  | <p><b>Code</b><br/><u>C0021WDI05000</u></p> |
|  |  | <p>Ribbon Plus - 24 W DC</p>  | <p><b>Code</b><br/><u>C0021NDI05000</u></p> |



Modular  
C-K100015

## Components

|  |  |   |                                     |
|--|--|---|-------------------------------------|
|  |  | Ribbon Plus - 48 W DC   | <b>Code</b><br><u>C0027MDI05000</u> |
|  |  | Ribbon Plus - LED Strip   topLED 48 W DC                            | <b>Code</b><br><u>C0027NDI05000</u> |
|  |  | Ribbon Plus RGBW - LED Strip   topLED 96 W DC                       | <b>Code</b><br><u>C0027VDI05000</u> |
|  |  | Ribbon Plus WT  | <b>Code</b><br><u>C0027SDI05000</u> |
|  |  | Ribbon Plus - 48 W DC   | <b>Code</b><br><u>C0022WDI05000</u> |
|  |  | Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1252 Lm/m | <b>Code</b><br><u>C0022NDI05000</u> |
|  |  | Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1150 Lm/m | <b>Code</b><br><u>C0027WDI05000</u> |
|  |  | Ribbon Plus Dynamic White - 62.5 W DC                               | <b>Code</b><br><u>C0027DDI05000</u> |



Modular  
C-K100015

















## Components

|  |  |   |   |
|--|--|---|---|
|  |  | <p>Ribbon Plus - topLED 48 W DC 24 V</p>  | <p><b>Code</b><br/><u>C0022MDI05000</u></p> |
|  |  | <p>Ribbon Plus - LED Strip   topLED 96 W DC</p>                                 | <p><b>Code</b><br/><u>C0039WDI05000</u></p> |
|  |  | <p>Ribbon Plus</p>  | <p><b>Code</b><br/><u>C0039NDI05000</u></p> |
|  |  | <p>Ribbon Plus - LED Strip   topLED 96 W DC 24 V   19.2 W/m   2222 Lm/m</p>     | <p><b>Code</b><br/><u>C0039MDI05000</u></p> |
|  |  | <p>Ribbon Basic_V2 - LED Strip   topLED 24 W DC 24 V   4.8 W/m   466.2 Lm/m</p> | <p><b>Code</b><br/><u>C0033MDI05000</u></p> |
|  |  | <p>Ribbon Basic_V2 - LED Strip   topLED 24 W DC 24 V   4.8 W/m   491.4 Lm/m</p> | <p><b>Code</b><br/><u>C0033WDI05000</u></p> |
|  |  | <p>Ribbon Basic_V2 - LED Strip   topLED 24 W DC 24 V   4.8 W/m   522.4 Lm/m</p> | <p><b>Code</b><br/><u>C0033NDI05000</u></p> |
|  |  | <p>Ribbon Basic_V2 - topLED 48 W DC 24 V</p>                                    | <p><b>Code</b><br/><u>C0036MDI05000</u></p> |



Modular  
C-K100015

























## Components

|  |   |  |                                     |
|--|---|--|-------------------------------------|
|    |    | Ribbon Basic_V2  | <b>Code</b><br><u>C0036WDI05000</u> |
|    |    | Ribbon Basic_V2 - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1049.4 Lm/m          | <b>Code</b><br><u>C0036NDI05000</u> |
|    |   | Ribbon HF_V2 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1545 Lm/m   | <b>Code</b><br><u>C0041MDI05000</u> |
|  |  | Ribbon HF_V2 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1730 Lm/m   | <b>Code</b><br><u>C0041NDI05000</u> |
|  |  | Ribbon HF_V2 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1613.4 Lm/m | <b>Code</b><br><u>C0041WDI05000</u> |
|  |  | Ribbon HF_V2 238 LEDs/m  | <b>Code</b><br><u>C0042MDI05000</u> |
|  |  | Ribbon HF_V2 238 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m   2216 Lm/m   | <b>Code</b><br><u>C0042WDI05000</u> |
|  |  | Ribbon HF_V2 238 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m   2350 Lm/m   | <b>Code</b><br><u>C0042NDI05000</u> |



Modular  
C-K100015

## Components

|  |   |   |   |
|--|---|---|---|
| <br>     |    | <p>Ribbon Slim_V2 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   805.8 Lm/m</p> | <p><b>Code</b><br/><u>C0047MDI05000</u></p> |
| <br>     |    | <p>Ribbon Slim_V2 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   842.8 Lm/m</p> | <p><b>Code</b><br/><u>C0047WDI05000</u></p> |
| <br>   |   | <p>Ribbon Slim_V2 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   930.6 Lm/m</p> | <p><b>Code</b><br/><u>C0047NDI05000</u></p> |
| <br> |  | <p>Silicone 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   423 Lm/m</p>          | <p><b>Code</b><br/><u>C0051MDI05019</u></p> |
| <br> |  | <p>Silicone 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   446.6 Lm/m</p>        | <p><b>Code</b><br/><u>C0051WDI05019</u></p> |
| <br> |  | <p>Silicone 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   470 Lm/m</p>          | <p><b>Code</b><br/><u>C0051NDI05019</u></p> |
| <br> |  | <p>Silicone 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   808 Lm/m</p>         | <p><b>Code</b><br/><u>C0052MDI05019</u></p> |
| <br> |  | <p>Silicone 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   898 Lm/m</p>         | <p><b>Code</b><br/><u>C0052NDI05019</u></p> |



Modular  
**C-K100015**

Components























|  |  |   |   |
|--|--|---|---|
|  |  | <p>Silicone 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   864.6 Lm/m</p> | <p><b>Code</b><br/><u>C0052WDI05019</u></p>   |
|  |  | <p>Silicone 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1620 Lm/m</p> | <p><b>Code</b><br/><u>C0053NDI05019</u></p>   |
|  |  | <p>Silicone 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1539 Lm/m</p> | <p><b>Code</b><br/><u>C0053WDI05019</u></p>   |
|  |  | <p>Ribbon HD 160 LEDs/m</p>   | <p><b>Code</b><br/>C00509WH - C00510WH -<br/>C0045MDI05000 - C0045NDI05000 -<br/>C0045WDI05000 - C0046MDI05000 -<br/>C0046NDI05000 - C0046WDI05000</p>  |
|  |  | <p>Ribbon Plus Dynamic White</p>  | <p><b>Code</b><br/><u>C00418WHDDI</u></p>   |
|  |  | <p>Ribbon PRO</p>   | <p><b>Code</b><br/>C00423WH - 82123 - 82124 - 82125 -<br/>82158 - 82130 - 82131 - 82129 - 82163 -<br/>82164 - 82169 - 82170 - 82156 - 82157 -<br/>82162 - 82168 - C0023MDI05000 -<br/>C0023NDI05000 - C0023WDI05000 -<br/>C0024MDI05000 - C0024NDI05000 -<br/>C0024WDI05000 - C0028MDI05000 -<br/>C0028NDI05000 - C0028WDI05000 -<br/>C0030MDI05000 - C0030NDI05000 -<br/>C0030WDI05000 - C0031MDI05000 -<br/>C0031NDI05000 - C0031WDI05000 -<br/>C00495WH - C00496WH -<br/>C0040MDI05000 - C0040NDI05000 -</p> |
|  |  | <p>Ribbon Basic_V2</p>  | <p><b>Code</b><br/>C00495WH - C00496WH -<br/>C0031MDI05000 - C0031NDI05000 -<br/>C0031WDI05000 - C0040MDI05000 -<br/>C0040NDI05000 -</p>  |
|  |  | <p>Silicone 60 LEDs/m</p>   | <p><b>Code</b><br/><u>C00501WH</u></p>  |





Modular  
C-K100015

## Components

|   |   |                           |   |
|---|---|---------------------------|---|
| <br>     |    | Silicone 120 LEDs/m       | <b>Code</b><br><u>C00502WH</u>  |
|   |    | Ribbon HF_V2 168 LEDs/m   | <b>Code</b><br><u>C00503WH</u>  |
|   |   | Ribbon HF_V2 238 LEDs/m   | <b>Code</b><br><u>C00504WH</u>  |
| <br> |  | Ribbon HE 160 LEDs/m      | <b>Code</b><br><u>C00506WH - C00507WH - C0043MDI05000 - C0043NDI05000 - C0043WDI05000 - C0044MDI05000 - C0044NDI05000 - C0044WDI05000</u>   |
| <br> |  | Ribbon Slim_V2 120 LEDs/m | <b>Code</b><br><u>C00511WH</u>  |
| <br> |  | Ribbon Slim_V2 160 LEDs/m | <b>Code</b><br><u>C00512WH - C0048MDI05000 - C0048NDI05000 - C0048WDI05000</u>  |
| <br> |  | Ribbon Plus               | <b>Code</b><br><u>82175 - 82176 - 82187 - 82188 - 82180 - 82181 - 82182 - 82192 - 82193 - 82194 - 82207 - 82209 - 82210 - 82174 - 82186 - C0029MDI05000 - C0029NDI05000 - C0029WDI05000</u> |
| <br> |  | PU_C Plus 70 LEDs/m       | <b>Code</b><br><u>C00122WH - C00123WH</u>   |



Modular  
C-K100015

## Components

|  |  |                      |  |
|--|--|----------------------|--|
|  |  | PU_C Plus 140 LEDs/m | <p><b>Code</b><br/>C00124WH - C00125WH - C00915WH - C00916WH</p> |
|--|--|----------------------|--|

|  |  |                |   |
|--|--|----------------|---|
|  |  | PU_C Plus RGBW | <p><b>Code</b><br/><u>C00466WHVDI</u></p> |
|--|--|----------------|---|

|  |  |            |   |
|--|--|------------|---|
|  |  | Ribbon Cob | <p><b>Code</b><br/>C00513WH - C0037MDI05000 - C0037NDI05000 - C0037WDI05000</p> |
|--|--|------------|---|

|  |  |                  |   |
|--|--|------------------|---|
|  |  | Ribbon Plus RGBW | <p><b>Code</b><br/><u>C00417WHVDI</u></p> |
|--|--|------------------|---|

|  |  |                |   |
|--|--|----------------|---|
|  |  | Ribbon Plus WT | <p><b>Code</b><br/><u>C00419WHSDI</u></p> |
|--|--|----------------|---|




|  |  |  |   |
|--|--|--|---|
|  |  | Diffusore - Diffusore trasparente                        | <b>Code</b>                                       |
|  |  |  | 98941   |
|  |  | Diffusore - Diffusore satinato                           | <b>Code</b>                                       |
|  |  |  | 98942   |
|  |  | Diffusore - Diffusore opalino                            | <b>Code</b>                                       |
|  |  |  | 98943   |
|  |  | Diffusore<br>Materiale: policarbonato, colore: Nero .    | <b>Finish</b><br>Black <b>Code</b><br>83132       |
|  |  | Tappo<br>Materiale: plastica, colore: grigio.            | <b>Code</b><br>C-V400035                          |
|  |  | Tappo<br>Materiale: Plastica ABS, colore: Nero .         | <b>Code</b><br>C-V400036                          |
|  |  | Diffusore<br>Materiale: policarbonato, colore: Opalino . | <b>Finish</b><br>Opaline <b>Code</b><br>C-K200005 |
|  |  | Diffusore<br>Materiale: policarbonato, colore: Nero .    | <b>Finish</b><br>Black <b>Code</b><br>C-K200006   |



Diffusore  
 Materiale:policarbonato, colore:Opalino .

**Finish**  
 Opaline **Code**  
 C-K200007





Diffusore  
 Materiale:policarbonato, colore:Nero .

**Finish**  
 Black **Code**  
 C-K200008




Ottica  
 Distribuzione ottica: medium flood,Materiale rivestimento: policarbonato

**Code**  
 C-U100001



Tappo  
 Materiale:plastica, colore:grigio.

**Code**  
 C-V400025



Tappo  
 Materiale:Plastica ABS, colore:Nero .

**Code**  
 C-V400026