


# Fylo+ Recessed\_2



Системы - Линейные элементы | Modular  
65006



## Технические данные

















|   |                       |
|---|-----------------------|
| Тип   | - - -                 |
| Место установки   | Стена                 |
| Место установки   | Интерьерное освещение |
| ИК  | ИК08                  |
| Испытание нити накаливания                              | 850°                  |
| прямая установка на нормально возгорающиеся поверхности | Да                    |
| СЕ  | Да                    |
| Изделие с регулицией яркости света                      | Нет                   |
| Поворотный механизм                                     | Нет                   |
| Откидной механизм                                       | Нет                   |
| Возможность установки на тротуаре                       | Нет                   |
| Способность выдерживать вес транспорта                  | Нет                   |
| Провод прилагается                                      | Нет                   |
| Обработка полимерами                                    | Нет                   |
| Вес нетто   | 1,38 Kg               |
| Modularity  | Modular               |

## отделка корпус

|           |           |
|-----------|-----------|
| Материал  | Алюминий  |
| Цвет      | мел белый |
| обработки | Окраска   |



















## Components

|  |   |  |                                     |
|--|---|--|-------------------------------------|
|    |    | <p>Ribbon PRO - topLED 18 W DC - 18 W AC</p>                                 | <p><b>Code</b><br/><u>82123</u></p> |
|    |    | <p>Ribbon PRO - LED Strip   topLED 18 W DC 24 V   3.6 W/m   518 Lm/m</p>     | <p><b>Code</b><br/><u>82124</u></p> |
|    |   | <p>Ribbon PRO</p>  | <p><b>Code</b><br/><u>82125</u></p> |
|  |  | <p>Ribbon PRO - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1367 Lm/m</p>    | <p><b>Code</b><br/><u>82129</u></p> |
|  |  | <p>Ribbon PRO</p>  | <p><b>Code</b><br/><u>82130</u></p> |
|  |  | <p>Ribbon PRO - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1503.8 Lm/m</p>  | <p><b>Code</b><br/><u>82131</u></p> |
|  |  | <p>Ribbon PRO - LED Strip   topLED 33.5 W DC 24 V   6.7 W/m   927.6 Lm/m</p> | <p><b>Code</b><br/><u>82156</u></p> |
|  |  | <p>Ribbon PRO</p>  | <p><b>Code</b><br/><u>82157</u></p> |



## Components

|  |   |                         |
|--|---|-------------------------|
|       | Ribbon PRO  | <b>Code</b><br>82158    |
|       | Ribbon PRO  | <b>Code</b><br>82162    |
|       | Ribbon PRO  | <b>Code</b><br>82164    |
|   | Ribbon PRO - LED Strip   topLED 68 W DC 24 V   13.6 W/m   1961.2 Lm/m | <b>Code</b><br>82163    |
|   | Ribbon PRO - LED Strip   topLED 84 W DC 24 V   16.8 W/m   2371.4 Lm/m | <b>Code</b><br>82168    |
|   | Ribbon PRO - LED Strip   topLED 84 W DC 24 V   16.8 W/m   2419.6 Lm/m | <b>Code</b><br>82169    |
|   | Ribbon PRO - LED Strip   topLED 84 W DC 24 V   16.8 W/m   2602.6 Lm/m | <b>Code</b><br>82170    |
|   | Ribbon PRO - LED Strip   topLED 43 W DC 48 V   8.6 W/m   1296.4 Lm/m  | <b>Code</b><br>C00423WH |



























## Components

|  |  |  |                      |
|--|--|--|----------------------|
|  |  | Ribbon Plus  | <b>Code</b><br>82174 |
|  |  | Ribbon Plus - LED Strip   topLED 24 W DC 24 V   4.8 W/m   586 Lm/m   | <b>Code</b><br>82175 |
|  |  | Ribbon Plus - LED Strip   topLED 24 W DC 24 V   4.8 W/m   622 Lm/m   | <b>Code</b><br>82176 |
|  |  | Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1116 Lm/m  | <b>Code</b><br>82180 |
|  |  | Ribbon Plus  | <b>Code</b><br>82181 |
|  |  | Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1260 Lm/m  | <b>Code</b><br>82182 |
|  |  | Ribbon Plus - LED Strip   topLED 72 W DC 24 V   14.4 W/m   2022 Lm/m | <b>Code</b><br>82194 |
|  |  | Ribbon Plus  | <b>Code</b><br>82193 |



















## Components

|  |   |   |   |
|--|---|---|---|
|    |    | <p>Ribbon Plus - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1762 Lm/m</p> | <p><b>Code</b><br/><u>82192</u></p>       |
|    |   |   |   |
|    |    | <p>Ribbon Plus</p>  | <p><b>Code</b><br/><u>82187</u></p>       |
|    |   |   |   |
|    |   | <p>Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1122 Lm/m</p>  | <p><b>Code</b><br/><u>82186</u></p>       |
|  |   |   |   |
|  |  | <p>Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1252 Lm/m</p>  | <p><b>Code</b><br/><u>82188</u></p>       |
|  |   |   |   |
|  |  | <p>Ribbon Plus - LED Strip   topLED 96 W DC 24 V   19.2 W/m   2222 Lm/m</p> | <p><b>Code</b><br/><u>82207</u></p>       |
|  |   |   |   |
|  |  | <p>Ribbon Plus</p>  | <p><b>Code</b><br/><u>82209</u></p>       |
|  |   |   |   |
|  |  | <p>Ribbon Plus - LED Strip   topLED 96 W DC 24 V   19.2 W/m   2402 Lm/m</p> | <p><b>Code</b><br/><u>82210</u></p>       |
|  |   |   |   |
|  |  | <p>Ribbon Plus WT - LED Strip   topLED 65 W DC 24 V   13 W/m</p>            | <p><b>Code</b><br/><u>C00419WHSDI</u></p> |
|  |   |   |   |





















## Components

|   |   |   |
|---|---|---|
| <br>     | <p>Ribbon Plus Dynamic White</p>  | <p><b>Code</b><br/><u>C00418WHDDI</u></p> |
| <br>     | <p>Ribbon Plus RGBW - LED Strip   topLED 96 W DC 24 V   19.2 W/m</p>                    | <p><b>Code</b><br/><u>C00417WHVDI</u></p> |
| <br>    | <p>Ribbon Basic_V2 - LED Strip   topLED 24 W DC 24 V   4.8 W/m   522.4 Lm/m</p>         | <p><b>Code</b><br/><u>C00495WH</u></p>    |
| <br> | <p>Ribbon Basic_V2</p>  | <p><b>Code</b><br/><u>C00496WH</u></p>    |
| <br> | <p>Ribbon HF_V2 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1730 Lm/m</p> | <p><b>Code</b><br/><u>C00503WH</u></p>    |
| <br> | <p>Ribbon HF_V2 238 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m   2350 Lm/m</p> | <p><b>Code</b><br/><u>C00504WH</u></p>    |
| <br> | <p>Ribbon HE 160 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1467.8 Lm/m</p>    | <p><b>Code</b><br/><u>C00506WH</u></p>    |
| <br> | <p>Ribbon HE 160 LEDs/m - LED Strip   topLED 108 W DC 24 V   21.6 W/m   3037.4 Lm/m</p> | <p><b>Code</b><br/><u>C00507WH</u></p>    |





## Components

|   |   |  |  |
|---|---|--|--|
| <br>     |    | <p>Ribbon HD 160 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1434.8 Lm/m</p>           | <p><b>Code</b><br/><u>C00509WH</u></p> |
| <br>     |    | <p>Ribbon HD 160 LEDs/m - LED Strip   topLED 108 W DC 24 V   21.6 W/m   2528.6 Lm/m</p>        | <p><b>Code</b><br/><u>C00510WH</u></p> |
| <br>   |   | <p>Ribbon Slim_V2 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   805.8 Lm/m</p>      | <p><b>Code</b><br/><u>C00511WH</u></p> |
| <br> |  | <p>Ribbon Slim_V2 160 LEDs/m - LED Strip   topLED 52.5 W DC 24 V   10.5 W/m   1326.4 Lm/m</p>  | <p><b>Code</b><br/><u>C00512WH</u></p> |
| <br> |  | <p>Ribbon Distance 130 LEDs/m - LED Strip   topLED 192 W DC 48 V   9.6 W/m   1082.35 Lm/m</p>  | <p><b>Code</b><br/><u>C00514WH</u></p> |
| <br> |  | <p>Ribbon Distance 130 LEDs/m - LED Strip   topLED 207 W DC 48 V   13.8 W/m   1542.13 Lm/m</p> | <p><b>Code</b><br/><u>C00515WH</u></p> |




Fylo+ Recessed\_2 | Lines | Accessories  
**65006**




Монтажный корпус  
Место установки: Потолок L=320mm, H=55mm, D=100mm

**Code**  
62900



Рассеиватель

**Code**  
65054



Рассеиватель

**Code**  
65055