

Технические данные

Тип	- - -
Место установки	Потолок
Место установки	Интерьерное освещение
ИК	IK08
Испытание нити накаливания	850°
прямая установка на нормально возгорающиеся поверхности	Да
СЕ	Да
Изделие с регулицией яркости света	Нет
Поворотный механизм	Нет
Откидной механизм	Нет
Возможность установки на тротуаре	Нет
Способность выдерживать вес транспорта	Нет
Провод прилагается	Нет
Обработка полимерами	Нет
Вес нетто	3.4 Kg
Modularity	Modular

отделка корпус

Материал	Алюминий
Цвет	мел белый
обработки	Окраска



















































Components

		<p>Ribbon PRO - topLED 18 W DC - 18 W AC</p>	<p>Code <u>82123</u></p>
		<p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 518 Lm/m</p>	<p>Code <u>82124</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82125</u></p>
		<p>Ribbon PRO - LED Strip topLED 48 W DC 24 V 9.6 W/m 1367 Lm/m</p>	<p>Code <u>82129</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82130</u></p>
		<p>Ribbon PRO - LED Strip topLED 48 W DC 24 V 9.6 W/m 1503.8 Lm/m</p>	<p>Code <u>82131</u></p>
		<p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 927.6 Lm/m</p>	<p>Code <u>82156</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82157</u></p>



















Components

    		<p>Ribbon PRO</p>	<p>Code <u>82158</u></p>
    		<p>Ribbon PRO</p>	<p>Code <u>82162</u></p>
    		<p>Ribbon PRO</p>	<p>Code <u>82164</u></p>
    		<p>Ribbon PRO - LED Strip topLED 68 W DC 24 V 13.6 W/m 1961.2 Lm/m</p>	<p>Code <u>82163</u></p>
    		<p>Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2371.4 Lm/m</p>	<p>Code <u>82168</u></p>
    		<p>Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2419.6 Lm/m</p>	<p>Code <u>82169</u></p>
    		<p>Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2602.6 Lm/m</p>	<p>Code <u>82170</u></p>
    		<p>Ribbon PRO - LED Strip topLED 43 W DC 48 V 8.6 W/m 1296.4 Lm/m</p>	<p>Code <u>C00423WH</u></p>



Components

		Ribbon Plus	Code
			<u>82174</u>
		Ribbon Plus - LED Strip topLED 24 W DC 24 V 4.8 W/m 586 Lm/m	Code
			<u>82175</u>
		Ribbon Plus - LED Strip topLED 24 W DC 24 V 4.8 W/m 622 Lm/m	Code
			<u>82176</u>
		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1116 Lm/m	Code
			<u>82180</u>
		Ribbon Plus	Code
			<u>82181</u>
		Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1260 Lm/m	Code
			<u>82182</u>
		Ribbon Plus - LED Strip topLED 72 W DC 24 V 14.4 W/m 2022 Lm/m	Code
			<u>82194</u>
		Ribbon Plus	Code
			<u>82193</u>



















Components

		<p>Ribbon Plus - LED Strip topLED 72 W DC 24 V 14.4 W/m 1762 Lm/m</p>	<p>Code <u>82192</u></p>
		<p>Ribbon Plus</p>	<p>Code <u>82187</u></p>
		<p>Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1122 Lm/m</p>	<p>Code <u>82186</u></p>
		<p>Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1252 Lm/m</p>	<p>Code <u>82188</u></p>
		<p>Ribbon Plus - LED Strip topLED 96 W DC 24 V 19.2 W/m 2222 Lm/m</p>	<p>Code <u>82207</u></p>
		<p>Ribbon Plus</p>	<p>Code <u>82209</u></p>
		<p>Ribbon Plus - LED Strip topLED 96 W DC 24 V 19.2 W/m 2402 Lm/m</p>	<p>Code <u>82210</u></p>
		<p>Ribbon Plus WT - LED Strip topLED 65 W DC 24 V 13 W/m</p>	<p>Code <u>C00419WHSDI</u></p>















Components

 	<p>Ribbon Plus Dynamic White</p>	<p>Code <u>C00418WHDDI</u></p>
 	<p>Ribbon Plus RGBW - LED Strip topLED 96 W DC 24 V 19.2 W/m</p>	<p>Code <u>C00417WHVDI</u></p>
 	<p>Ribbon Basic_V2 - LED Strip topLED 24 W DC 24 V 4.8 W/m 522.4 Lm/m</p>	<p>Code <u>C00495WH</u></p>
 	<p>Ribbon Basic_V2</p>	<p>Code <u>C00496WH</u></p>
 	<p>Ribbon HF_V2 168 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m 1730 Lm/m</p>	<p>Code <u>C00503WH</u></p>
 	<p>Ribbon HF_V2 238 LEDs/m - LED Strip topLED 98 W DC 24 V 19.6 W/m 2350 Lm/m</p>	<p>Code <u>C00504WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1467.8 Lm/m</p>	<p>Code <u>C00506WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip topLED 108 W DC 24 V 21.6 W/m 3037.4 Lm/m</p>	<p>Code <u>C00507WH</u></p>



Components

		<p>Ribbon HD 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1434.8 Lm/m</p>	<p>Code <u>C00509WH</u></p>
		<p>Ribbon HD 160 LEDs/m - LED Strip topLED 108 W DC 24 V 21.6 W/m 2528.6 Lm/m</p>	<p>Code <u>C00510WH</u></p>
		<p>Ribbon Slim_V2 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 805.8 Lm/m</p>	<p>Code <u>C00511WH</u></p>
		<p>Ribbon Slim_V2 160 LEDs/m - LED Strip topLED 52.5 W DC 24 V 10.5 W/m 1326.4 Lm/m</p>	<p>Code <u>C00512WH</u></p>
		<p>Ribbon Distance 130 LEDs/m - LED Strip topLED 192 W DC 48 V 9.6 W/m 1082.35 Lm/m</p>	<p>Code <u>C00514WH</u></p>
		<p>Ribbon Distance 130 LEDs/m - LED Strip topLED 207 W DC 48 V 13.8 W/m 1542.13 Lm/m</p>	<p>Code <u>C00515WH</u></p>



Fylo+ Surface_4 | Lines | Accessories
65025

		<p>Монтажный корпус Место установки: Потолок L=320mm, H=55mm, D=100mm</p>	<p>Code <u>62900</u></p>
		<p>Рассеиватель</p>	<p>Code <u>65054</u></p>
		<p>Рассеиватель</p>	<p>Code <u>65055</u></p>
		<p>Заглушка Материал:Алюминий, Цвет:мел белый, обработки :Окраска.</p>	<p>Code <u>65097</u></p>