




1000 x
57



Технические данные

















Тип	- - -
Место установки	Стена - Потолок
Место установки	Интерьерное освещение
ИК	IK08
Испытание нити накаливания	850°
прямая установка на нормально возгорающиеся поверхности	Да
СЕ	Да
Изделие с регулицией яркости света	Нет
Поворотный механизм	Нет
Откидной механизм	Нет
Возможность установки на тротуаре	Нет
Способность выдерживать вес транспорта	Нет
Провод прилагается	Нет
Обработка полимерами	Нет
Вес нетто	0.787 Kg
Modularity	Modular

отделка корпус

Материал	Алюминий
Цвет	мел белый
обработки	Окраска



Components

		<p>Ribbon PRO - LED Strip topLED 18 W DC - 18 W AC 3.6 W/m 511.6 Lm/m</p>	<p>Code <u>82123</u></p>
		<p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 518 Lm/m</p>	<p>Code <u>82124</u></p>
		<p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 550.8 Lm/m</p>	<p>Code <u>82125</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82129</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82130</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82131</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82156</u></p>
		<p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 958.2 Lm/m</p>	<p>Code <u>82157</u></p>



























Components

		<p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 1023 Lm/m</p>	<p>Code <u>82158</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82162</u></p>
		<p>Ribbon PRO - LED Strip topLED 68 W DC</p>	<p>Code <u>82164</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82163</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>82168</u></p>
		<p>Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2419.6 Lm/m</p>	<p>Code <u>82169</u></p>
		<p>Ribbon PRO - LED Strip topLED 84 W DC - 84 W AC</p>	<p>Code <u>82170</u></p>
		<p>Ribbon PRO</p>	<p>Code <u>C00423WH</u></p>



















Components

		Ribbon Plus	Code 82174
			
		Ribbon Plus - LED Strip topLED 24 W DC	Code 82175
			
		Ribbon Plus - LED Strip topLED 24 W DC 24 V 4.8 W/m 622 Lm/m	Code 82176
			
		Ribbon Plus	Code 82180
			
		Ribbon Plus	Code 82181
			
		Ribbon Plus	Code 82182
			
		Ribbon Plus	Code 82194
			
		Ribbon Plus - LED Strip topLED 72 W DC 24 V 14.4 W/m 1870 Lm/m	Code 82193
			



















Components

 	Ribbon Plus	Code 82192
 	Ribbon Plus - LED Strip topLED 48 W DC	Code 82187
 	Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1122 Lm/m	Code 82186
 	Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1252 Lm/m	Code 82188
 	Ribbon Plus	Code 82207
 	Ribbon Plus	Code 82209
 	Ribbon Plus	Code 82210
 	Ribbon Plus WT - LED Strip topLED 65 W DC 24 V 13 W/m	Code C00419WHSDI















Components

 	<p>Ribbon Plus Dynamic White - LED Strip topLED 62.5 W DC 24 V 12.5 W/m</p>	<p>Code <u>C00418WHDDI</u></p>
 	<p>Ribbon Plus RGBW</p>	<p>Code <u>C00417WHVDI</u></p>
 	<p>Ribbon Basic_V2 - LED Strip topLED 24 W DC 24 V 4.8 W/m 466.2 Lm/m</p>	<p>Code <u>C00495WH</u></p>
 	<p>Ribbon Basic_V2</p>	<p>Code <u>C00496WH</u></p>
 	<p>Ribbon HF_V2 168 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m 1545 Lm/m</p>	<p>Code <u>C00503WH</u></p>
 	<p>Ribbon HF_V2 238 LEDs/m - LED Strip topLED 98 W DC 24 V 19.6 W/m 2125.6 Lm/m</p>	<p>Code <u>C00504WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1467.8 Lm/m</p>	<p>Code <u>C00506WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip topLED 108 W DC 24 V 21.6 W/m 2767.6 Lm/m</p>	<p>Code <u>C00507WH</u></p>





Components

		<p>Ribbon HD 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1278.8 Lm/m</p>	<p>Code <u>C00509WH</u></p>
		<p>Ribbon HD 160 LEDs/m</p>	<p>Code <u>C00510WH</u></p>
		<p>Ribbon Slim_V2 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 842.8 Lm/m</p>	<p>Code <u>C00511WH</u></p>
		<p>Ribbon Slim_V2 160 LEDs/m - LED Strip topLED 52.5 W DC 24 V 10.5 W/m 1132.2 Lm/m</p>	<p>Code <u>C00512WH</u></p>
		<p>Ribbon Distance 130 LEDs/m - LED Strip topLED 192 W DC 48 V 9.6 W/m 993.1 Lm/m</p>	<p>Code <u>C00514WH</u></p>
		<p>Ribbon Distance 130 LEDs/m - LED Strip topLED 207 W DC 48 V 13.8 W/m 1391.2 Lm/m</p>	<p>Code <u>C00515WH</u></p>



Fylo+ Direct_1 | Lines | Accessories
65180



Монтажный корпус
Место установки: Потолок L=320mm, H=55mm, D=100mm

Code
62900



Рассеиватель

Code
65184



Рассеиватель

Code
65183



Рассеиватель

Code
65182