




Modular  
98895



Технические данные	
Тип	Профили
Место установки	Стена - Потолок
Место установки	Интерьерное освещение
Испытание нити накаливания	Нет
прямая установка на нормально возгорающиеся поверхности	Да
СЕ	Да
Изделие с регуляцией яркости света	Нет
Поворотный механизм	Нет
Откидной механизм	Нет
Возможность установки на тротуаре	Нет
Способность выдерживать вес транспорта	Нет
Провод прилагается	Нет
Обработка полимерами	Нет
Modularity	Modular

отделка корпус	
Материал	Алюминий
Цвет	Алюминий
обработки	Анодирование



Modular  
98895

















## Components

		<p>Dropper RGB 60 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m</p>	<p><b>Code</b> <u>98025</u></p>
		<p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   570.2 Lm/m</p>	<p><b>Code</b> <u>98012</u></p>
		<p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   540 Lm/m</p>	<p><b>Code</b> <u>98011</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1367.8 Lm/m</p>	<p><b>Code</b> <u>98077</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1236 Lm/m</p>	<p><b>Code</b> <u>98078</u></p>
		<p>Ribbon RGB 60 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m</p>	<p><b>Code</b> <u>98017</u></p>
		<p>Ribbon 240 LEDs/m</p>	<p><b>Code</b> <u>98083</u></p>
		<p>Ribbon 240 LEDs/m - LED Strip   topLED 96 W DC 24 V   19.2 W/m   1537.8 Lm/m</p>	<p><b>Code</b> <u>98084</u></p>



Modular  
98895

















## Components

		<p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   547 Lm/m</p>	<p><b>Code</b> <u>98556</u></p>
		<p>Ribbon 120 LEDs/m</p>	<p><b>Code</b> <u>98568</u></p>
		<p>Ribbon 240 LEDs/m - LED Strip   topLED 96 W DC 24 V   19.2 W/m   1611.8 Lm/m</p>	<p><b>Code</b> <u>98570</u></p>
		<p>Dropper 120 LEDs/m</p>	<p><b>Code</b> <u>98572</u></p>
		<p>Dropper 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   780 Lm/m</p>	<p><b>Code</b> <u>98574</u></p>
		<p>Ribbon Ribbon Plus 70 LEDs/m</p>	<p><b>Code</b> <u>98635</u></p>
		<p>Ribbon Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   428 Lm/m</p>	<p><b>Code</b> <u>98636</u></p>
		<p>Ribbon Plus 70 LEDs/m</p>	<p><b>Code</b> <u>98637</u></p>



Modular  
98895

















## Components

			<b>Code</b>
		Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip   topLED 63 W DC 24 V   12.6 W/m   1475 Lm/m	<u>98638</u>
		Ribbon Plus Hi-Flux 70 LEDs/m	<u>98639</u>
		Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip   topLED 63 W DC 24 V   12.6 W/m   1710 Lm/m	<u>98640</u>
		Ribbon Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   823 Lm/m	<u>98945</u>
		Ribbon Plus 140 LEDs/m	<u>98946</u>
		Ribbon Plus 140 LEDs/m	<u>98948</u>
		Ribbon Plus RGBW	<u>99670</u>
		Ribbon Plus WT 70+70 LEDs/m	<u>99671</u>



Modular  
98895

## Components

		<p>Ribbon Plus Dynamic White 70+70 LEDs/m</p>	<p><b>Code</b> <u>99672</u></p>
		<p>Dropper Basic 60 LEDs/m</p>	<p><b>Code</b> <u>99592</u></p>
		<p>Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V   5 W/m   529.8 Lm/m</p>	<p><b>Code</b> <u>99588</u></p>
		<p>Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V   5 W/m   549.8 Lm/m</p>	<p><b>Code</b> <u>99590</u></p>
		<p>Dropper Hi-Flux 60 LEDs/m</p>	<p><b>Code</b> <u>99628</u></p>
		<p>Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V   12 W/m   1068.6 Lm/m</p>	<p><b>Code</b> <u>99632</u></p>
		<p>Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V   12 W/m   1151.8 Lm/m</p>	<p><b>Code</b> <u>99630</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1163.8 Lm/m</p>	<p><b>Code</b> <u>99608</u></p>



Modular  
98895

## Components

		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1176.4 Lm/m</p>	<p><b>Code</b> <u>99612</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m</p>	<p><b>Code</b> <u>99610</u></p>
		<p>Ribbon Plus 140 Hi-flux LEDs/m</p>	<p><b>Code</b> <u>81956</u></p>
		<p>Ribbon Plus 140 Hi-flux LEDs/m</p>	<p><b>Code</b> <u>81957</u></p>
		<p>Ribbon Plus 140 Hi-flux LEDs/m</p>	<p><b>Code</b> <u>81958</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1074.8 Lm/m</p>	<p><b>Code</b> <u>83657</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1056 Lm/m</p>	<p><b>Code</b> <u>83659</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1142 Lm/m</p>	<p><b>Code</b> <u>83658</u></p>



Modular  
98895

## Components

		Ribbon Hi-Flux 150 LEDs/m	<b>Code</b> 84195
		Ribbon Hi-Flux 150 LEDs/m - LED Strip   topLED 200 W DC - 200 W AC   20 W/m   1878 Lm/m	<b>Code</b> 84196
		Ribbon RGBW 54 LEDs/m - LED Strip   topLED 67.5 W DC 48 V   13.5 W/m	<b>Code</b> 84197
		Ribbon RGBW 54 LEDs/m - LED Strip   topLED 67.5 W DC 48 V   13.5 W/m	<b>Code</b> 84198
		Ribbon Slim 120 LEDs/m	<b>Code</b> 84219
		Ribbon Slim 120 LEDs/m	<b>Code</b> 84220
		Ribbon Slim 120 LEDs/m	<b>Code</b> 84221



		Рассеиватель	<b>Code</b> <u>98941</u>
		Рассеиватель	<b>Code</b> <u>98942</u>
		Рассеиватель - опаловый Рассеиватель	<b>Code</b> <u>98943</u>
		Заглушка	<b>Code</b> <u>98896</u>
		Заглушка Материал:пластик, Цвет:серый.	<b>Code</b> <u>C-V400023</u>
		Заглушка Материал:АБС-пластик, Цвет:черный.	<b>Code</b> <u>C-V400024</u>
		Скоба L=19mm, H=8mm, D=9mm. Материал:Железо, Цвет:цинк, обработки :Промывка.	<b>Code</b> <u>98944</u>
		Оптика Распределение света: medium flood,Материал покрытия: pc	<b>Code</b> <u>C-U100001</u>