





Modular
98956M



Технические данные	
Тип	Профили
Место установки	Стена - Потолок
Место установки	Интерьерное освещение
Испытание нити накаливания	Нет
прямая установка на нормально возгорающиеся поверхности	Да
СЕ	Да
Изделие с регулицией яркости света	Нет
Поворотный механизм	Нет
Откидной механизм	Нет
Возможность установки на тротуаре	Нет
Способность выдерживать вес транспорта	Нет
Провод прилагается	Нет
Обработка полимерами	Нет
Modularity	Modular

отделка корпус	
Материал	Алюминий
Цвет	Алюминий
обработки	Анодирование



Modular
98956M

Components

		<p>Dropper RGB 60 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m</p>	<p>Code <u>98025</u></p>
		<p>Silicone_C Basic RGB 60 LEDs/m</p>	<p>Code <u>98033</u></p>
		<p>Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 570.2 Lm/m</p>	<p>Code <u>98012</u></p>
		<p>Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 540 Lm/m</p>	<p>Code <u>98011</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1367.8 Lm/m</p>	<p>Code <u>98077</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1236 Lm/m</p>	<p>Code <u>98078</u></p>
		<p>Ribbon RGB 60 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m</p>	<p>Code <u>98017</u></p>



Modular
98956M

















Components

		Silicone_C Hi-Flux 60 LEDs/m	Code 98042
		Ribbon 240 LEDs/m	Code 98083
		Ribbon 240 LEDs/m - LED Strip topLED 96 W DC 24 V 19.2 W/m 1537.8 Lm/m	Code 98084
		Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 547 Lm/m	Code 98556
		Ribbon 120 LEDs/m	Code 98568
		Ribbon 240 LEDs/m - LED Strip topLED 96 W DC 24 V 19.2 W/m 1611.8 Lm/m	Code 98570
		Dropper 120 LEDs/m	Code 98572
		Dropper 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 780 Lm/m	Code 98574



Modular
98956M

Components

		Ribbon Ribbon Plus 70 LEDs/m	Code <u>98635</u>
		Ribbon Plus 70 LEDs/m - LED Strip topLED 16 W DC 24 V 3.2 W/m 428 Lm/m	Code <u>98636</u>
		Ribbon Plus 70 LEDs/m	Code <u>98637</u>
		Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1475 Lm/m	Code <u>98638</u>
		Ribbon Plus Hi-Flux 70 LEDs/m	Code <u>98639</u>
		Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1710 Lm/m	Code <u>98640</u>
		Ribbon Plus 140 LEDs/m - LED Strip topLED 36 W DC 24 V 7.2 W/m 823 Lm/m	Code <u>98945</u>
		Ribbon Plus 140 LEDs/m	Code <u>98946</u>



Modular
98956M









Components

		Ribbon Plus 140 LEDs/m	Code 98948
		PU_C Plus 70 LEDs/m - LED Strip topLED 16 W DC 24 V 3.2 W/m 299 Lm/m	Code 98774
		PU_C Plus 70 LEDs/m	Code 98775
		PU_C Plus 70 LEDs/m	Code 98776
		PU_C Plus Hi-Flux 70 LEDs/m	Code 98777
		PU_C Plus Hi-Flux 70 LEDs/m	Code 98779
		Ribbon Plus RGBW	Code 99670
		Ribbon Plus WT 70+70 LEDs/m	Code 99671



Modular
98956M

Components

		Code <u>99672</u>
	Ribbon Plus Dynamic White 70+70 LEDs/m	<u>99672</u>
	Dropper Basic 60 LEDs/m	Code <u>99592</u>
	Dropper Basic 60 LEDs/m - LED Strip stripLED 25 W DC 24 V 5 W/m 529.8 Lm/m	Code <u>99588</u>
	Dropper Basic 60 LEDs/m - LED Strip stripLED 25 W DC 24 V 5 W/m 549.8 Lm/m	Code <u>99590</u>
	Dropper Hi-Flux 60 LEDs/m	Code <u>99628</u>
	Dropper Hi-Flux 60 LEDs/m - LED Strip stripLED 60 W DC 24 V 12 W/m 1068.6 Lm/m	Code <u>99632</u>
	Dropper Hi-Flux 60 LEDs/m - LED Strip stripLED 60 W DC 24 V 12 W/m 1151.8 Lm/m	Code <u>99630</u>
	Silicone_C Hi-Flux 60 LEDs/m	Code <u>99622</u>



Modular
98956M

Components

		<p>Silicone_C Hi-Flux 60 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1212.4 Lm/m</p>	<p>Code <u>99620</u></p>
		<p>Silicone_C Basic 60 LEDs/m</p>	<p>Code <u>99598</u></p>
		<p>Silicone_C Basic 60 LEDs/m - LED Strip topLED 25 W DC 24 V 5 W/m 524.6 Lm/m</p>	<p>Code <u>99602</u></p>
		<p>Silicone_C Basic 60 LEDs/m - LED Strip topLED 25 W DC 24 V 5 W/m 529.8 Lm/m</p>	<p>Code <u>99600</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip topLED 60 W DC 24 V 12 W/m 1163.8 Lm/m</p>	<p>Code <u>99608</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip topLED 60 W DC 24 V 12 W/m 1176.4 Lm/m</p>	<p>Code <u>99612</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m</p>	<p>Code <u>99610</u></p>
		<p>Silicone_C 120 LEDs/m</p>	<p>Code <u>62403</u></p>



Modular
98956M

Components

		<p>Silicone_C 120 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m 1435 Lm/m</p>	<p>Code <u>62403N</u></p>
		<p>Ribbon Plus 140 Hi-flux LEDs/m</p>	<p>Code <u>81956</u></p>
		<p>Ribbon Plus 140 Hi-flux LEDs/m</p>	<p>Code <u>81957</u></p>
		<p>Ribbon Plus 140 Hi-flux LEDs/m</p>	<p>Code <u>81958</u></p>
		<p>PU_C Plus 140 LEDs/m</p>	<p>Code <u>81959</u></p>
		<p>PU_C Plus 140 LEDs/m</p>	<p>Code <u>81960</u></p>
		<p>PU_C Plus 140 LEDs/m - LED Strip topLED 36 W DC 24 V 7.2 W/m 755 Lm/m</p>	<p>Code <u>81961</u></p>
		<p>PU_C Plus 140 Hi-Flux LEDs/m</p>	<p>Code <u>81964</u></p>



Modular
98956M


Components

		<p>PU_C Plus 140 Hi-Flux LEDs/m</p>	<p>Code 81962</p>
		<p>PU_C Plus 140 Hi-Flux LEDs/m</p>	<p>Code 81963</p>
		<p>PU_C RGBW 60 LEDs/m - LED Strip topLED 98 W DC 24 V 19.6 W/m</p>	<p>Code 81965</p>
		<p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1074.8 Lm/m</p>	<p>Code 83657</p>
		<p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1056 Lm/m</p>	<p>Code 83659</p>
		<p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1142 Lm/m</p>	<p>Code 83658</p>
		<p>Ribbon Hi-Flux 150 LEDs/m</p>	<p>Code 84195</p>
		<p>Ribbon Hi-Flux 150 LEDs/m - LED Strip topLED 200 W DC - 200 W AC 20 W/m 1878 Lm/m</p>	<p>Code 84196</p>




Modular
98956M

Components



Ribbon RGBW 54 LEDs/m - LED Strip | topLED 67.5 W DC 48 V | 13.5 W/m

Code
84197



Ribbon RGBW 54 LEDs/m - LED Strip | topLED 67.5 W DC 48 V | 13.5 W/m

Code
84198



Ribbon Slim 120 LEDs/m

Code
84219



Ribbon Slim 120 LEDs/m

Code
84220



Ribbon Slim 120 LEDs/m

Code
84221



98956M



Профиль - 10 x Теплоотвод
 Материал:Алюминий 6060, Цвет:анодированный алюминий, обработки :Анодирование 20 мкм.

Code

99999



противоослепление
 Тип защиты от бликов: рапребга.
 Материал:Алюминий 6060, Цвет:анодированный алюминий, обработки :Анодирование 20 мкм.

Finish



Code

98778