




Modular
C-K100020



| Технические данные | |
|---|-----------------------|
| Тип | Профили |
| Место установки | Стена - Потолок |
| Место установки | Интерьерное освещение |
| Испытание нити накаливания | Нет |
| прямая установка на нормально возгорающиеся поверхности | Да |
| СЕ | Да |
| Изделие с регулицией яркости света | Нет |
| Поворотный механизм | Нет |
| Откидной механизм | Нет |
| Возможность установки на тротуаре | Нет |
| Способность выдерживать вес транспорта | Нет |
| Провод прилагается | Нет |
| Обработка полимерами | Нет |
| Modularity | Modular |

| отделка корпус | |
|----------------|----------------------|
| Материал | Алюминий |
| Цвет | Анодированный черный |
| обработки | Анодирование |



Modular
C-K100020

















Components

| | | | |
|--|--|--|-------------------------------------|
| | | <p>Dropper RGB 60 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m</p> | <p>Code <u>98025</u></p> |
| | | <p>Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 570.2 Lm/m</p> | <p>Code <u>98012</u></p> |
| | | <p>Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 540 Lm/m</p> | <p>Code <u>98011</u></p> |
| | | <p>Ribbon 120 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1367.8 Lm/m</p> | <p>Code <u>98077</u></p> |
| | | <p>Ribbon 120 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1236 Lm/m</p> | <p>Code <u>98078</u></p> |
| | | <p>Ribbon RGB 60 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m</p> | <p>Code <u>98017</u></p> |
| | | <p>Ribbon 240 LEDs/m</p> | <p>Code <u>98083</u></p> |
| | | <p>Ribbon 240 LEDs/m - LED Strip topLED 96 W DC 24 V 19.2 W/m 1537.8 Lm/m</p> | <p>Code <u>98084</u></p> |



Modular
C-K100020

Components

| | | | |
|--|---|--|-------------------------------------|
|  |  | <p>Ribbon Basic 60 LEDs/m - LED Strip topLED 24 W DC 24 V 4.8 W/m 547 Lm/m</p> | <p>Code <u>98556</u></p> |
|  |  | <p>Ribbon 120 LEDs/m</p> | <p>Code <u>98568</u></p> |
|  |  | <p>Ribbon 240 LEDs/m - LED Strip topLED 96 W DC 24 V 19.2 W/m 1611.8 Lm/m</p> | <p>Code <u>98570</u></p> |
|  |  | <p>Dropper 120 LEDs/m</p> | <p>Code <u>98572</u></p> |
|  |  | <p>Dropper 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 780 Lm/m</p> | <p>Code <u>98574</u></p> |
|  |  | <p>Ribbon Ribbon Plus 70 LEDs/m</p> | <p>Code <u>98635</u></p> |
|  |  | <p>Ribbon Plus 70 LEDs/m - LED Strip topLED 16 W DC 24 V 3.2 W/m 428 Lm/m</p> | <p>Code <u>98636</u></p> |
|  |  | <p>Ribbon Plus 70 LEDs/m</p> | <p>Code <u>98637</u></p> |



Modular
C-K100020

Components

| | | | |
|--|--|---|-------------------------------------|
| | | <p>Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1475 Lm/m</p> | <p>Code <u>98638</u></p> |
| | | <p>Ribbon Plus Hi-Flux 70 LEDs/m</p> | <p>Code <u>98639</u></p> |
| | | <p>Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip topLED 63 W DC 24 V 12.6 W/m 1710 Lm/m</p> | <p>Code <u>98640</u></p> |
| | | <p>Ribbon Plus 140 LEDs/m - LED Strip topLED 36 W DC 24 V 7.2 W/m 823 Lm/m</p> | <p>Code <u>98945</u></p> |
| | | <p>Ribbon Plus 140 LEDs/m</p> | <p>Code <u>98946</u></p> |
| | | <p>Ribbon Plus 140 LEDs/m</p> | <p>Code <u>98948</u></p> |
| | | <p>PU_C Plus 70 LEDs/m - LED Strip topLED 16 W DC 24 V 3.2 W/m 299 Lm/m</p> | <p>Code <u>98774</u></p> |
| | | <p>PU_C Plus 70 LEDs/m</p> | <p>Code <u>98775</u></p> |



Modular
C-K100020

















Components

| | | | |
|--|--|---|-------------------------------------|
| | | <p>PU_C Plus 70 LEDs/m</p> | <p>Code <u>98776</u></p> |
| | | <p>PU_C Plus Hi-Flux 70 LEDs/m</p> | <p>Code <u>98777</u></p> |
| | | <p>PU_C Plus Hi-Flux 70 LEDs/m</p> | <p>Code <u>98779</u></p> |
| | | <p>Ribbon Plus RGBW</p> | <p>Code <u>99670</u></p> |
| | | <p>Ribbon Plus WT 70+70 LEDs/m</p> | <p>Code <u>99671</u></p> |
| | | <p>Ribbon Plus Dynamic White 70+70 LEDs/m</p> | <p>Code <u>99672</u></p> |
| | | <p>Dropper Basic 60 LEDs/m</p> | <p>Code <u>99592</u></p> |
| | | <p>Dropper Basic 60 LEDs/m - LED Strip I stripLED 25 W DC 24 V I 5 W/m I 529.8 Lm/m</p> | <p>Code <u>99588</u></p> |



Modular
C-K100020

















Components

| | | | Code |
|--|---|--|-----------------------------|
|  |  | Dropper Basic 60 LEDs/m - LED Strip stripLED 25 W DC 24 V 5 W/m 549.8 Lm/m | <u>99590</u> |
|  |  | Dropper Hi-Flux 60 LEDs/m | Code <u>99628</u> |
|  |  | Dropper Hi-Flux 60 LEDs/m - LED Strip stripLED 60 W DC 24 V 12 W/m 1068.6 Lm/m | Code <u>99632</u> |
|  |  | Dropper Hi-Flux 60 LEDs/m - LED Strip stripLED 60 W DC 24 V 12 W/m 1151.8 Lm/m | Code <u>99630</u> |
|  |  | Ribbon Hi-Flux 60 Leds/m - LED Strip topLED 60 W DC 24 V 12 W/m 1163.8 Lm/m | Code <u>99608</u> |
|  |  | Ribbon Hi-Flux 60 Leds/m - LED Strip topLED 60 W DC 24 V 12 W/m 1176.4 Lm/m | Code <u>99612</u> |
|  |  | Ribbon Hi-Flux 60 Leds/m | Code <u>99610</u> |
|  |  | Ribbon Plus 140 Hi-flux LEDs/m | Code <u>81956</u> |



Modular
C-K100020

















Components

| | | | |
|--|---|---|----------------------|
|  |  | Ribbon Plus 140 Hi-flux LEDs/m | Code 81957 |
|  |  | Ribbon Plus 140 Hi-flux LEDs/m | Code 81958 |
|  |  | PU_C Plus 140 LEDs/m | Code 81959 |
|  |  | PU_C Plus 140 LEDs/m | Code 81960 |
|  |  | PU_C Plus 140 LEDs/m - LED Strip I topLED 36 W DC 24 V I 7.2 W/m I 755 Lm/m | Code 81961 |
|  |  | PU_C Plus 140 Hi-Flux LEDs/m | Code 81964 |
|  |  | PU_C Plus 140 Hi-Flux LEDs/m | Code 81962 |
|  |  | PU_C Plus 140 Hi-Flux LEDs/m | Code 81963 |



Modular
C-K100020

Components

| | | | Code |
|---|--|-------|-------------|
|   | <p>PU_C RGBW 60 LEDs/m - LED Strip topLED 98 W DC 24 V 19.6 W/m</p> | 81965 | |
|   | <p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1074.8 Lm/m</p> | 83657 | |
|   | <p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1056 Lm/m</p> | 83659 | |
|   | <p>Ribbon 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 1142 Lm/m</p> | 83658 | |
|   | <p>Ribbon Hi-Flux 150 LEDs/m</p> | 84195 | |
|   | <p>Ribbon Hi-Flux 150 LEDs/m - LED Strip topLED 200 W DC - 200 W AC 20 W/m 1878 Lm/m</p> | 84196 | |
|   | <p>Ribbon RGBW 54 LEDs/m - LED Strip topLED 67.5 W DC 48 V 13.5 W/m</p> | 84197 | |
|   | <p>Ribbon RGBW 54 LEDs/m - LED Strip topLED 67.5 W DC 48 V 13.5 W/m</p> | 84198 | |



Modular
C-K100020

















Components

| | | | |
|--|--|---------------------------|------------------------------------|
| | | Ribbon Slim 120 LEDs/m | Code 84219 |
| | | Ribbon Slim 120 LEDs/m | Code 84220 |
| | | Ribbon Slim 120 LEDs/m | Code 84221 |
| | | Ribbon HD 160 LEDs/m | Code C00509WH - C00510WH |
| | | Ribbon Plus RGBW | Code C00417WHVDI |
| | | Ribbon Plus WT | Code C00419WHSDI |
| | | Ribbon Plus Dynamic White | Code C00418WHDDI |
| | | Ribbon Basic_V2 | Code C00495WH - C00496WH |



Modular
C-K10020

Components

| | | | |
|--|---|---------------------------|--|
|  |  | Silicone 60 LEDs/m | Code <u>C00501WH</u> |
|  |  | Silicone 120 LEDs/m | Code <u>C00502WH</u> |
|  |  | Ribbon HF_V2 168 LEDs/m | Code <u>C00503WH</u> |
|  |  | Ribbon HF_V2 238 LEDs/m | Code <u>C00504WH</u> |
|  |  | Ribbon HE 160 LEDs/m | Code <u>C00506WH - C00507WH</u> |
|  |  | Ribbon Slim_V2 120 LEDs/m | Code <u>C00511WH</u> |
|  |  | Ribbon Slim_V2 160 LEDs/m | Code <u>C00512WH</u> |
|  |  | Ribbon PRO | Code 82123 - 82124 - 82125 - 82156 - 82157 - 82158 - 82130 - 82131 - 82129 - 82162 - 82163 - 82164 - 82168 - 82169 - 82170 - |



Modular
C-K100020

Components

| | | | |
|--|--|-------------|--|
| | | Ribbon Plus | <p style="text-align: right;">Code</p> <p>82174 - 82175 - 82176 - 82186 - 82187 - 82188 - 82180 - 82181 - 82182 - 82193 - 82194 - 82209 - 82192 - 82207 - 82210</p> |
|--|--|-------------|--|





| | | | |
|--|--|------------|--|
| | | Ribbon Cob | <p style="text-align: right;">Code</p> <p><u>C00513WH</u></p> |
|--|--|------------|--|









| | | | |
|--|---|--------------|----------------------|
|  |  | Рассеиватель | Code 98941 |
|--|---|--------------|----------------------|



| | | | |
|--|---|--------------|----------------------|
|  |  | Рассеиватель | Code 98942 |
|--|---|--------------|----------------------|

| | | | |
|--|---|--------------------------------------|----------------------|
|  |  | Рассеиватель - опаловый Рассеиватель | Code 98943 |
|--|---|--------------------------------------|----------------------|

| | | | | |
|--|---|---|------------------------|----------------------|
|  |  | Рассеиватель Материал:PC, Цвет:черный. | Finish Black | Code 83132 |
|--|---|---|------------------------|----------------------|

| | | | | |
|--|---|---|--------------------------|----------------------|
|  |  | Скоба L=22mm, H=21.5mm, D=16.4mm. Материал:PC, Цвет:прозрачный. | Finish Transp. | Code 98904 |
|--|---|---|--------------------------|----------------------|

| | | | |
|---|---|--|--------------------------|
|  |  | Заглушка Материал:АБС-пластик, Цвет:черный. | Code C-V400038 |
|---|---|--|--------------------------|

| | | | |
|---|---|---|--------------------------|
|  |  | Заглушка Материал:пластик, Цвет:серый. | Code C-V400037 |
|---|---|---|--------------------------|