

A detailed line-art illustration of an industrial factory setting. In the foreground, a worker wearing safety glasses and a hard hat is shown in profile, looking towards the right. Behind him, a large gear mechanism is visible. In the background, another worker is seen near a conveyor belt. To the right, there are various industrial components, including a cylindrical tank and a structure with a circular light fixture. At the bottom, a worker in a hard hat and safety vest holds a clipboard, standing in front of a control panel with a bar chart and a circular arrow icon. To the right of the worker is a recycling symbol and a building-like structure with windows. The entire scene is rendered in a light gray line-art style.

## **MAESTRO 3.0**

PROFESSIONAL  
ARCHITECTURAL  
LIGHTING

**Flex light**

**i-LÉD**




# ribbon Plus PU\_C



# LA CALIDAD, EL MATERIAL, LAS MEDIDAS DE SEGURIDAD, EL TEST Y EL CONTROL SOLO ESTÁN EN UN IDIOMA



Made in Italy



## Calidad

Rubber y Strip, como todos los productos de Linea Light Group, están certificados y garantizados durante 3 años, extensibles a 5 años bajo petición. Las diferentes tipologías, temperaturas de color y potencias están disponibles inmediatamente gracias a una cadena corta y controlada, fabricada totalmente en Italia. La empresa cuenta con la certificación ISO 9001. Los materiales y componentes utilizados para la fabricación de nuestros productos están garantizados por organismos de certificación internacionales como IMQ y UL, y están marcados y probados según las normas CE.





## Material

Todos los materiales utilizados para la fabricación de Rubber y Strip son de la más alta calidad. Rubber tiene una estructura de poliuretano estabilizado y un difusor de resina de poliuretano, que garantiza la máxima flexibilidad y versatilidad gracias a la calidad de las materias primas utilizadas. Strip LED está recubierto con poliuretano, un material capaz de resistir sollicitaciones y temperaturas elevadas. Además, todos están diseñados para resistir el envejecimiento o el amarillamiento producidos a lo largo del tiempo. El cobre utilizado para los circuitos, con una pureza del 99,9 %, garantiza la perfecta continuidad de las conexiones electrónicas. La gama Flex Light es por naturaleza autodesipante, no requiere cuerpos o sistemas de disipación adicionales.




### Autodisipación

Rubber se compone de diferentes materiales: la estructura es de poliuretano y el difusor de resina de poliuretano. Strip tiene un revestimiento de silicona. Como todos los materiales plásticos, estos también están sujetos a variaciones físicas y de color a lo largo del tiempo. Linea Light Group ha elegido materiales que previenen estos efectos secundarios. La prueba de rayos UV está diseñada para predecir el envejecimiento de los productos al simular condiciones extremas (hasta 80° C) y choque térmico; esto permite garantizar los materiales y su rendimiento en el tiempo.



### Reguladores de tensión

Toda la gama Flex Light está equipada con un sistema de polaridad inversa, que actúa como garantía y protección en caso de instalación con polos invertidos. Además, la presencia de reguladores de tensión asegura la uniformidad y la homogeneidad de la luz en toda la longitud instalada.




### Prueba e control

Rubber y Strip LED están diseñados y fabricados para garantizar el mejor confort visual posible. Toda la gama está diseñada para seguir el ritmo circadiano mediante la simple regulación de la intensidad de la luz y la temperatura del color, gradualmente de 3000 K a 6000 K. Esto permite controlar la melatonina y fijar el cortisol, ambos esenciales para el bienestar visual y vital de las personas. Además, los numerosos ensayos realizados garantizan la durabilidad y el mantenimiento de la eficacia y calidad de la luz, factores de gran importancia en ambientes cerrados o protegidos, como oficinas u hospitales.




### Ribbon Plus 70 LEDs/m | LED strip | 3,2 W/m 24 V DC



CRI 85 - 5 m 16W	Cct	lm S - D
<b>98635</b>	2700	1970 - On req
<b>98636</b>	3000	2140 - On req
<b>98637</b>	4000	2309 - On req

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


### Ribbon Plus 140 LEDs/m | LED strip | 7,2 W/m 24 V DC



CRI 85 - 5 m 36W	Cct	lm S - D
<b>98945</b>	2700	4115 - On req
<b>98946</b>	3000	4400 - On req
<b>98948</b>	4000	4490 - On req

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


### Ribbon Plus Hi-Flux 70 LEDs/m | LED strip | 12,6 W/m 24 V DC



CRI 85 - 5 m 63W	Cct	lm S - D
<b>98638</b>	2700	7375 - On req
<b>98639</b>	3000	7975 - On req
<b>98640</b>	4000	8550 - On req

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


### Ribbon Plus 140 Hi-Flux LEDs/m | LED strip | 25 W/m 24 V DC



CRI 85 - 5 m 125W	Cct	lm S - D
<b>81956</b>	2700	11500 - On req
<b>81957</b>	3000	12050 - On req
<b>81958</b>	4000	12500 - On req

99331	99332	83062	99787
ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38

**Ribbon Plus WT 70+70 LEDs/m** | LED strip | 13 W/m 24 V DC



**CRI 85 - 5 m 65W**  
**99671** 1800-3000 K

<b>99694+99700</b>	<b>99331</b>	<b>99278</b>	<b>DMX</b>	<b>99331</b>
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


**Ribbon Plus Dynamic White 70+70 LEDs/m** | LED strip | 12,8 W/m 24 V DC



**CRI 85 - 5 m 64W**  
**99672** 1800-5000 K

<b>99695+99701</b>	<b>99331</b>	<b>99278</b>	<b>DMX</b>	<b>99331</b>
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


**Ribbon Plus RGBW** | LED strip 60+60 LEDs/m | 19,6 W/m 24 V DC



**5 m 98W**  
**99670** RBGW - 3000 K (CRI 85)

<b>99696+99702</b>	<b>99331</b>	<b>99278</b>	<b>DMX</b>	<b>99331</b>
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


**PU\_C Plus 70 LEDs/m** | LED strip | 3,2 W/m 24 V DC



CRI 85 - 5 m 16W	Cct	lm S - D
<b>98774</b>	2700	2070 - 1495
<b>98776</b>	3000	2245 - 1625
<b>98775</b>	4000	2425 - 1895

<b>99374</b>	<b>99331</b>	<b>99332</b>	<b>83062</b>	<b>99787</b>
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


**PU\_C Plus 140 LEDs/m** | LED strip | 7,2 W/m 24 V DC



CRI 85 - 5 m 36W	Cct	lm S - D
<b>81959</b>	2700	4315 - 3450
<b>81960</b>	3000	4615 - 3700
<b>81961</b>	4000	4715 - 3775

<b>99374</b>	<b>99331</b>	<b>99332</b>	<b>83062</b>	<b>99787</b>
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


**PU\_C Plus Hi-Flux 70 LEDs/m** | LED strip | 12,6 W/m 24 V DC



CRI 85 - 5 m 63W	Cct	lm S - D
<b>98777</b>	2700	7745 - 5890
<b>98779</b>	3000	8385 - 6495
<b>98778</b>	4000	8980 - 6935

<b>99374</b>	<b>99331</b>	<b>99332</b>	<b>83062</b>	<b>99787</b>
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38

**PU\_C Plus 140 Hi-Flux LEDs/m** | LED strip | 25 W/m 24 V DC




CRI 85 - 5 m 125W	Cct	lm S - D
<b>81962</b>	2700	12080 - 9000
<b>81963</b>	3000	12655 - 9550
<b>81964</b>	4000	13130 - 10000

<b>99374</b>	<b>99331</b>	<b>99332</b>	<b>83062</b>	<b>99787</b>
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38



**PU\_C RGBW 60+60 LEDs/m** | LED strip | 19,6 W/m 24 V DC



**5 m 98W**

**81965** | RGBW - 3000 K (CRI 85)

**99696+99702**

Dimmer RF

**99331**

CV 24V  
150 W  
p 150 x 160 x h 35

**99278**

Dimmer DMX

**DMX**

DMX Controllers  
Pag. 952 - 953

**99331**

CV 24V  
150 W  
p 150 x 160 x h 35

**Cables**

**PU\_C** | Alargador + conector



	description
<b>98947</b>	Conn. M. 5 pin (L 0,25 m) + conn. F. 5 pin (L 1 m)

**suitable for:** PU\_C

**PU\_C** | Alargador + conector




	description
<b>99542</b>	Conn. M. 2 pin (L 0,25 m) + conn. F. 2 pin (L 1 m)

**suitable for:** PU\_C

**Accesorios**

**PU\_C Plus** | Kit de fijación



	description
<b>98964</b>	1 x glue 20 x brackets 40 x M3x25 screws 10 x caps

**suitable for:** 5 m PU\_C

**PU\_C Plus** | Soportes de fijación



	description
<b>89223</b>	10 x brackets 20 x M3x25 screws


**suitable for:** 5 m PU\_C

# ribbon dropper silicone\_C






### Ribbon Basic 60 LEDs/m | LED strip | 4,8 W/m 24 V DC




CRI 80 - 5 m 25W	Cct	lm S - D
<b>98011</b>	2700	1800 - On req
<b>98556</b>	3000	1825 - On req
<b>98012</b>	4000	1850 - On req

### Ribbon 120 LEDs/m | LED strip | 9,6 W/m 24 V DC




CRI 80 - 5 m 48W	Cct	lm S - D
<b>83659</b>	2700	4250 - On req
<b>83657</b>	3000	4400 - On req
<b>83658</b>	4000	4800 - On req

### Ribbon Hi-Flux 60 LEDs/m | LED strip | 12 W/m 24 V DC




CRI 80 - 5 m 60W	Cct	lm S - D
<b>99608</b>	2700	4900 - On req.
<b>99612</b>	3000	5100 - On req.
<b>99610</b>	4000	5500 - On req.

### Ribbon 240 LEDs/m | LED strip | 19,2 W/m 24 V DC




CRI 80 - 5 m 96W	Cct	lm S - D
<b>98084</b>	2700	7200 - On req
<b>98570</b>	3000	7250 - On req
<b>98083</b>	4000	7400 - On req

### Ribbon 120 LEDs/m | LED strip | 12 W/m 24 V DC



CRI 80 - 5 m 60W	Cct	lm S - D
<b>98078</b>	2700	4900 - On req
<b>98568</b>	3000	5100 - On req
<b>98077</b>	4000	6000 - On req

### Ribbon Slim 120 LEDs/m | LED strip | 9,6 W/m 24 V DC




CRI 80 - 5 m 48W	Cct	lm S - D
<b>84219</b>	2700	3350 - On req
<b>84220</b>	3000	3450 - On req
<b>84221</b>	4000	3750 - On req

### Electrónica

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


### Ribbon Hi-Flux 150 LEDs/m | LED strip | 20 W/m 48 V DC



CRI 95 - 10 m 200W	Cct	lm S - D
<b>84195</b>	3000	17250 - On req
<b>84196</b>	4000	19500 - On req

99784	99785	83179	Switching	83177
ON/OFF 150W CV 48V	ON/OFF 240W CV 48V	DALI 150W CV 48V	Switching CV 48V Pag. 932	Dimmer DMX 312W


### Ribbon RGB 60 LEDs/m | LED strip | 14,4 W/m 24 V DC



5 m 72W	98017	RGB
---------	-------	-----

99696+99702	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


### Ribbon RGBW 54 LEDs/m | LED strip | 13,5 W/m 48 V DC



CRI 80 - 5 m 67,5W	84197	84198
	RGBW - 3000 K (CRI 80)	RGBW - 4000 K (CRI 80)

99784	99785	Switching	83178
ON/OFF 150W CV 48V	ON/OFF 240W CV 48V	Switching CV 48V Pag. 932	Dimmer DMX 384W


### Ribbon Dynamic White 60+60 LEDs/m | LED strip | 19,2 W/m 24 V DC



CRI 85 - 5 m 96W	98548
	3000 - 6000 K

99695+99701	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


**Dropper Basic 60 LEDs/m | LED strip | 5 W/m 24 V DC**



CRI 80 - 5 m 25W	Cct	lm S - D
<b>99588</b>	2700	2300 - On req
<b>99592</b>	3000	2400 - On req
<b>99590</b>	4000	2500 - On req

**\* Electrónica**


**Dropper Hi-Flux 60 LEDs/m | LED strip | 14,4 W/m 24 V DC**



CRI 80 - 5 m 72W	Cct	lm S - D
<b>98092</b>	2700	5400 - On req

**\* Electrónica**

**Dropper RGB 60 LEDs/m | LED strip | 14,4 W/m 24 V DC**




5 m 72W	
<b>98025</b>	RGB

**\*\* Electrónica**

<b>99374</b>	<b>99331</b>	<b>99332</b>	<b>83062</b>	<b>99787</b>
ON/OFF 75 W p 210 x l 148 x h 25	ON/OFF 150 W p 150 x l 60 x h 35	0/1-10V 150 W p 150 x l 60 x h 35	DALI PUSH 150 W p 280 x l 43 x h 30	DALI 240 W p 244 x l 71 x h 38


**Dropper Hi-Flux 60 LEDs/m | LED strip | 12 W/m 24 V DC**



CRI 80 - 5 m 60W	Cct	lm S - D
<b>99628</b>	2700	4750 - On req
<b>99632</b>	3000	4875 - On req
<b>99630</b>	4000	5250 - On req

**\* Electrónica**

**Dropper 120 LEDs/m | LED strip | 9,6 W/m 24 V DC**




CRI 80 - 5 m 48W	Cct	lm S - D
<b>98572</b>	3000	3610 - On req
<b>98574</b>	4000	3700 - On req

**\* Electrónica**

<b>99696+99702</b>	<b>99331</b>	<b>99278</b>	<b>DMX</b>	<b>99331</b>
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


**Silicone\_C Basic 60 LEDs/m** | LED strip | 5 W/m 24 V DC



CRI 80 - 5 m 25W	Cct	lm S - D
<b>99598</b>	2700	2250 - On req
<b>99602</b>	3000	2300 - On req
<b>99600</b>	4000	2400 - On req

★ **Electrónica**


**Silicone\_C Hi-Flux 60 LEDs/m** | LED strip | 12 W/m 24 V DC



CRI 80 - 5 m 60W	Cct	lm S - D
<b>99622</b>	3000	4750 - On req
<b>99620</b>	4000	5100 - On req

★ **Electrónica**

**Silicone\_C Hi-Flux 60 LEDs/m** | LED strip | 14,4 W/m 24 V DC




CRI 80 - 5 m 72W	Cct	lm S - D
<b>98042</b>	2700	5400 - On req.

★ **Electrónica**

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


**Silicone\_C 120 LEDs/m** | LED strip | 14,4 W/m 24 V DC



CRI 80 - 5 m 72W	Cct	lm S - D
<b>62403</b>	3000	7230 - On req
<b>62403N</b>	4000	7495 - On req

★ **Electrónica**


**Silicone\_C Basic RGB 60 LEDs/m** | LED strip | 14,4 W/m 24 V DC



<b>5 m 72W</b>	
<b>98033</b>	RGB

★★ **Electrónica**

**Silicone\_C** | Kit de fijación



	description
<b>98373</b>	1 x glue 20 x brackets 40 x M3x25 screws 10 x caps

**suitable for:** 5 m Silicone\_C

**Silicone\_C** | Soportes de fijación



	description
<b>89223</b>	10 x brackets 20 x M3x25 screws

**suitable for:** 5 m Silicone\_C

99696+99702	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x 160 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x 160 x h 35

**LED Strips** | Cable de conexión múltiple



	connector	L mm	sec. Ø	available for
<b>89121</b>	F	300	2 x 0,35 mm <sup>2</sup>	Ribbon mono Dropper mono

**LED Strips** | Alargador para conexión múltiple



	connector	L mm	sec. Ø	available for
<b>89123</b>	M + F	1000	2 x 0,35 mm <sup>2</sup>	Ribbon mono
<b>89125</b>	M + F	3000	2 x 0,35 mm <sup>2</sup>	Dropper mono

**LED Strips** | Conector rápido



	connector	L mm	sec. Ø	available for
<b>98384</b>	1 clip	150	2 x 0,35 mm <sup>2</sup>	Ribbon basic mono Ribbon Hi-Flux mono

**LED Strips** | Extensión del conector rápido



	connector	L mm	sec. Ø	available for
<b>98379</b>	2 clip	150	2 x 0,70 mm <sup>2</sup>	Ribbon basic mono Ribbon Hi-Flux mono

**LED Strips** | Junta para conector rápido



	connector	available for
<b>98383</b>	2 clip	Ribbon basic mono Ribbon Hi-Flux mono Ribbon basic RGB Ribbon Hi-Flux RGB

**LED Strips** | Cable de conexión múltiple



	connector	L mm	sec. Ø	available for
<b>89119</b>	6 M	1000	2 x 0,35 mm <sup>2</sup>	Ribbon basic mono Dropper mono

**LED Strips** | Alargador para conexión múltiple



	connector	sec. Ø	available for
<b>99357</b>	F	3 x 0,35 mm <sup>2</sup>	Ribbon Dynamic White
<b>99358</b>	M	3 x 0,35 mm <sup>2</sup>	Ribbon Dynamic White

**LED Strips** | Alargador para conexión múltiple



	connector	L mm	sec. Ø	available for
<b>98551</b>	M + F	1000 m	3 x 0,35 mm <sup>2</sup>	Ribbon Dynamic White
<b>98552</b>	M + F	3000 m	3 x 0,35 mm <sup>2</sup>	Ribbon Dynamic White



**RGB Strips** | Cable de conexión múltiple

	connector	L mm	sec. Ø	available for
<b>89122</b>	F	300	4 x 0,35 mm <sup>2</sup>	Ribbon RGB Dropper RGB

**RGB Strips** | Alargador para conexión múltiple

	connector	L mm	sec. Ø	available for
<b>89124</b>	M + F	1000	2 x 0,35 mm <sup>2</sup>	Ribbon RGB

**LED Strips** | Cable IP66

	connector	L mm	sec. Ø	available for
<b>89629</b>	1 M	1000	2 x 0,75 mm <sup>2</sup>	Silicone_C mono

**LED Strips** | Alargador IP66

	connector	L mm	sec. Ø	available for
<b>99000</b>	1 F	2000	2 x 0,75 mm <sup>2</sup>	Silicone_C mono


**RGB Strips** | Cable IP66

	connector	L mm	sec. Ø	available for
<b>89630</b>	1 M	2000	4 x 0,35 mm <sup>2</sup>	Silicone_C RGB

**RGB Strips** | Alargador IP66

	connector	L mm	sec. Ø	available for
<b>99001</b>	1 F	2000	4 x 0,35 mm <sup>2</sup>	Silicone_C RGB

## Vojo\_17/08 | Low surface profile | Indoor LED Strips



		L mm	
Anod. AL.	<b>98891</b>	2000	Profilo - Profile
Black	<b>83129</b>	2000	Profilo - Profile
Transp.	<b>98941</b>	2000	Diffusore - Diffuser
Satinized	<b>98942</b>	2000	Diffusore - Diffuser
Opaline	<b>98943</b>	2000	Diffusore - Diffuser
Black	<b>83132</b>	2000	Diffusore - Diffuser
	<b>98892</b>	2 x	Tappi - Caps
Black	<b>83133</b>	2 x	Tappi - Caps
	<b>98944</b>	5 x	Staffe - Brackets

### KIT composition


<b>98954</b>	<b>98955</b>
1 x (98891-98943 98892-98944)	10 x (98891 98943)

### KIT composition Black

<b>84446</b>	<b>84447</b>
1 x (83129-83132 83133-98944)	10 x (83129 83132)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

## Vojo\_17/08 | Low surface profile | Indoor LED Strips




		L mm	
Anod. AL.	<b>98891</b>	2000	Profilo - Profile
Satinized	<b>98925</b>	2000	Diffusore - Diffuser (90°)
	<b>98928</b>	2 x	Tappi - Caps
	<b>98944</b>	5 x	Staffe - Brackets

### KIT composition

<b>99983</b>	<b>99984</b>
1 x (98891-98925 98928-98944)	10 x (98891 98925)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

## Luno\_20/27 | High square surface profile | Indoor LED Strips



		L mm	
Anod. AL.	<b>98929</b>	2000	Profilo - Profile
Black	<b>83137</b>	2000	Profilo - Profile
Opaline	<b>98930</b>	2000	Diffusore - Diffuser
Black	<b>83138</b>	2000	Diffusore - Diffuser
	<b>98932</b>	2 x	Tappi - Caps
Black	<b>83139</b>	2 x	Tappi - Caps
	<b>98931</b>	5 x	Staffe - Brackets

### KIT composition


<b>84452</b>	<b>99986</b>
1 x (98929-98930 98932-98931)	10 x (98929 98930)

### KIT composition Black

<b>84450</b>	<b>84451</b>
1 x (83137-83138 83139-98931)	10 x (83137 83138)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

## Luno\_20/27 | High round surface profile | Indoor LED Strips



		L mm	
Anod. AL.	<b>98929</b>	2000	Profilo - Profile
Black	<b>83137</b>	2000	Profilo - Profile
Opaline	<b>98934</b>	2000	Diffusore - Diffuser
Black	<b>83183</b>	2000	Diffusore - Diffuser
	<b>98936</b>	2 x	Tappi - Caps
Black	<b>83184</b>	2 x	Tappi - Caps
	<b>98931</b>	5 x	Staffe - Brackets

### KIT composition


<b>84453</b>	<b>99988</b>
1 x (98929-98934 98936-98931)	10 x (98929 98934)

### KIT composition Black

<b>84454</b>	<b>84455</b>
1 x (83137-83183 83184-98931)	10 x (83137 83183)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

## Rive\_17/16 | High surface profile | Indoor LED Strips





		L mm	
Anod. AL	<b>98893</b>	2000	Profilo - Profile
Black	<b>83130</b>	2000	Profilo - Profile
Transp.	<b>98941</b>	2000	Diffusore - Diffuser
Satinized	<b>98942</b>	2000	Diffusore - Diffuser
Opaline	<b>98943</b>	2000	Diffusore - Diffuser
Black	<b>83132</b>	2000	Diffusore - Diffuser
	<b>98894</b>	2 x	Tappi - Caps
Black	<b>83135</b>	2 x	Tappi - Caps
	<b>98944</b>	5 x	Staffe - Brackets


KIT composition		KIT composition Black	
<b>99905</b>	<b>99906</b>	<b>84448</b>	<b>84449</b>
1 x (98893-98943 98894-98944)	10 x (98893 98943)	1 x (83130-83132 83135-98944)	10 x (83130 83132)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone\_C - PU\_C Plus

### Example with black profile + black diffuser.



## Sageto\_24/08 | Low recessed profile | Indoor LED Strips




		L mm	
Anod. AL	<b>98895</b>	2000	Profilo - Profile
Transp.	<b>98941</b>	2000	Diffusore - Diffuser
Satinized	<b>98942</b>	2000	Diffusore - Diffuser
Opaline	<b>98943</b>	2000	Diffusore - Diffuser
	<b>98896</b>	2 x	Tappi - Caps
	<b>98944</b>	5 x	Staffe - Brackets

KIT composition	
<b>98965</b>	<b>99907</b>
1 x (98895-98943 98896-98944)	10 x (98895 98943)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

## Roko\_33/15 | Low recessed profile | Indoor LED Strips




		L mm	
Anod. AL	<b>98897</b>	2000	Profilo - Profile
Transp.	<b>98898</b>	2000	Diffusore - Diffuser
Satinized	<b>98899</b>	2000	Diffusore - Diffuser
Opaline	<b>98900</b>	2000	Diffusore - Diffuser
	<b>98902</b>	2 x	Tappi - Caps
	<b>98901</b>	5 x	Staffe - Brackets

KIT composition	
<b>99908</b>	
1 x (98897-98900 98902-98901)	

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone\_C - PU\_C Plus

### Ghost\_64/14 | Low integrated profile | Indoor LED Strips



		L mm	
Anod. Al.	<b>98906</b>	2000	Profilo - Profile
Transp.	<b>98898</b>	2000	Diffusore - Diffuser
Satinized	<b>98899</b>	2000	Diffusore - Diffuser
Opaline	<b>98900</b>	2000	Diffusore - Diffuser
	<b>98907</b>	2 x	Tappi - Caps


#### KIT composition

#### 99989

1 x (98906-98900  
98907)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone\_C - PU\_C Plus



### Armita\_58/15 | Integrated linear profile | Indoor LED Strips



		L mm	
Anod. Al.	<b>98916</b>	2000	Profilo - Profile
Opaline	<b>98917</b>	2000	Diffusore - Diffuser
	<b>98918</b>	2 x	Tappi - Caps

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper


### Papilio\_41/41 | Integrated corner profile | Indoor LED Strips



		L mm	
Anod. Al.	<b>98919</b>	2000	Profilo - Profile
Opaline	<b>98917</b>	2000	Diffusore - Diffuser
	<b>98920</b>	2 x	Tappi - Caps

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper


### Tabulo\_35/14 | Integrated side profile | Indoor LED Strips



		L mm	
Anod. Al.	<b>98921</b>	2000	Profilo - Profile
Opaline	<b>98917</b>	2000	Diffusore - Diffuser
	<b>98922</b>	2 x	Tappi - Caps

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

**Ribba\_09/15** | High slim surface profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98908</b>	2000	Profilo - Profile
Opaline	<b>98909</b>	2000	Diffusore - Diffuser
	<b>98911</b>	2 x	Tappi - Caps
	<b>98910</b>	5 x	Staffe - Brackets


**KIT composition**

**99998**

10 x (98908  
90909)

Compatible with: Ribbon slim

**Fonis\_06/11** | Low slim surface profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98885</b>	2000	Profilo - Profile
Transp.	<b>98886</b>	2000	Diffusore - Diffuser
Satinized	<b>98887</b>	2000	Diffusore - Diffuser
Opaline	<b>98888</b>	2000	Diffusore - Diffuser
	<b>98890</b>	2 x	Tappi - Caps
	<b>98889</b>	5 x	Staffe - Brackets


**KIT composition**

**83003      83004**

1 x (98885-98888)    10 x (98885  
98890-98889)    98888)

Compatible with: Ribbon slim

**Alise\_10/10** | Square slim surface profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98912</b>	2000	Profilo - Profile
Opaline	<b>98913</b>	2000	Diffusore - Diffuser
	<b>98915</b>	2 x	Tappi - Caps
	<b>98914</b>	5 x	Staffe - Brackets


**KIT composition**

**99998**

10 x (98908  
90909)

Compatible with: Ribbon slim

**Suo\_56/10** | Flat surface profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98937</b>	2000	Profilo - Profile
Opaline	<b>98938</b>	2000	Diffusore - Diffuser
	<b>98940</b>	2 x	Tappi - Caps
	<b>98939</b>	5 x	Staffe - Brackets


**KIT composition**

**83006**

10 x (98937  
98943)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - PU\_C Plus


### Ozner\_25/10 | Low surface profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98419</b>	2000	Profilo - Profile
Opaline	<b>98395</b>	2000	Diffusore - Diffuser
	<b>98418</b>	2 x	Tappi - Caps
	<b>98420</b>	5 x	Staffe - Brackets

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone\_C - PU\_C Plus

### Svik\_00/00 | Heat sink | Indoor LED Strips



		L mm	
Anod. AL	<b>98956</b>	2000	Dissipatore - Heat sink

#### KIT composition

10 x **99999**  
99895

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone\_C - PU\_C Plus

### Cela\_18/18 | Corner profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98903</b>	2000	Profilo - Profile
Black	<b>83131</b>	2000	Profilo - Profile
Transp.	<b>98941</b>	2000	Diffusore - Diffuser
Satinized	<b>98942</b>	2000	Diffusore - Diffuser
Opaline	<b>98943</b>	2000	Diffusore - Diffuser
Black	<b>83132</b>	2000	Diffusore - Diffuser
	<b>98905</b>	2 x	Tappi - Caps
Black	<b>83136</b>	2 x	Tappi - Caps
	<b>98904</b>	5 x	Staffe - Brackets

#### KIT composition

**99910**  
1 x (98903-98943  
98905-98904)

**99911**  
10 x (98903  
98943)

#### KIT composition Black

**84456**  
1 x (83131-83132  
83136-98904)



**84457**  
10 x (83131  
83132)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - PU\_C Plus

#### Example with black profile + black diffuser.




### Narp\_12/12 | Slim profile kit | Indoor LED Strips



		L mm	
Anod. AL	<b>63560L02</b>	2000	Profilo + diffusore - Profile + diffuser

Compatible with: Ribbon - Dropper


**Ice\_14/11** | Low recessed profile | Indoor LED Strips



	<b>L mm</b>	
Opaline <b>99977</b>	2000	Profilo - Profile
<b>99976</b>	2 x	Tappi - Caps

Compatible with: Ribbon (max 8 mm) - Ribbon slim - Dropper (max 8 mm)

**Ice\_10/10** | Low square surface profile | Indoor LED Strips



	<b>L mm</b>	
Opaline <b>99979</b>	2000	Profilo - Profile
<b>99978</b>	2 x	Tappi - Caps
<b>98398</b>	5 x	Clips di fissaggio - Fixing clips

Compatible with: Ribbon (max 8 mm) - Ribbon slim - Dropper (max 8 mm)

GavriiLux FourSeasons Astir | Greece



## Addresses

### Linea Light HQ Italy

via della Fornace, 59 z.i.  
31023 Castelmolin di Resana (TV) - Italy  
Phone: +39 0423 7868  
Fax: +39 0423 786900  
info@linealight.com

### Linea Light Milano

via Morimondo, 26 int. 17G  
20143 Milano - Italy  
Phone: +39 02 36750915  
Fax: +39 02 36750915  
milano@linealight.com

### Linea Light Roma

Via La Spezia, 34  
00182 Roma - Italy  
Phone: +39 06 68589134  
info@linealightroma.com

### Linea Light UK

Suite 109 - The Business Design Centre  
52 Upper Street - Islington N10QH  
London - UK  
Phone: +44 0203 6371983  
info@linealight-uk.com

### Linea Light France

Z.A. Heiden Est, 12 rue des Pays-Bas  
68310 Wittelsheim - France  
Phone: +33 389 75 52 23  
Fax: +33 389 75 59 07  
info@linealight.fr

### Linea Light Deutschland

Aktienstraße 214  
45473 Mülheim Ruhr - Germany  
Phone: +49 208 299979-0  
Fax: +49 208 299979-10  
service@linealight.de

### Linea Light USA - Inter Lux

3741 Commerce Drive  
Suites 306-308  
Baltimore, MD 21227 - USA  
Phone: +1 410 381 1497  
Fax: +1 410 381 1589  
answers@inter-lux.com

### Linea Light Russia

Design Center Artplay  
Nizhnyaya Syromyatnicheskaya 10/2 enter B,  
3rd floor, office 14  
105120 Moscow - Russia Federation  
Phone: +7 495 639 9941  
info@linealight.ru

### Linea Light Spain

C/ Longares, 48  
28022 Madrid - Spain  
Phone: +34 912534773  
info@linealight.es

### Linea Light Singapore

21 Kaki Bukit Place, 5th Fl.  
Eunos Techpark Singapore  
416199 Singapore  
Phone: +65-6908 5758  
info.sg@linealight.com

### Linea Light GCC


Jumeirah Lake Towers  
JBC2 - 35th Floor Cluster V - Dubai - UAE  
P.O. Box 125902  
Phone: +971 4 4218275  
Fax: +971 4 4218274  
info@linealight.ae

### Linea Light Asia - Pacific

No. 7, Nanyi Huayuan Road, Industry Avenue,  
528478 Xiaolan Town, Zhongshan City,  
Guangdong Province - China  
Phone: +86 760 87618355  
info@linealight.com.cn







Special edition to celebrate the new 2021 factory

[linealight.com](http://linealight.com)