


A detailed line-art illustration of an industrial factory setting. In the foreground, a worker wearing safety glasses and a hard hat is shown in profile, looking down at a clipboard. Behind him, a large gear mechanism is visible. To the right, another worker is seen from behind, working on a machine. The background features various industrial components like pipes, tanks, and a recycling symbol on a machine. The overall style is clean and technical.

## **MAESTRO 3.0**

PROFESSIONAL  
ARCHITECTURAL  
LIGHTING

**Flex light**


**i-LÉD**



# ribbon Plus PU\_C



# QUALITÀ, MATERIALI, MISURE DI SICUREZZA, TEST E CONTROLLI PARLANO UN'UNICA LINGUA



## Qualità garantita

Rubber e Strip, sono certificati e garantiti per 3 anni e fino a 5 su richiesta. Le diverse tipologie, temperature colore e potenze, grazie a una filiera corta e controllata totalmente Made in Italy, sono immediatamente disponibili. L'azienda è certificata ISO 9001. I materiali e i componenti impiegati, per la costruzione dei nostri prodotti, sono garantiti enti certificatori internazionali quali IMQ e UL, e sono marchiati e testati secondo le norme CE.





## Materiali

Ogni materiale impiegato per costruire Rubber e Strip è di altissima qualità. Rubber ha la struttura in poliuretano e il diffusore in resina poliuretanica, che garantisce la massima flessibilità e versatilità grazie alla qualità materie prime utilizzate. Strip LED è rivestito in poliuretano, un materiale capace di resistere a sollecitazioni e a temperature importanti. Inoltre, sono tutti predisposti per resistere all'invecchiamento o ingiallimento nel tempo. Il rame impiegato per i circuiti, puro al 99,9%, garantisce la perfetta continuità delle connessioni elettroniche. La gamma Flex Light è per sua natura auto-dissipante, non necessita di corpi o sistemi dissipanti aggiuntivi.




### Autodissipazione

La potenza dei diodi LED viene opportunamente gestita per assicurare la miglior resa luminosa e contemporaneamente controllare il calore generato, salvaguardando l'integrità del circuito. I microfori presenti sulla superficie in poliuretano aiutano a disperdere il calore e a mantenere una corretta temperatura di esercizio. Diventa pertanto possibile applicare Rubber e Strip su molteplici superfici, per realizzare installazioni luminose di ogni genere.




### ICs Regolatori

Tutta la gamma Flex Light dispone di un sistema a polarità inversa, che funziona da garanzia e protezione in caso di montaggio con poli invertiti. Inoltre, la presenza di regolatori ICs garantiscono uniformità e omogeneità luminosa per tutta la lunghezza installata.




### Test e controllo

Rubber e Strip LED sono stati studiati e realizzati per garantire il miglior comfort visivo possibile. L'intera gamma è predisposta per assecondare il ritmo circadiano, semplicemente regolando l'intensità luminosa e la temperatura colore in modo graduale da 3000 K a 6000 K. Questo permette di controllare la melatonina e fissare il cortisolo, entrambi indispensabili per il benessere visivo e vitale dell'uomo. Inoltre, i numerosi test danno garanzia di durabilità e mantenimento dell'efficacia e della qualità luminosa, fattori di grande importanza in ambienti chiusi o protetti, come uffici o ospedali.




**Ribbon Plus 70 LEDs/m | LED strip | 3,2 W/m 24 V DC**



CRI 85 - 5 m 16W	Cct	lm S - D
<b>98635</b>	2700	1970 - On req
<b>98636</b>	3000	2140 - On req
<b>98637</b>	4000	2309 - On req

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


**Ribbon Plus 140 LEDs/m | LED strip | 7,2 W/m 24 V DC**



CRI 85 - 5 m 36W	Cct	lm S - D
<b>98945</b>	2700	4115 - On req
<b>98946</b>	3000	4400 - On req
<b>98948</b>	4000	4490 - On req

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


**Ribbon Plus Hi-Flux 70 LEDs/m | LED strip | 12,6 W/m 24 V DC**



CRI 85 - 5 m 63W	Cct	lm S - D
<b>98638</b>	2700	7375 - On req
<b>98639</b>	3000	7975 - On req
<b>98640</b>	4000	8550 - On req

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38

**Ribbon Plus 140 Hi-Flux LEDs/m | LED strip | 25 W/m 24 V DC**



CRI 85 - 5 m 125W	Cct	lm S - D
<b>81956</b>	2700	11500 - On req
<b>81957</b>	3000	12050 - On req
<b>81958</b>	4000	12500 - On req

99331	99332	83062	99787
ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


**Ribbon Plus WT 70+70 LEDs/m | LED strip | 13 W/m 24 V DC**



**CRI 85 - 5 m 65W**  
**99671** 1800-3000 K

<b>99694+99700</b>	<b>99331</b>	<b>99278</b>	<b>DMX</b>	<b>99331</b>
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


**Ribbon Plus Dynamic White 70+70 LEDs/m | LED strip | 12,8 W/m 24 V DC**



**CRI 85 - 5 m 64W**  
**99672** 1800-5000 K

<b>99695+99701</b>	<b>99331</b>	<b>99278</b>	<b>DMX</b>	<b>99331</b>
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


**Ribbon Plus RGBW | LED strip 60+60 LEDs/m | 19,6 W/m 24 V DC**



**5 m 98W**  
**99670** RBGW - 3000 K (CRI 85)

<b>99696+99702</b>	<b>99331</b>	<b>99278</b>	<b>DMX</b>	<b>99331</b>
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


**PU\_C Plus 70 LEDs/m** | LED strip | 3,2 W/m 24 V DC



CRI 85 - 5 m 16W	Cct	lm S - D
<b>98774</b>	2700	2070 - 1495
<b>98776</b>	3000	2245 - 1625
<b>98775</b>	4000	2425 - 1895

<b>99374</b>	<b>99331</b>	<b>99332</b>	<b>83062</b>	<b>99787</b>
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


**PU\_C Plus 140 LEDs/m** | LED strip | 7,2 W/m 24 V DC



CRI 85 - 5 m 36W	Cct	lm S - D
<b>81959</b>	2700	4315 - 3450
<b>81960</b>	3000	4615 - 3700
<b>81961</b>	4000	4715 - 3775

<b>99374</b>	<b>99331</b>	<b>99332</b>	<b>83062</b>	<b>99787</b>
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


**PU\_C Plus Hi-Flux 70 LEDs/m** | LED strip | 12,6 W/m 24 V DC



CRI 85 - 5 m 63W	Cct	lm S - D
<b>98777</b>	2700	7745 - 5890
<b>98779</b>	3000	8385 - 6495
<b>98778</b>	4000	8980 - 6935

<b>99374</b>	<b>99331</b>	<b>99332</b>	<b>83062</b>	<b>99787</b>
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38

**PU\_C Plus 140 Hi-Flux LEDs/m** | LED strip | 25 W/m 24 V DC




CRI 85 - 5 m 125W	Cct	lm S - D
<b>81962</b>	2700	12080 - 9000
<b>81963</b>	3000	12655 - 9550
<b>81964</b>	4000	13130 - 10000

<b>99374</b>	<b>99331</b>	<b>99332</b>	<b>83062</b>	<b>99787</b>
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38



**PU\_C RGBW 60+60 LEDs/m** | LED strip | 19,6 W/m 24 V DC



**5 m 98W**

**81965** | RGBW - 3000 K (CRI 85)

**99696+99702**

Dimmer RF

**99331**

CV 24V  
150 W  
p 150 x 160 x h 35

**99278**

Dimmer DMX

**DMX**

DMX Controllers  
Pag. 952 - 953

**99331**

CV 24V  
150 W  
p 150 x 160 x h 35

**Cavi**

**PU\_C** | Prolunga + connettore



**description**

**98947**

Conn. M. 5 pin (L 0,25 m)  
+ conn. F. 5 pin (L 1 m)

**suitable for:** PU\_C

**PU\_C** | Prolunga + connettore



**description**


**99542**

Conn. M. 2 pin (L 0,25 m)  
+ conn. F. 2 pin (L 1 m)

**suitable for:** PU\_C

**Accessori**

**PU\_C Plus** | Kit di fissaggio



**description**

**98964**

1 x glue  
20 x brackets  
40 x M3x25 screws  
10 x caps

**suitable for:** 5 m PU\_C

**PU\_C Plus** | Kit staffe



**description**

**89223**

10 x brackets  
20 x M3x25 screws


**suitable for:** 5 m PU\_C

# ribbon dropper silicone\_C






**Ribbon Basic 60 LEDs/m** | LED strip | 4,8 W/m 24 V DC




CRI 80 - 5 m 25W	Cct	lm S - D
<b>98011</b>	2700	1800 - On req
<b>98556</b>	3000	1825 - On req
<b>98012</b>	4000	1850 - On req

**Ribbon 120 LEDs/m** | LED strip | 9,6 W/m 24 V DC




CRI 80 - 5 m 48W	Cct	lm S - D
<b>83659</b>	2700	4250 - On req
<b>83657</b>	3000	4400 - On req
<b>83658</b>	4000	4800 - On req

**Ribbon Hi-Flux 60 LEDs/m** | LED strip | 12 W/m 24 V DC




CRI 80 - 5 m 60W	Cct	lm S - D
<b>99608</b>	2700	4900 - On req.
<b>99612</b>	3000	5100 - On req.
<b>99610</b>	4000	5500 - On req.

**Ribbon 240 LEDs/m** | LED strip | 19,2 W/m 24 V DC




CRI 80 - 5 m 96W	Cct	lm S - D
<b>98084</b>	2700	7200 - On req
<b>98570</b>	3000	7250 - On req
<b>98083</b>	4000	7400 - On req

**Ribbon 120 LEDs/m** | LED strip | 12 W/m 24 V DC



CRI 80 - 5 m 60W	Cct	lm S - D
<b>98078</b>	2700	4900 - On req
<b>98568</b>	3000	5100 - On req
<b>98077</b>	4000	6000 - On req

**Ribbon Slim 120 LEDs/m** | LED strip | 9,6 W/m 24 V DC




CRI 80 - 5 m 48W	Cct	lm S - D
<b>84219</b>	2700	3350 - On req
<b>84220</b>	3000	3450 - On req
<b>84221</b>	4000	3750 - On req

**Electronica**

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


### Ribbon Hi-Flux 150 LEDs/m | LED strip | 20 W/m 48 V DC



CRI 95 - 10 m 200W	Cct	lm S - D
<b>84195</b>	3000	17250 - On req
<b>84196</b>	4000	19500 - On req

99784	99785	83179	Switching	83177
ON/OFF 150W CV 48V	ON/OFF 240W CV 48V	DALI 150W CV 48V	Switching CV 48V Pag. 932	Dimmer DMX 312W


### Ribbon RGB 60 LEDs/m | LED strip | 14,4 W/m 24 V DC



5 m 72W	98017	RGB
---------	-------	-----

99696+99702	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


### Ribbon RGBW 54 LEDs/m | LED strip | 13,5 W/m 48 V DC



CRI 80 - 5 m 67,5W	84197	84198
	RGBW - 3000 K (CRI 80)	RGBW - 4000 K (CRI 80)

99784	99785	Switching	83178
ON/OFF 150W CV 48V	ON/OFF 240W CV 48V	Switching CV 48V Pag. 932	Dimmer DMX 384W


### Ribbon Dynamic White 60+60 LEDs/m | LED strip | 19,2 W/m 24 V DC



CRI 85 - 5 m 96W	98548
	3000 - 6000 K

99695+99701	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


**Dropper Basic 60 LEDs/m | LED strip | 5 W/m 24 V DC**



CRI 80 - 5 m 25W	Cct	lm S - D
<b>99588</b>	2700	2300 - On req
<b>99592</b>	3000	2400 - On req
<b>99590</b>	4000	2500 - On req

★ **Elettronica**


**Dropper Hi-Flux 60 LEDs/m | LED strip | 14,4 W/m 24 V DC**



CRI 80 - 5 m 72W	Cct	lm S - D
<b>98092</b>	2700	5400 - On req

★ **Elettronica**

**Dropper RGB 60 LEDs/m | LED strip | 14,4 W/m 24 V DC**




5 m 72W	
<b>98025</b>	RGB

★★ **Elettronica**

★	99374	99331	99332	83062	99787
	ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


**Dropper Hi-Flux 60 LEDs/m | LED strip | 12 W/m 24 V DC**



CRI 80 - 5 m 60W	Cct	lm S - D
<b>99628</b>	2700	4750 - On req
<b>99632</b>	3000	4875 - On req
<b>99630</b>	4000	5250 - On req

★ **Elettronica**

**Dropper 120 LEDs/m | LED strip | 9,6 W/m 24 V DC**




CRI 80 - 5 m 48W	Cct	lm S - D
<b>98572</b>	3000	3610 - On req
<b>98574</b>	4000	3700 - On req

★ **Elettronica**

★★	99696+99702	99331	99278	DMX	99331
	Dimmer RF	CV 24V 150 W p 150 x 160 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x 160 x h 35


**Silicone\_C Basic 60 LEDs/m** | LED strip | 5 W/m 24 V DC



CRI 80 - 5 m 25W	Cct	lm S - D
<b>99598</b>	2700	2250 - On req
<b>99602</b>	3000	2300 - On req
<b>99600</b>	4000	2400 - On req

★ Elettronica


**Silicone\_C Hi-Flux 60 LEDs/m** | LED strip | 12 W/m 24 V DC



CRI 80 - 5 m 60W	Cct	lm S - D
<b>99622</b>	3000	4750 - On req
<b>99620</b>	4000	5100 - On req

★ Elettronica


**Silicone\_C Hi-Flux 60 LEDs/m** | LED strip | 14,4 W/m 24 V DC



CRI 80 - 5 m 72W	Cct	lm S - D
<b>98042</b>	2700	5400 - On req.

★ Elettronica


**Silicone\_C 120 LEDs/m** | LED strip | 14,4 W/m 24 V DC



CRI 80 - 5 m 72W	Cct	lm S - D
<b>62403</b>	3000	7230 - On req
<b>62403N</b>	4000	7495 - On req

★ Elettronica


**Silicone\_C Basic RGB 60 LEDs/m** | LED strip | 14,4 W/m 24 V DC



<b>5 m 72W</b>	
<b>98033</b>	RGB

★★ Elettronica

**Silicone\_C** | Kit di fissaggio



	description
<b>98373</b>	1 x glue 20 x brackets 40 x M3x25 screws 10 x caps

suitable for: 5 m Silicone\_C

**Silicone\_C** | Kit staffe



	description
<b>89223</b>	10 x brackets 20 x M3x25 screws

suitable for: 5 m Silicone\_C

<b>99374</b>	<b>99331</b>	<b>99332</b>	<b>83062</b>	<b>99787</b>
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38

<b>99696+99702</b>	<b>99331</b>	<b>99278</b>	<b>DMX</b>	<b>99331</b>
Dimmer RF	CV 24V 150 W p 150 x 160 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x 160 x h 35

**LED Strips** | Cavo a prese multiple



	connector	L mm	sec. Ø	available for
<b>89121</b>	F	300	2 x 0,35 mm <sup>2</sup>	Ribbon mono Dropper mono

**LED Strips** | Prolunga per prese multiple



	connector	L mm	sec. Ø	available for
<b>89123</b>	M + F	1000	2 x 0,35 mm <sup>2</sup>	Ribbon mono
<b>89125</b>	M + F	3000	2 x 0,35 mm <sup>2</sup>	Dropper mono

**LED Strips** | Connettore rapido



	connector	L mm	sec. Ø	available for
<b>98384</b>	1 clip	150	2 x 0,35 mm <sup>2</sup>	Ribbon basic mono Ribbon Hi-Flux mono

**LED Strips** | Estensione del connettore rapido



	connector	L mm	sec. Ø	available for
<b>98379</b>	2 clip	150	2 x 0,70 mm <sup>2</sup>	Ribbon basic mono Ribbon Hi-Flux mono

**LED Strips** | Giunto connettore rapido



	connector	available for
<b>98383</b>	2 clip	Ribbon basic mono Ribbon Hi-Flux mono Ribbon basic RGB Ribbon Hi-Flux RGB

**LED Strips** | Cavo a prese multiple



	connector	L mm	sec. Ø	available for
<b>89119</b>	6 M	1000	2 x 0,35 mm <sup>2</sup>	Ribbon basic mono Dropper mono

**LED Strips** | Prolunga per prese multiple



	connector	sec. Ø	available for
<b>99357</b>	F	3 x 0,35 mm <sup>2</sup>	Ribbon Dynamic White
<b>99358</b>	M	3 x 0,35 mm <sup>2</sup>	Ribbon Dynamic White

**LED Strips** | Prolunga per prese multiple



	connector	L mm	sec. Ø	available for
<b>98551</b>	M + F	1000 m	3 x 0,35 mm <sup>2</sup>	Ribbon Dynamic White
<b>98552</b>	M + F	3000 m	3 x 0,35 mm <sup>2</sup>	Ribbon Dynamic White



### RGB Strips | Cavo a prese multiple



	connector	L mm	sec. Ø	available for
<b>89122</b>	F	300	4 x 0,35 mm <sup>2</sup>	Ribbon RGB Dropper RGB

### RGB Strips | Prolunga per prese multiple



	connector	L mm	sec. Ø	available for
<b>89124</b>	M + F	1000	2 x 0,35 mm <sup>2</sup>	Ribbon RGB

### LED Strips | IP66 cavo



	connector	L mm	sec. Ø	available for
<b>89629</b>	1 M	1000	2 x 0,75 mm <sup>2</sup>	Silicone_C mono

### LED Strips | IP66 prolunga



	connector	L mm	sec. Ø	available for
<b>99000</b>	1 F	2000	2 x 0,75 mm <sup>2</sup>	Silicone_C mono

### RGB Strips | IP66 cavo




	connector	L mm	sec. Ø	available for
<b>89630</b>	1 M	2000	4 x 0,35 mm <sup>2</sup>	Silicone_C RGB

### RGB Strips | IP66 prolunga



	connector	L mm	sec. Ø	available for
<b>99001</b>	1 F	2000	4 x 0,35 mm <sup>2</sup>	Silicone_C RGB

## Vojo\_17/08 | Low surface profile | Indoor LED Strips



		L mm	
Anod. AL.	<b>98891</b>	2000	Profilo - Profile
Black	<b>83129</b>	2000	Profilo - Profile
Transp.	<b>98941</b>	2000	Diffusore - Diffuser
Satinized	<b>98942</b>	2000	Diffusore - Diffuser
Opaline	<b>98943</b>	2000	Diffusore - Diffuser
Black	<b>83132</b>	2000	Diffusore - Diffuser
	<b>98892</b>	2 x	Tappi - Caps
Black	<b>83133</b>	2 x	Tappi - Caps
	<b>98944</b>	5 x	Staffe - Brackets

### KIT composition


<b>98954</b>	<b>98955</b>
1 x (98891-98943 98892-98944)	10 x (98891 98943)

### KIT composition Black

<b>84446</b>	<b>84447</b>
1 x (83129-83132 83133-98944)	10 x (83129 83132)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

## Luno\_20/27 | High square surface profile | Indoor LED Strips



		L mm	
Anod. AL.	<b>98929</b>	2000	Profilo - Profile
Black	<b>83137</b>	2000	Profilo - Profile
Opaline	<b>98930</b>	2000	Diffusore - Diffuser
Black	<b>83138</b>	2000	Diffusore - Diffuser
	<b>98932</b>	2 x	Tappi - Caps
Black	<b>83139</b>	2 x	Tappi - Caps
	<b>98931</b>	5 x	Staffe - Brackets

### KIT composition


<b>84452</b>	<b>99986</b>
1 x (98929-98930 98932-98931)	10 x (98929 98930)

### KIT composition Black

<b>84450</b>	<b>84451</b>
1 x (83137-83138 83139-98931)	10 x (83137 83138)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

## Vojo\_17/08 | Low surface profile | Indoor LED Strips




		L mm	
Anod. AL.	<b>98891</b>	2000	Profilo - Profile
Satinized	<b>98925</b>	2000	Diffusore - Diffuser (90°)
	<b>98928</b>	2 x	Tappi - Caps
	<b>98944</b>	5 x	Staffe - Brackets

### KIT composition

<b>99983</b>	<b>99984</b>
1 x (98891-98925 98928-98944)	10 x (98891 98925)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

## Luno\_20/27 | High round surface profile | Indoor LED Strips



		L mm	
Anod. AL.	<b>98929</b>	2000	Profilo - Profile
Black	<b>83137</b>	2000	Profilo - Profile
Opaline	<b>98934</b>	2000	Diffusore - Diffuser
Black	<b>83183</b>	2000	Diffusore - Diffuser
	<b>98936</b>	2 x	Tappi - Caps
Black	<b>83184</b>	2 x	Tappi - Caps
	<b>98931</b>	5 x	Staffe - Brackets

### KIT composition


<b>84453</b>	<b>99988</b>
1 x (98929-98934 98936-98931)	10 x (98929 98934)

### KIT composition Black

<b>84454</b>	<b>84455</b>
1 x (83137-83183 83184-98931)	10 x (83137 83183)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

## Rive\_17/16 | High surface profile | Indoor LED Strips





		L mm	
Anod. AL.	<b>98893</b>	2000	Profilo - Profile
Black	<b>83130</b>	2000	Profilo - Profile
Transp.	<b>98941</b>	2000	Diffusore - Diffuser
Satinized	<b>98942</b>	2000	Diffusore - Diffuser
Opaline	<b>98943</b>	2000	Diffusore - Diffuser
Black	<b>83132</b>	2000	Diffusore - Diffuser
	<b>98894</b>	2 x	Tappi - Caps
Black	<b>83135</b>	2 x	Tappi - Caps
	<b>98944</b>	5 x	Staffe - Brackets


KIT composition		KIT composition Black	
<b>99905</b>	<b>99906</b>	<b>84448</b>	<b>84449</b>
1 x (98893-98943 98894-98944)	10 x (98893 98943)	1 x (83130-83132 83135-98944)	10 x (83130 83132)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone\_C - PU\_C Plus

## Esempio con profilo nero + diffusore nero.



## Sageto\_24/08 | Low recessed profile | Indoor LED Strips




		L mm	
Anod. AL.	<b>98895</b>	2000	Profilo - Profile
Transp.	<b>98941</b>	2000	Diffusore - Diffuser
Satinized	<b>98942</b>	2000	Diffusore - Diffuser
Opaline	<b>98943</b>	2000	Diffusore - Diffuser
	<b>98896</b>	2 x	Tappi - Caps
	<b>98944</b>	5 x	Staffe - Brackets

KIT composition	
<b>98965</b>	<b>99907</b>
1 x (98895-98943 98896-98944)	10 x (98895 98943)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

## Roko\_33/15 | Low recessed profile | Indoor LED Strips




		L mm	
Anod. AL.	<b>98897</b>	2000	Profilo - Profile
Transp.	<b>98898</b>	2000	Diffusore - Diffuser
Satinized	<b>98899</b>	2000	Diffusore - Diffuser
Opaline	<b>98900</b>	2000	Diffusore - Diffuser
	<b>98902</b>	2 x	Tappi - Caps
	<b>98901</b>	5 x	Staffe - Brackets

KIT composition	
<b>99908</b>	
1 x (98897-98900 98902-98901)	

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone\_C - PU\_C Plus

### Ghost\_64/14 | Low integrated profile | Indoor LED Strips



		L mm	
Anod. Al.	<b>98906</b>	2000	Profilo - Profile
Transp.	<b>98898</b>	2000	Diffusore - Diffuser
Satinized	<b>98899</b>	2000	Diffusore - Diffuser
Opaline	<b>98900</b>	2000	Diffusore - Diffuser
	<b>98907</b>	2 x	Tappi - Caps


#### KIT composition

**99989**

1 x (98906-98900  
98907)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone\_C - PU\_C Plus


### Papilio\_41/41 | Integrated corner profile | Indoor LED Strips



		L mm	
Anod. Al.	<b>98919</b>	2000	Profilo - Profile
Opaline	<b>98917</b>	2000	Diffusore - Diffuser
	<b>98920</b>	2 x	Tappi - Caps

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper


### Armita\_58/15 | Integrated linear profile | Indoor LED Strips



		L mm	
Anod. Al.	<b>98916</b>	2000	Profilo - Profile
Opaline	<b>98917</b>	2000	Diffusore - Diffuser
	<b>98918</b>	2 x	Tappi - Caps

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper


### Tabulo\_35/14 | Integrated side profile | Indoor LED Strips



		L mm	
Anod. Al.	<b>98921</b>	2000	Profilo - Profile
Opaline	<b>98917</b>	2000	Diffusore - Diffuser
	<b>98922</b>	2 x	Tappi - Caps

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

**Ribba\_09/15** | High slim surface profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98908</b>	2000	Profilo - Profile
Opaline	<b>98909</b>	2000	Diffusore - Diffuser
	<b>98911</b>	2 x	Tappi - Caps
	<b>98910</b>	5 x	Staffe - Brackets


**KIT composition**

**99998**

10 x (98908  
90909)

Compatible with: Ribbon slim

**Fonis\_06/11** | Low slim surface profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98885</b>	2000	Profilo - Profile
Transp.	<b>98886</b>	2000	Diffusore - Diffuser
Satinized	<b>98887</b>	2000	Diffusore - Diffuser
Opaline	<b>98888</b>	2000	Diffusore - Diffuser
	<b>98890</b>	2 x	Tappi - Caps
	<b>98889</b>	5 x	Staffe - Brackets


**KIT composition**

**83003**      **83004**

1 x (98885-98888)    10 x (98885  
98890-98889)    98888)

Compatible with: Ribbon slim

**Alise\_10/10** | Square slim surface profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98912</b>	2000	Profilo - Profile
Opaline	<b>98913</b>	2000	Diffusore - Diffuser
	<b>98915</b>	2 x	Tappi - Caps
	<b>98914</b>	5 x	Staffe - Brackets


**KIT composition**

**99998**

10 x (98908  
90909)

Compatible with: Ribbon slim

**Suo\_56/10** | Flat surface profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98937</b>	2000	Profilo - Profile
Opaline	<b>98938</b>	2000	Diffusore - Diffuser
	<b>98940</b>	2 x	Tappi - Caps
	<b>98939</b>	5 x	Staffe - Brackets


**KIT composition**

**83006**

10 x (98937  
98943)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - PU\_C Plus


### Ozner\_25/10 | Low surface profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98419</b>	2000	Profilo - Profile
Opaline	<b>98395</b>	2000	Diffusore - Diffuser
	<b>98418</b>	2 x	Tappi - Caps
	<b>98420</b>	5 x	Staffe - Brackets

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone\_C - PU\_C Plus

### Svik\_00/00 | Heat sink | Indoor LED Strips



		L mm	
Anod. AL	<b>98956</b>	2000	Dissipatore - Heat sink

#### KIT composition

10 x **99999**  
99895

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone\_C - PU\_C Plus

### Cela\_18/18 | Corner profile | Indoor LED Strips



		L mm	
Anod. AL	<b>98903</b>	2000	Profilo - Profile
Black	<b>83131</b>	2000	Profilo - Profile
Transp.	<b>98941</b>	2000	Diffusore - Diffuser
Satinized	<b>98942</b>	2000	Diffusore - Diffuser
Opaline	<b>98943</b>	2000	Diffusore - Diffuser
Black	<b>83132</b>	2000	Diffusore - Diffuser
	<b>98905</b>	2 x	Tappi - Caps
Black	<b>83136</b>	2 x	Tappi - Caps
	<b>98904</b>	5 x	Staffe - Brackets

#### KIT composition

**99910** 1 x (98903-98943  
98905-98904)

**99911** 10 x (98903  
98943)

#### KIT composition Black

**84456** 1 x (83131-83132  
83136-98904)


**84457** 10 x (83131  
83132)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - PU\_C Plus

#### Esempio con profilo nero + diffusore nero.




### Narp\_12/12 | Slim profile kit | Indoor LED Strips



		L mm	
Anod. AL	<b>63560L02</b>	2000	Profilo + diffusore - Profile + diffuser

Compatible with: Ribbon - Dropper


**Ice\_14/11** | Low recessed profile | Indoor LED Strips



	<b>L mm</b>	
Opaline <b>99977</b>	2000	Profilo - Profile
<b>99976</b>	2 x	Tappi - Caps

Compatible with: Ribbon (max 8 mm) - Ribbon slim - Dropper (max 8 mm)

**Ice\_10/10** | Low square surface profile | Indoor LED Strips



	<b>L mm</b>	
Opaline <b>99979</b>	2000	Profilo - Profile
<b>99978</b>	2 x	Tappi - Caps
<b>98398</b>	5 x	Clips di fissaggio - Fixing clips

Compatible with: Ribbon (max 8 mm) - Ribbon slim - Dropper (max 8 mm)

GavriiLux FourSeasons Astir | Greece



## Addresses

### Linea Light HQ Italy

via della Fornace, 59 z.i.  
31023 Castelmolin di Resana (TV) - Italy  
Phone: +39 0423 7868  
Fax: +39 0423 786900  
info@linealight.com

### Linea Light Milano

via Morimondo, 26 int. 17G  
20143 Milano - Italy  
Phone: +39 02 36750915  
Fax: +39 02 36750915  
milano@linealight.com

### Linea Light Roma

Via La Spezia, 34  
00182 Roma - Italy  
Phone: +39 06 68589134  
info@linealightroma.com

### Linea Light UK

Suite 109 - The Business Design Centre  
52 Upper Street - Islington N10QH  
London - UK  
Phone: +44 0203 6371983  
info@linealight-uk.com

### Linea Light France

Z.A. Heiden Est, 12 rue des Pays-Bas  
68310 Wittelsheim - France  
Phone: +33 389 75 52 23  
Fax: +33 389 75 59 07  
info@linealight.fr

### Linea Light Deutschland

Aktienstraße 214  
45473 Mülheim Ruhr - Germany  
Phone: +49 208 299979-0  
Fax: +49 208 299979-10  
service@linealight.de

### Linea Light USA - Inter Lux

3741 Commerce Drive  
Suites 306-308  
Baltimore, MD 21227 - USA  
Phone: +1 410 381 1497  
Fax: +1 410 381 1589  
answers@inter-lux.com

### Linea Light Russia

Design Center Artplay  
Nizhnyaya Syromyatnicheskaya 10/2 enter B,  
3rd floor, office 14  
105120 Moscow - Russia Federation  
Phone: +7 495 639 9941  
info@linealight.ru

### Linea Light Spain

C/ Longares, 48  
28022 Madrid - Spain  
Phone: +34 912534773  
info@linealight.es

### Linea Light Singapore

21 Kaki Bukit Place, 5th Fl.  
Eunos Techpark Singapore  
416199 Singapore  
Phone: +65-6908 5758  
info.sg@linealight.com

### Linea Light GCC


Jumeirah Lake Towers  
JBC2 - 35th Floor Cluster V - Dubai - UAE  
P.O. Box 125902  
Phone: +971 4 4218275  
Fax: +971 4 4218274  
info@linealight.ae

### Linea Light Asia - Pacific

No. 7, Nanyi Huayuan Road, Industry Avenue,  
528478 Xiaolan Town, Zhongshan City,  
Guangdong Province - China  
Phone: +86 760 87618355  
info@linealight.com.cn







Special edition to celebrate the new 2021 factory

[linealight.com](http://linealight.com)