

A detailed line-art illustration of an industrial factory setting. In the foreground, a worker wearing safety glasses and a hard hat is shown in profile, looking towards the right. Behind him, a large gear mechanism is visible. To the right, another worker is seen from behind, working on a structure. The background is filled with various industrial components, pipes, and machinery. In the lower section, a worker in a hard hat and safety vest holds a clipboard, standing next to a control panel with a bar chart and a circular arrow icon. To the right, there is a recycling symbol and a building-like structure with windows. The entire scene is rendered in a clean, minimalist line-art style.

MAESTRO 3.0

PROFESSIONAL
ARCHITECTURAL
LIGHTING

Flex light

i-LÉD




ribbon Plus PU_C



КАЧЕСТВО, МАТЕРИАЛ, МЕРЫ ПРЕДОСТОРОЖНОСТИ, ТЕСТИРОВАНИЕ И КОНТРОЛЬ ГОВОРЯТ ТОЛЬКО НА ОДНОМ ЯЗЫКЕ



Made in Italy



Качество

Rubber и Strip, как и все изделия компании Linea Light Group, сертифицированы и имеют гарантию сроком на 3 года или до 5 по запросу. Светильники различных типов, разной цветовой температуры и мощности, благодаря короткой и полностью контролируемой цепочке поставок Made in Italy доступны прямо сейчас.

Предприятие сертифицировано в соответствии со стандартом ISO 9001. Материалы и компоненты, используемые для конструирования нашей продукции, имеют сертификаты международных сертифицирующих организаций, таких как IMQ и UL, а также имеют маркировку и протестированы в соответствии со стандартами ЕС.





материал

Для конструкций Rubber и Strip используются материалы высочайшего качества. Каркас Rubber изготовлен из стабилизированного ПВХ, а рассеиватель - из полиуретановой смолы, что гарантирует максимальную гибкость и универсальность благодаря использованию качественного сырья. Светодиодная лента Strip LED имеет силиконовое покрытие - этот материал устойчив к напряжениям и высоким температурам. Кроме того, приняты все меры для предотвращения износа и пожелтения со временем. Медь, используемая в электрических цепях, характеризуется чистотой 99,9% и гарантирует идеальную бесперебойность электрических соединений. Ассортимент Flex Light, благодаря своим саморассеивающимся характеристикам, не требует наличия корпуса или дополнительных рассеивающих систем.




Автоматическое рассеяние

Светильника Rubber изготовлен из различных материалов: каркас из полиуретана и рассеиватель из полиуретановой смолы. Strip снабжен окантовкой из силикона. Как и все пластиковые материалы, эти также подвержены с ходом времени хроматическим и физическим вариациям. Компания Linea Light Group выбрала материалы, лишенные этих побочных эффектов. Тест с применением УФ-излучения предназначен для прогнозирования износа изделий посредством имитации экстремальных условий (до 80°C) и термических ударом, что позволяет давать гарантию на материалы и продолжительность срока их службы.




IC гарантирует

Весь ассортимент Flex Light снабжен системой инвертирования полярности, функционирование которой является гарантией и защитой в случае монтажа с перепутанными полюсами. Кроме того, наличие регуляторов IC гарантирует однородность и единообразие света на всей длине установки.




Тест электронного контроля

Rubber и Strip LED разработаны и изготовлены так, чтобы гарантировать максимально возможный визуальный комфорт. Весь ассортимент готов способствовать циркадным ритмам посредством простой плавной регулировки интенсивности света и цветовой температуры от 300 до 6000 К. Это обеспечивает возможность контроля мелатонина и поддержания уровня кортизола - двух необходимых гормонов для визуального комфорта и здоровья человека. Помимо этого, многочисленные тесты дают гарантию долговечности и сохранения производительности и качества света - важнейших факторов для закрытых или защищенных помещений, таких как офисы или больницы.




Ribbon Plus 70 LEDs/m | LED strip | 3,2 W/m 24 V DC



CRI 85 - 5 m 16W	Cct	lm S - D
98635	2700	1970 - On req
98636	3000	2140 - On req
98637	4000	2309 - On req

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


Ribbon Plus 140 LEDs/m | LED strip | 7,2 W/m 24 V DC



CRI 85 - 5 m 36W	Cct	lm S - D
98945	2700	4115 - On req
98946	3000	4400 - On req
98948	4000	4490 - On req

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


Ribbon Plus Hi-Flux 70 LEDs/m | LED strip | 12,6 W/m 24 V DC



CRI 85 - 5 m 63W	Cct	lm S - D
98638	2700	7375 - On req
98639	3000	7975 - On req
98640	4000	8550 - On req

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38

Ribbon Plus 140 Hi-Flux LEDs/m | LED strip | 25 W/m 24 V DC



CRI 85 - 5 m 125W	Cct	lm S - D
81956	2700	11500 - On req
81957	3000	12050 - On req
81958	4000	12500 - On req

99331	99332	83062	99787
ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


Ribbon Plus WT 70+70 LEDs/m | LED strip | 13 W/m 24 V DC



CRI 85 - 5 m 65W
99671 1800-3000 K

99694+99700	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


Ribbon Plus Dynamic White 70+70 LEDs/m | LED strip | 12,8 W/m 24 V DC



CRI 85 - 5 m 64W
99672 1800-5000 K

99695+99701	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


Ribbon Plus RGBW | LED strip 60+60 LEDs/m | 19,6 W/m 24 V DC



5 m 98W
99670 RBGW - 3000 K (CRI 85)

99696+99702	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


PU_C Plus 70 LEDs/m | LED strip | 3,2 W/m 24 V DC



CRI 85 - 5 m 16W	Cct	lm S - D
98774	2700	2070 - 1495
98776	3000	2245 - 1625
98775	4000	2425 - 1895

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


PU_C Plus 140 LEDs/m | LED strip | 7,2 W/m 24 V DC



CRI 85 - 5 m 36W	Cct	lm S - D
81959	2700	4315 - 3450
81960	3000	4615 - 3700
81961	4000	4715 - 3775

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


PU_C Plus Hi-Flux 70 LEDs/m | LED strip | 12,6 W/m 24 V DC



CRI 85 - 5 m 63W	Cct	lm S - D
98777	2700	7745 - 5890
98779	3000	8385 - 6495
98778	4000	8980 - 6935

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


PU_C Plus 140 Hi-Flux LEDs/m | LED strip | 25 W/m 24 V DC



CRI 85 - 5 m 125W	Cct	lm S - D
81962	2700	12080 - 9000
81963	3000	12655 - 9550
81964	4000	13130 - 10000

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38

PU_C RGBW 60+60 LEDs/m | LED strip | 19,6 W/m 24 V DC



5 m 98W

81965 RGBW - 3000 K (CRI 85)

99696+99702

Dimmer RF

99331

CV 24V
150 W
p 150 x 160 x h 35

99278

Dimmer DMX

DMX

DMX Controllers
Pag. 952 - 953

99331

CV 24V
150 W
p 150 x 160 x h 35

Кабели

PU_C | Удлинитель + Соединитель



description

98947

Conn. M. 5 pin (L 0,25 m)
+ conn. F. 5 pin (L 1 m)

suitable for: PU_C

PU_C | Удлинитель + Соединитель



description


99542

Conn. M. 2 pin (L 0,25 m)
+ conn. F. 2 pin (L 1 m)

suitable for: PU_C

Аксессуары

PU_C Plus | Монтажный комплект



description

98964

1 x glue
20 x brackets
40 x M3x25 screws
10 x caps

suitable for: 5 m PU_C

PU_C Plus | Крепежные скобы



description

89223

10 x brackets
20 x M3x25 screws


suitable for: 5 m PU_C

ribbon dropper silicone_C






Ribbon Basic 60 LEDs/m | LED strip | 4,8 W/m 24 V DC




CRI 80 - 5 m 25W	Cct	lm S - D
98011	2700	1800 - On req
98556	3000	1825 - On req
98012	4000	1850 - On req

Ribbon 120 LEDs/m | LED strip | 9,6 W/m 24 V DC




CRI 80 - 5 m 48W	Cct	lm S - D
83659	2700	4250 - On req
83657	3000	4400 - On req
83658	4000	4800 - On req

Ribbon Hi-Flux 60 LEDs/m | LED strip | 12 W/m 24 V DC




CRI 80 - 5 m 60W	Cct	lm S - D
99608	2700	4900 - On req.
99612	3000	5100 - On req.
99610	4000	5500 - On req.

Ribbon 240 LEDs/m | LED strip | 19,2 W/m 24 V DC




CRI 80 - 5 m 96W	Cct	lm S - D
98084	2700	7200 - On req
98570	3000	7250 - On req
98083	4000	7400 - On req

Ribbon 120 LEDs/m | LED strip | 12 W/m 24 V DC



CRI 80 - 5 m 60W	Cct	lm S - D
98078	2700	4900 - On req
98568	3000	5100 - On req
98077	4000	6000 - On req

Ribbon Slim 120 LEDs/m | LED strip | 9,6 W/m 24 V DC




CRI 80 - 5 m 48W	Cct	lm S - D
84219	2700	3350 - On req
84220	3000	3450 - On req
84221	4000	3750 - On req

Электроника

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38


Ribbon Hi-Flux 150 LEDs/m | LED strip | 20 W/m 48 V DC



CRI 95 - 10 m 200W	Cct	lm S - D
84195	3000	17250 - On req
84196	4000	19500 - On req

99784	99785	83179	Switching	83177
ON/OFF 150W CV 48V	ON/OFF 240W CV 48V	DALI 150W CV 48V	Switching CV 48V Pag. 932	Dimmer DMX 312W


Ribbon RGB 60 LEDs/m | LED strip | 14,4 W/m 24 V DC



5 m 72W	98017	RGB
---------	-------	-----

99696+99702	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


Ribbon RGBW 54 LEDs/m | LED strip | 13,5 W/m 48 V DC



CRI 80 - 5 m 67,5W	84197	84198
	RGBW - 3000 K (CRI 80)	RGBW - 4000 K (CRI 80)

99784	99785	Switching	83178
ON/OFF 150W CV 48V	ON/OFF 240W CV 48V	Switching CV 48V Pag. 932	Dimmer DMX 384W


Ribbon Dynamic White 60+60 LEDs/m | LED strip | 19,2 W/m 24 V DC



CRI 85 - 5 m 96W	98548
	3000 - 6000 K

99695+99701	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x l 60 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x l 60 x h 35


Dropper Basic 60 LEDs/m | LED strip | 5 W/m 24 V DC



CRI 80 - 5 m 25W	Cct	lm S - D
99588	2700	2300 - On req
99592	3000	2400 - On req
99590	4000	2500 - On req

*** Электроника**


Dropper Hi-Flux 60 LEDs/m | LED strip | 12 W/m 24 V DC



CRI 80 - 5 m 60W	Cct	lm S - D
99628	2700	4750 - On req
99632	3000	4875 - On req
99630	4000	5250 - On req

*** Электроника**


Dropper Hi-Flux 60 LEDs/m | LED strip | 14,4 W/m 24 V DC



CRI 80 - 5 m 72W	Cct	lm S - D
98092	2700	5400 - On req

*** Электроника**


Dropper 120 LEDs/m | LED strip | 9,6 W/m 24 V DC



CRI 80 - 5 m 48W	Cct	lm S - D
98572	3000	3610 - On req
98574	4000	3700 - On req

*** Электроника**

Dropper RGB 60 LEDs/m | LED strip | 14,4 W/m 24 V DC




5 m 72W	
98025	RGB

**** Электроника**

*	99374	99331	99332	83062	99787
	ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38

**	99696+99702	99331	99278	DMX	99331
	Dimmer RF	CV 24V 150 W p 150 x 160 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x 160 x h 35


Silicone_C Basic 60 LEDs/m | LED strip | 5 W/m 24 V DC



CRI 80 - 5 m 25W	Cct	lm S - D
99598	2700	2250 - On req
99602	3000	2300 - On req
99600	4000	2400 - On req

★ **Электроника**


Silicone_C Hi-Flux 60 LEDs/m | LED strip | 12 W/m 24 V DC



CRI 80 - 5 m 60W	Cct	lm S - D
99622	3000	4750 - On req
99620	4000	5100 - On req

★ **Электроника**


Silicone_C Hi-Flux 60 LEDs/m | LED strip | 14,4 W/m 24 V DC



CRI 80 - 5 m 72W	Cct	lm S - D
98042	2700	5400 - On req.

★ **Электроника**


Silicone_C 120 LEDs/m | LED strip | 14,4 W/m 24 V DC



CRI 80 - 5 m 72W	Cct	lm S - D
62403	3000	7230 - On req
62403N	4000	7495 - On req

★ **Электроника**


Silicone_C Basic RGB 60 LEDs/m | LED strip | 14,4 W/m 24 V DC



5 m 72W	
98033	RGB

★★ **Электроника**

Silicone_C | Монтажный комплект



	description
98373	1 x glue 20 x brackets 40 x M3x25 screws 10 x caps

suitable for: 5 m Silicone_C

Silicone_C | Крепежные скобы



	description
89223	10 x brackets 20 x M3x25 screws

suitable for: 5 m Silicone_C

99374	99331	99332	83062	99787
ON/OFF 75 W p 210 x 148 x h 25	ON/OFF 150 W p 150 x 160 x h 35	0/1-10V 150 W p 150 x 160 x h 35	DALI PUSH 150 W p 280 x 143 x h 30	DALI 240 W p 244 x 171 x h 38

99696+99702	99331	99278	DMX	99331
Dimmer RF	CV 24V 150 W p 150 x 160 x h 35	Dimmer DMX	DMX Controllers Pag. 952 - 953	CV 24V 150 W p 150 x 160 x h 35

LED Strips | Кабель с несколькими разъемами



	connector	L mm	sec. Ø	available for
89121	F	300	2 x 0,35 mm ²	Ribbon mono
				Dropper mono

LED Strips | Удлинитель для нескольких разъемов



	connector	L mm	sec. Ø	available for
89123	M + F	1000	2 x 0,35 mm ²	Ribbon mono
89125	M + F	3000	2 x 0,35 mm ²	Dropper mono

LED Strips | Быстроразъемный соединитель



	connector	L mm	sec. Ø	available for
98384	1 clip	150	2 x 0,35 mm ²	Ribbon basic mono
				Ribbon Hi-Flux mono

LED Strips | Удлинитель быстроразъемного соединителя



	connector	L mm	sec. Ø	available for
98379	2 clip	150	2 x 0,70 mm ²	Ribbon basic mono
				Ribbon Hi-Flux mono

LED Strips | Муфта быстроразъемного соединителя



	connector	available for
98383	2 clip	Ribbon basic mono
		Ribbon Hi-Flux mono
		Ribbon basic RGB
		Ribbon Hi-Flux RGB

LED Strips | Кабель с несколькими разъемами



	connector	L mm	sec. Ø	available for
89119	6 M	1000	2 x 0,35 mm ²	Ribbon basic mono
				Dropper mono

LED Strips | Удлинитель для нескольких разъемов



	connector	sec. Ø	available for
99357	F	3 x 0,35 mm ²	Ribbon Dynamic White
99358	M	3 x 0,35 mm ²	Ribbon Dynamic White

LED Strips | Удлинитель для нескольких разъемов



	connector	L mm	sec. Ø	available for
98551	M + F	1000 m	3 x 0,35 mm ²	Ribbon Dynamic White
98552	M + F	3000 m	3 x 0,35 mm ²	Ribbon Dynamic White

RGB Strips | Кабель с несколькими разъемами

	connector	L mm	sec. Ø	available for
89122	F	300	4 x 0,35 mm ²	Ribbon RGB Dropper RGB

RGB Strips | Удлинитель для нескольких разъемов

	connector	L mm	sec. Ø	available for
89124	M + F	1000	2 x 0,35 mm ²	Ribbon RGB

LED Strips | Кабель IP66

	connector	L mm	sec. Ø	available for
89629	1 M	1000	2 x 0,75 mm ²	Silicone_C mono

LED Strips | Удлинитель IP66

	connector	L mm	sec. Ø	available for
99000	1 F	2000	2 x 0,75 mm ²	Silicone_C mono


RGB Strips | Кабель IP66

	connector	L mm	sec. Ø	available for
89630	1 M	2000	4 x 0,35 mm ²	Silicone_C RGB

RGB Strips | Удлинитель IP66

	connector	L mm	sec. Ø	available for
99001	1 F	2000	4 x 0,35 mm ²	Silicone_C RGB

Vojo_17/08 | Low surface profile | Indoor LED Strips



		L mm	
Anod. AL.	98891	2000	Profilo - Profile
Black	83129	2000	Profilo - Profile
Transp.	98941	2000	Diffusore - Diffuser
Satinized	98942	2000	Diffusore - Diffuser
Opaline	98943	2000	Diffusore - Diffuser
Black	83132	2000	Diffusore - Diffuser
	98892	2 x	Tappi - Caps
Black	83133	2 x	Tappi - Caps
	98944	5 x	Staffe - Brackets

KIT composition


98954	98955
1 x (98891-98943 98892-98944)	10 x (98891 98943)

KIT composition Black

84446	84447
1 x (83129-83132 83133-98944)	10 x (83129 83132)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

Vojo_17/08 | Low surface profile | Indoor LED Strips




		L mm	
Anod. AL.	98891	2000	Profilo - Profile
Satinized	98925	2000	Diffusore - Diffuser (90°)
	98928	2 x	Tappi - Caps
	98944	5 x	Staffe - Brackets

KIT composition

99983	99984
1 x (98891-98925 98928-98944)	10 x (98891 98925)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

Luno_20/27 | High square surface profile | Indoor LED Strips



		L mm	
Anod. AL.	98929	2000	Profilo - Profile
Black	83137	2000	Profilo - Profile
Opaline	98930	2000	Diffusore - Diffuser
Black	83138	2000	Diffusore - Diffuser
	98932	2 x	Tappi - Caps
Black	83139	2 x	Tappi - Caps
	98931	5 x	Staffe - Brackets

KIT composition


84452	99986
1 x (98929-98930 98932-98931)	10 x (98929 98930)

KIT composition Black

84450	84451
1 x (83137-83138 83139-98931)	10 x (83137 83138)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

Luno_20/27 | High round surface profile | Indoor LED Strips



		L mm	
Anod. AL.	98929	2000	Profilo - Profile
Black	83137	2000	Profilo - Profile
Opaline	98934	2000	Diffusore - Diffuser
Black	83183	2000	Diffusore - Diffuser
	98936	2 x	Tappi - Caps
Black	83184	2 x	Tappi - Caps
	98931	5 x	Staffe - Brackets

KIT composition


84453	99988
1 x (98929-98934 98936-98931)	10 x (98929 98934)

KIT composition Black

84454	84455
1 x (83137-83183 83184-98931)	10 x (83137 83183)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

Rive_17/16 | High surface profile | Indoor LED Strips





		L mm	
Anod. AL	98893	2000	Profilo - Profile
Black	83130	2000	Profilo - Profile
Transp.	98941	2000	Diffusore - Diffuser
Satinized	98942	2000	Diffusore - Diffuser
Opaline	98943	2000	Diffusore - Diffuser
Black	83132	2000	Diffusore - Diffuser
	98894	2 x	Tappi - Caps
Black	83135	2 x	Tappi - Caps
	98944	5 x	Staffe - Brackets


KIT composition		KIT composition Black	
99905	99906	84448	84449
1 x (98893-98943 98894-98944)	10 x (98893 98943)	1 x (83130-83132 83135-98944)	10 x (83130 83132)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone_C - PU_C Plus

Example with black profile + black diffuser.



Sageto_24/08 | Low recessed profile | Indoor LED Strips




		L mm	
Anod. AL	98895	2000	Profilo - Profile
Transp.	98941	2000	Diffusore - Diffuser
Satinized	98942	2000	Diffusore - Diffuser
Opaline	98943	2000	Diffusore - Diffuser
	98896	2 x	Tappi - Caps
	98944	5 x	Staffe - Brackets

KIT composition	
98965	99907
1 x (98895-98943 98896-98944)	10 x (98895 98943)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

Roko_33/15 | Low recessed profile | Indoor LED Strips




		L mm	
Anod. AL	98897	2000	Profilo - Profile
Transp.	98898	2000	Diffusore - Diffuser
Satinized	98899	2000	Diffusore - Diffuser
Opaline	98900	2000	Diffusore - Diffuser
	98902	2 x	Tappi - Caps
	98901	5 x	Staffe - Brackets

KIT composition	
99908	
1 x (98897-98900 98902-98901)	

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone_C - PU_C Plus

Ghost_64/14 | Low integrated profile | Indoor LED Strips



		L mm	
Anod. Al.	98906	2000	Profilo - Profile
Transp.	98898	2000	Diffusore - Diffuser
Satinized	98899	2000	Diffusore - Diffuser
Opaline	98900	2000	Diffusore - Diffuser
	98907	2 x	Tappi - Caps


KIT composition

99989

1 x (98906-98900
98907)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone_C - PU_C Plus


Armita_58/15 | Integrated linear profile | Indoor LED Strips



		L mm	
Anod. Al.	98916	2000	Profilo - Profile
Opaline	98917	2000	Diffusore - Diffuser
	98918	2 x	Tappi - Caps

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper


Papilio_41/41 | Integrated corner profile | Indoor LED Strips



		L mm	
Anod. Al.	98919	2000	Profilo - Profile
Opaline	98917	2000	Diffusore - Diffuser
	98920	2 x	Tappi - Caps

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper


Tabulo_35/14 | Integrated side profile | Indoor LED Strips



		L mm	
Anod. Al.	98921	2000	Profilo - Profile
Opaline	98917	2000	Diffusore - Diffuser
	98922	2 x	Tappi - Caps

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper

Ribba_09/15 | High slim surface profile | Indoor LED Strips



		L mm	
Anod. AL	98908	2000	Profilo - Profile
Opaline	98909	2000	Diffusore - Diffuser
	98911	2 x	Tappi - Caps
	98910	5 x	Staffe - Brackets


KIT composition

99998

10 x (98908
90909)

Compatible with: Ribbon slim

Fonis_06/11 | Low slim surface profile | Indoor LED Strips



		L mm	
Anod. AL	98885	2000	Profilo - Profile
Transp.	98886	2000	Diffusore - Diffuser
Satinized	98887	2000	Diffusore - Diffuser
Opaline	98888	2000	Diffusore - Diffuser
	98890	2 x	Tappi - Caps
	98889	5 x	Staffe - Brackets


KIT composition

83003 83004

1 x (98885-98888) 10 x (98885
98890-98889) 98888)

Compatible with: Ribbon slim

Alise_10/10 | Square slim surface profile | Indoor LED Strips



		L mm	
Anod. AL	98912	2000	Profilo - Profile
Opaline	98913	2000	Diffusore - Diffuser
	98915	2 x	Tappi - Caps
	98914	5 x	Staffe - Brackets


KIT composition

99998

10 x (98908
90909)

Compatible with: Ribbon slim

Suo_56/10 | Flat surface profile | Indoor LED Strips



		L mm	
Anod. AL	98937	2000	Profilo - Profile
Opaline	98938	2000	Diffusore - Diffuser
	98940	2 x	Tappi - Caps
	98939	5 x	Staffe - Brackets


KIT composition

83006

10 x (98937
98943)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - PU_C Plus


Ozner_25/10 | Low surface profile | Indoor LED Strips



		L mm	
Anod. AL	98419	2000	Profilo - Profile
Opaline	98395	2000	Diffusore - Diffuser
	98418	2 x	Tappi - Caps
	98420	5 x	Staffe - Brackets

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone_C - PU_C Plus

Svik_00/00 | Heat sink | Indoor LED Strips



		L mm	
Anod. AL	98956	2000	Dissipatore - Heat sink

KIT composition

10 x **99999**
99895

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - Silicone_C - PU_C Plus

Cela_18/18 | Corner profile | Indoor LED Strips



		L mm	
Anod. AL	98903	2000	Profilo - Profile
Black	83131	2000	Profilo - Profile
Transp.	98941	2000	Diffusore - Diffuser
Satinized	98942	2000	Diffusore - Diffuser
Opaline	98943	2000	Diffusore - Diffuser
Black	83132	2000	Diffusore - Diffuser
	98905	2 x	Tappi - Caps
Black	83136	2 x	Tappi - Caps
	98904	5 x	Staffe - Brackets

KIT composition

99910
1 x (98903-98943
98905-98904)

99911
10 x (98903
98943)

KIT composition Black

84456
1 x (83131-83132
83136-98904)



84457
10 x (83131
83132)

Compatible with: Ribbon - Ribbon Plus - Ribbon slim - Dropper - PU_C Plus

Example with black profile + black diffuser.




Narp_12/12 | Slim profile kit | Indoor LED Strips



		L mm	
Anod. AL	63560L02	2000	Profilo + diffusore - Profile + diffuser

Compatible with: Ribbon - Dropper


Ice_14/11 | Low recessed profile | Indoor LED Strips



	L mm	
Opaline 99977	2000	Profilo - Profile
99976	2 x	Tappi - Caps

Compatible with: Ribbon (max 8 mm) - Ribbon slim - Dropper (max 8 mm)

Ice_10/10 | Low square surface profile | Indoor LED Strips



	L mm	
Opaline 99979	2000	Profilo - Profile
99978	2 x	Tappi - Caps
98398	5 x	Clips di fissaggio - Fixing clips

Compatible with: Ribbon (max 8 mm) - Ribbon slim - Dropper (max 8 mm)

GavriiLux FourSeasons Astir | Greece



Addresses

Linea Light HQ Italy

via della Fornace, 59 z.i.
31023 Castelmolinio di Resana (TV) - Italy
Phone: +39 0423 7868
Fax: +39 0423 786900
info@linealight.com

Linea Light Milano

via Morimondo, 26 int. 17G
20143 Milano - Italy
Phone: +39 02 36750915
Fax: +39 02 36750915
milano@linealight.com

Linea Light Roma

Via La Spezia, 34
00182 Roma - Italy
Phone: +39 06 68589134
info@linealightroma.com

Linea Light UK

Suite 109 - The Business Design Centre
52 Upper Street - Islington N10QH
London - UK
Phone: +44 0203 6371983
info@linealight-uk.com

Linea Light France

Z.A. Heiden Est, 12 rue des Pays-Bas
68310 Wittelsheim - France
Phone: +33 389 75 52 23
Fax: +33 389 75 59 07
info@linealight.fr

Linea Light Deutschland

Aktienstraße 214
45473 Mülheim Ruhr - Germany
Phone: +49 208 299979-0
Fax: +49 208 299979-10
service@linealight.de

Linea Light USA - Inter Lux

3741 Commerce Drive
Suites 306-308
Baltimore, MD 21227 - USA
Phone: +1 410 381 1497
Fax: +1 410 381 1589
answers@inter-lux.com

Linea Light Russia

Design Center Artplay
Nizhnyaya Syromyatnicheskaya 10/2 enter B,
3rd floor, office 14
105120 Moscow - Russia Federation
Phone: +7 495 639 9941
info@linealight.ru

Linea Light Spain

C/ Longares, 48
28022 Madrid - Spain
Phone: +34 912534773
info@linealight.es

Linea Light Singapore


21 Kaki Bukit Place, 5th Fl.
Eunos Techpark Singapore
416199 Singapore
Phone: +65-6908 5758
info.sg@linealight.com

Linea Light GCC

Jumeirah Lake Towers
JBC2 - 35th Floor Cluster V - Dubai - UAE
P.O. Box 125902
Phone: +971 4 4218275
Fax: +971 4 4218274
info@linealight.ae

Linea Light Asia - Pacific

No. 7, Nanyi Huayuan Road, Industry Avenue,
528478 Xiaolan Town, Zhongshan City,
Guangdong Province - China
Phone: +86 760 87618355
info@linealight.com.cn



Special edition to celebrate the new 2021 factory

linealight.com